SELECTION ACKNOWLEDGEMENT | DCY-S2-0145

Page 1 of 6



DAYTON (DCY)

Address: 884 PLEASANT VALLEY DRIVE

City, State, Zip: SPRINGBORO, OH, 45066

Business: 937-746-0073

Fax: 937-746-0887

Product (Set/Version): CEDAR (CDR00-01)

Spec/Model: NO

Start Date: 11/9/2020

Projected Settlement Date: **2/1/2021**

Lumber Scheduled Date (ROUGH/TRIM): 10/28/2020 | 11/11/2020

LOT INFORMATION				Layout PER PLAN	Driveway Location	RIGHT
Community	Code	Lot	Permit Number	Legal Lot/Block/Section	Addres	SS
SAWYERS MILL - SIMPLY RYAN	S2	0145	R20-000271	00010145/0002	5864 WOODCR MIDDLETOWN, C	
SALE INFORMATION				Sale Status Ratified	Contract Date	8/12/2020

SALE INFORMATIO	N		Sale	Status	Ratified	Contract Date	8/12/2020
Purchaser Name	CoPurchaser Name	CDS#	Contingent	Sales	Manager	Sales Rep	Project Manager
Cheryl Thomas		DA5070	N	Kelli	e Hedrick	Kathleen Rose	David Huss

SALE COMMENTS

Comments

SELECTED OP	TIONS BASEMENT FOUNDATION			
Option	Description	Category	Quantity	Color/Location (Number)
FBA	BASEMENT FOUNDATION	B (A)		

SELECTED OF	PTIONS ELEVATION K			
Option	Description	Category	Quantity	Color/Location (Number)
ELK	ELEVATION K	Е		

SELECTED	SELECTED OPTIONS DESIGNER INTERIORS				
Option	Description	Category	Quantity	Color/Location (Number)	
HP2	HARD SURFACE UPGRADE GREAT ROOM	E			
VKG	THE HAYES	Е			

SELECTED	OPTIONS EXTERIOR COLOR SCHEME			
Option	Description	Category	Quantity	Color/Location (Number)
ESLSR28	EXTERIOR SFD FLINT/WEDGEWOOD D4.5L	B (A)		

SELECTED OPTIONS ELEVATIONS				
Option	Description	Category	Quantity	Color/Location (Number)
C07	CUSTOM STONE VENEER WATER TABLE	S		
EVG	SIDING VENEER SIDE(S)	B (A)		
RF1	ROOF FELT (LOCAL)	S		
999OB03	STONE COLOR (STONE COLOR)	E		WHISPERWOOD STONE

SELECTED OPTIONS FOUNDATIONS					
Option	Description	Category	Quantity	Color/Location (Number)	
555XA11	EXCAVATION CUT 6'	S			
FBM	BASEMENT BEHIND GARAGE	E			
FBS	BASEMENT FOUNDATION STAIR FLOOR FRAMING - M/S W-FBA FULL BSMNT	E			
FDS	FOUNDATION FOOTING 6"	B (A)			
FLH	FOUNDATION FROST LINE 48"	S			
FWE	FOUNDATION GARAGE EXTERIOR WALL MIN PER FROST DEPTH	B (C)			



DAYTON (DCY)

SELECTED	SELECTED OPTIONS BASEMENT				
Option	Description	Category	Quantity	Color/Location (Number)	
9RB	3 PIECE PLUMBING ROUGH-IN BASEMENT	E			
MEC	UNFINISHED BASEMENT	B (C)			
ZMT	NO WALKOUT EXITS AT REAR	B (C)			

Option Description Category Quantity Color/Location (Nun GCB 2 CAR GARAGE - FRONT ENTRY B (A) GGP WIFI ENABLED GARAGE DOOR OPENER W/REMOTE CONTROLS GGU GARAGE DOOR UPGRADE1 B (A) SDF FRONT DOOR FIBERGLASS B (A) SEA STANCHIONS PER ENGINEERING B (A) SEI 16" O.C. STUD SPACING EXTERIOR GABLE WALLS B (A) SFB SHEATHING 1/8" GREEN LFS B (A) SFG STRAPS ILO BOLTS (CONCRETE) SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFL WALL SHEATHING 1/8" LFS B (A) SFL WALL SHEATHING 1/8" LFS B (A) SFZ SAFETY PACKAGE MATERIAL B (A) SIG INSULATION WALL R-13 SIL INSULATION SLAB RIGID R-10 B (A) SRI INSULATION UNFINISHED BASEMENT WALL R11 SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) CONTROL CATEGORY QUANTITY COLOR (NUMBER) COLOR (NUMBER) B (A) CATEGORY QUANTITY COLOR (NUMBER) B (A) COLOR CATEGORY QUANTITY COLOR (NUMBER) STR (INSULATION UNFINISHED BASEMENT WALL R11 B (C) SRA 7/16" ROOF SHEATHING SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A)	
GGP WIFI ENABLED GARAGE DOOR OPENER W/REMOTE CONTROLS GGU GARAGE DOOR UPGRADE1 B (A) WHITE SDF FRONT DOOR FIBERGLASS B (A) TRICORN BLACK (SW SDS FIREDOOR 20 MIN B (A) SEA STANCHIONS PER ENGINEERING B (A) SEI 16" O.C. STUD SPACING EXTERIOR GABLE WALLS B (A) SEN TRUSS SHEATHING 1/8" GREEN LFS B (A) SFB SHEATHING LAP @ OUTSIDE CORNERS B (A) SFG STRAPS ILO BOLTS (CONCRETE) S SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFL WALL SHEATHING 1/8" LFS B (A) SFZ SAFETY PACKAGE MATERIAL B (A) SIG INSULATION WALL R-13 SIL INSULATION SLAB RIGID R-10 B (A) SIR INSULATION UNFINISHED BASEMENT WALL R11 B (C) SRA 7/16" ROOF SHEATHING BASEMENT WALL R11 B (C) SRA 7/16" ROOF SHEATHING BASEMENT WALL R11 B (C)	ber)
GGP CONTROLS GGU GARAGE DOOR UPGRADE1 B (A) WHITE SDF FRONT DOOR FIBERGLASS B (A) TRICORN BLACK (SW SDS FIREDOOR 20 MIN B (A) SEA STANCHIONS PER ENGINEERING B (A) SEI 16" O.C. STUD SPACING EXTERIOR GABLE WALLS B (A) SEN TRUSS SHEATHING 1/8" GREEN LFS B (A) SFB SHEATHING LAP @ OUTSIDE CORNERS B (A) SFG STRAPS ILO BOLTS (CONCRETE) S SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFL WALL SHEATHING 1/8" LFS B (A) SFL WALL SHEATHING 1/8" LFS B (A) SFZ SAFETY PACKAGE MATERIAL B (A) SIG INSULATION WALL R-13 B (A) SIG INSULATION SLAB RIGID R-10 B (A) SIM INSULATION CEILING BLOWN R49 S SIR INSULATION UNFINISHED BASEMENT WALL R11 B (C) SRA 7/16" ROOF SHEATHING B (A)	
SDF FRONT DOOR FIBERGLASS B (A) SDS FIREDOOR 20 MIN B (A) SEA STANCHIONS PER ENGINEERING B (A) SEI 16" O.C. STUD SPACING EXTERIOR GABLE WALLS B (A) SEN TRUSS SHEATHING 1/8" GREEN LFS B (A) SFB SHEATHING LAP @ OUTSIDE CORNERS B (A) SFG STRAPS ILO BOLTS (CONCRETE) S SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFL WALL SHEATHING 1/8" LFS B (A) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (A) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION UNFINISHED BASEMENT WALL R11 B (C) SRA 7/16" ROOF SHEATHING B (A)	
SDS FIREDOOR 20 MIN B (A) SEA STANCHIONS PER ENGINEERING B (A) SEI 16" O.C. STUD SPACING EXTERIOR GABLE WALLS B (A) SEN TRUSS SHEATHING 1/8" GREEN LFS B (A) SFB SHEATHING LAP @ OUTSIDE CORNERS B (A) SFG STRAPS ILO BOLTS (CONCRETE) S SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFL WALL SHEATHING 1/8" LFS B (A) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (A) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION CEILING BLOWN R49 S SIR INSULATION UNFINISHED BASEMENT WALL R11 B (C) SRA 7/16" ROOF SHEATHING B (A)	
SEA STANCHIONS PER ENGINEERING B (A) SEI 16" O.C. STUD SPACING EXTERIOR GABLE WALLS B (A) SEN TRUSS SHEATHING 1/8" GREEN LFS B (A) SFB SHEATHING LAP @ OUTSIDE CORNERS B (A) SFG STRAPS ILO BOLTS (CONCRETE) S SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFL WALL SHEATHING 1/8" LFS B (A) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (A) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION CEILING BLOWN R49 S SIR INSULATION UNFINISHED BASEMENT WALL R11 B (C) SRA 7/16" ROOF SHEATHING B (A)	5258)
SEI 16" O.C. STUD SPACING EXTERIOR GABLE WALLS B (A) SEN TRUSS SHEATHING 1/8" GREEN LFS B (A) SFB SHEATHING LAP @ OUTSIDE CORNERS B (A) SFG STRAPS ILO BOLTS (CONCRETE) S SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFL WALL SHEATHING 1/8" LFS B (A) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (A) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION CEILING BLOWN R49 S SIR INSULATION UNFINISHED BASEMENT WALL R11 B (C) SRA 7/16" ROOF SHEATHING B (A)	
SEN TRUSS SHEATHING 1/8" GREEN LFS B (A) SFB SHEATHING LAP @ OUTSIDE CORNERS B (A) SFG STRAPS ILO BOLTS (CONCRETE) S SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFL WALL SHEATHING 1/8" LFS B (A) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (A) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION CEILING BLOWN R49 S SIR INSULATION UNFINISHED BASEMENT WALL R11 B (C) SRA 7/16" ROOF SHEATHING B (A)	
SFB SHEATHING LAP @ OUTSIDE CORNERS B (A) SFG STRAPS ILO BOLTS (CONCRETE) S SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFL WALL SHEATHING 1/8" LFS B (A) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (A) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION CEILING BLOWN R49 S SIR INSULATION UNFINISHED BASEMENT WALL R11 B (C) SRA 7/16" ROOF SHEATHING B (A)	
SFG STRAPS ILO BOLTS (CONCRETE) S 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFL WALL SHEATHING 1/8" LFS B (A) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (A) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION CEILING BLOWN R49 S SIR INSULATION UNFINISHED BASEMENT WALL R11 B (C) SRA 7/16" ROOF SHEATHING B (A)	
SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFL WALL SHEATHING 1/8" LFS B (A) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (A) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION CEILING BLOWN R49 S SIR INSULATION UNFINISHED BASEMENT WALL R11 B (C) SRA 7/16" ROOF SHEATHING B (A)	
SFI WALLS SFL WALL SHEATHING 1/8" LFS SFZ SAFETY PACKAGE MATERIAL SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) SIG INSULATION WALL R-13 SIL INSULATION SLAB RIGID R-10 SIM INSULATION CEILING BLOWN R49 SIR INSULATION UNFINISHED BASEMENT WALL R11 B (C) SRA 7/16" ROOF SHEATHING B (A)	
SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (A) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION CEILING BLOWN R49 S SIR INSULATION UNFINISHED BASEMENT WALL R11 B (C) SRA 7/16" ROOF SHEATHING B (A)	
WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (A) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION CEILING BLOWN R49 S INSULATION UNFINISHED BASEMENT WALL R11 B (C) SRA 7/16" ROOF SHEATHING B (A)	
SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION CEILING BLOWN R49 S SIR INSULATION UNFINISHED BASEMENT WALL R11 B (C) SRA 7/16" ROOF SHEATHING B (A)	
SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION CEILING BLOWN R49 S SIR INSULATION UNFINISHED BASEMENT WALL R11 B (C) SRA 7/16" ROOF SHEATHING B (A)	
SIM INSULATION CEILING BLOWN R49 S SIR INSULATION UNFINISHED BASEMENT WALL R11 B (C) SRA 7/16" ROOF SHEATHING B (A)	
SIR INSULATION UNFINISHED BASEMENT WALL R11 B (C) SRA 7/16" ROOF SHEATHING B (A)	
SRA 7/16" ROOF SHEATHING B (A)	
SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A)	
SRO ROOF SHINGLES 3-TAB B (A)	
SRW WIND LOAD 115 MPH (ULTIMATE) B (A)	
STW EXTERIOR TRIM WHITE B (A)	
SUB SIDING VINYL 042 B (A) FLINT WEDGEWOOD (PRI	MRY ACC
SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A)	
SXC CORNERSTONE SPECIFICATIONS B (A)	
SYD BUILTSMART 3.0 B (A)	

SELECTED OPTIONS KITCHEN				
Option	Description	Category	Quantity	Color/Location (Number)
9КА	FAUCET FIXTURES KITCHEN A	B (A)		
СКС	KITCHEN CABINETS	В (А)		
KFI	KITCHEN VENTILATION RECIRCULATING	B (A)		
KFN	KITCHEN SINK SINGLE BOWL	В (А)		
NBB	COUNTERTOP BACKSPLASH KITCHEN	В (А)		
NKK	LAMINATE COUNTERTOP KITCHEN	В (А)		LAMINATE ARGENTO ROMANO (6697 58)



DAYTON (DCY)

SELECTED OPTIONS APPLIANCES					
Option	Description	Category	Quantity	Color/Location (Number)	
4FW	APPLIANCE PKG 4FW-SS RANGE/FRIDGE/DISHWASHER/MICRO/WHITE- WASH/DRY	E (G)			
4MA	MICROWAVE	B (A)			
ICA	RANGE ELECTRIC HOOK-UP	B (A)			
ICC	DRYER ELECTRIC HOOK-UP	B (A)			
ICG	MICROWAVE 110V HOOK-UP	B (C)			

SELECTED OPTIONS OWNERS SUITE					
Option	Description	Category	Quantity	Color/Location (Number)	
AMS	OWNER'S BATHROOM FRAMED SHOWER DOOR	B (A)			

SELECTED OPTIONS VANITIES					
Option	Description	Category	Quantity	Color/Location (Number)	
CAM	VANITY OWNER'S BATHROOM	B (A)			
CAZ	VANITY CABINETS	B (A)			

SELECTED OPTIONS GENERAL SPECIFICATIONS						
Option	Description	Category	Quantity	Color/Location (Number)		
555XA03	SOUTHWEST OHIO REQUIREMENTS	S				
555XA05	COUNTY REQUIREMENTS	S				
555XA06	BASEMENT INSULATION 4'	S				
555XA85	BUILDING START PROGRAM	S				
SGD	PLANT INSTALLED WINDOWS	B (A)				
ZXF	NO CUSTOM EXTERIOR TRIM SIDE	B (A)				
ZXJ	NO CUSTOM EXTERIOR TRIM REAR	B (A)				

SELECTED OPTIONS INTERIOR SPECIFICATIONS						
Option	Description	Category	Quantity	Color/Location (Number)		
AFM	BATHROOM MIRRORS (PLANT)	B (A)				
DHJ	INTERIOR DOOR HARDWARE FINISH SATIN NICKEL	B (A)				
DHM	LOCKS (PLANT)	B (A)				
QKM	CABINETS (PLANT)	B (A)				
RLS	INTERIOR HANDRAIL	B (A)		PAINTED WHITE SEMI-GLOSS		
SJP	STAIR BOX PINE	B (A)				
STF	SIMPLY RYAN SPECIFICATIONS	B (A)				
SZB	NVR SPECIFICATIONS	B (A)				
YCM	VANITY TOPS (PLANT)	B (A)				

SELECTED OPTIONS MECHANICAL SPECIFICATIONS						
Option	Description	Category	Quantity	Color/Location (Number)		
8AO	AIR CONDITION CONDENSER	B (A)				
8CV	EQUIPMENT PKG VERTICAL COIL ZONE 1	B (A)				
8TA	WIFI ENABLED SMART THERMOSTAT	B (A)				
8VW	50 CFM FAN BATH	B (A)				
8XX	LOCAL HVAC BY DESIGN	E				
8XY	LOCAL AIR CONDITIONING BY DESIGN	S				
8ZE	CLIMATE ZONE 5	S				
SHB	GAS HEAT	S				
SZF	HVAC & FLOOR SYSTEM PER DESIGN	B (A)				



DAYTON (DCY) Product (Set/Version): CEDAR (CDR00-01)

SELECTED OPTIONS ELECTRICAL AND HOME TECHNOLOGY SPECIFICATIONS								
Option	ption Description Category Quantity Color/Location (Number)							
IAS	LIGHT PACKAGE (S)	B (A)						
IDB	SERVICE 150 AMP	S						
IGZ	CEILING FAN ROUGH-IN W/LIGHT (EA)	E	6					

SELECTED OPTIONS PLUMBING SPECIFICATIONS						
Option	Description	Category	Quantity	Color/Location (Number)		
9FR	FAUCET FIXTURES BATHROOMS STANDARD+	B (A)				
9ТА	STANDARD HGT TOILET HOUSE	B (A)				
9TZ	NO WASHER DRAIN PAN	S				
IHC	SUMP PUMP	S				
IHO	WATER HEATER ELECTRIC 40 GALLON	B (A)				

SELECTED OPTIONS EXTERIOR SPECIFICATIONS						
Option	Description	Category	Quantity	Color/Location (Number)		
6LA	LANDSCAPING PACKAGE BASIC	S				
6LI	OPT IN - 12 MONTH LAWN CARE SERVICE	E				
SFR	EXTERIOR SAFETY RAIL	S				
ST1	ENGINEERED EXTERIOR TRIM PRIMED	S				
TES	EXTERIOR SHUTTERS	B (C)		BLACK		

SELECTED OPTIONS FLOORING						
Option	Description	Category	Quantity	Color/Location (Number)		
ACPCF00	CARPET FLEX ROOM (A)	B (A)				
ACPUB00	CARPET ZONE 2 (A)	B (A)		FAST BALL II BARE MINERAL (NV22600105)		
ARSAA01	RESILIENT BATHROOM #1 (B)	E (G)		STMXVALPL TTNTMBRS SILVRDAPPLE (X4782)		
ARSAO01	RESILIENT OWNER'S BATHROOM (B)	E (G)		STMXVALPL TTNTMBRS SILVRDAPPLE (X4782)		
ARSAP01	RESILIENT POWDER ROOM FIRST FLOOR (B)	E (G)		STMXVALPL TTNTMBRS SILVRDAPPLE (X4782)		
ARSFY01	RESILIENT FOYER (B)	E (G)		STMXVALPL TTNTMBRS SILVRDAPPLE (X4782)		
ARSKK01	RESILIENT KITCHEN (B)	E (G)		STMXVALPL TTNTMBRS SILVRDAPPLE (X4782)		
ARSLG01	RESILIENT GREAT ROOM (B)	E (G)		STMXVALPL TTNTMBRS SILVRDAPPLE (X4782)		
ARSVA01	RESILIENT LAUNDRY ROOM (B)	E (G)		STMXVALPL TTNTMBRS SILVRDAPPLE (X4782)		

SELECTED OPTIONS COLOR SELECTIONS						
Option	Description	Category	Quantity	Color/Location (Number)		
CAM2XED	VANITY OWNER'S BATH UPGRADE2 BARNETT DURAFORM LINEN	E (G)				
CAZ2XED	VANITY UPGRADE2 BARNETT DURAFORM LINEN	E (G)				
CKC2XED	KITCHEN UPGRADE2 BARNETT DURAFORM LINEN	E (G)				
NVC	VANITY TOPS HOUSE	B (A)				
NVC2XAA	VANITY TOP HOUSE STANDARD CULTURED MARBLE WHITE	B (A)				
NVN	VANITY TOPS OWNER'S BATHROOM	B (A)				
NVN2XAA	VANITY TOP OWNER'S BATH STANDARD CULTURED MARBLE WHITE	B (A)				



Page 5 of 6



DAYTON (DCY)

CUSTOM OPTIONS					
Option	Description	Category	Quantity	Color/Location (Number)	
777XG24	STRUCTURAL CHANGES COMPLETE	S			
999ZZ01	MISC #1 - ESTIMATED DELIVERY D (Estimated Delivery Date Jan/Feb 2021)	E			



Page 6 of 6



CHANGE ORDER #1 Date: 8/20/2020 Status: Ratified			Layo	ut: PER P I	L AN Driv	veway: RIGHT	
Change	Option	Description	Added Description	Color/Location	Quantity	Category	Create Person
ADD	999ZZ01	Estimated Delivery Date Jan/Feb 2021				E	krose