



DAYTON (DCY)

Address: 1974 BYERS RD
 City, State, Zip: MIAMISBURG, OH, 45342
 Business: 937-914-4300
 Fax: 937-913-4301

Product (Set/Version): **ELM (EMM00-01)**

Spec/Model: **NO**

Start Date: **5/20/2021**

Projected Settlement Date: **8/25/2021**

Lumber Scheduled Date (ROUGH/TRIM): **5/4/2021 | 5/25/2021**

LOT INFORMATION				Layout	PER PLAN	Driveway Location	RIGHT
Community	Code	Lot	Permit Number	Legal Lot/Block/Section		Address	
SAWYERS MILL - SIMPLY RYAN	S2	0285	R21-000083	00000285/0003		6613 RIVULET DRIVE MIDDLETOWN, OH 45042	

SALE INFORMATION				Sale Status	Ratified	Contract Date	2/11/2021
Purchaser Name	CoPurchaser Name	CDS #	Contingent	Sales Manager	Sales Rep	Project Manager	
David Cooperstein		DA1521	N	Kellie Hedrick	Kathleen Rose	David Huss	

SALE COMMENTS	
Comments	

SELECTED OPTIONS BASEMENT FOUNDATION				
Option	Description	Category	Quantity	Color/Location (Number)
FBA	BASEMENT FOUNDATION	B (A)		

SELECTED OPTIONS ELEVATION L				
Option	Description	Category	Quantity	Color/Location (Number)
ELL	ELEVATION L	E		

SELECTED OPTIONS DESIGNER INTERIORS				
Option	Description	Category	Quantity	Color/Location (Number)
VKD	THE AURORA	B (A)		

SELECTED OPTIONS EXTERIOR COLOR SCHEME				
Option	Description	Category	Quantity	Color/Location (Number)
ESLSR33	EXTERIOR SFD SILVER MIST/STONE MOUNTAIN CLAY D4.5L	E		

SELECTED OPTIONS ELEVATIONS				
Option	Description	Category	Quantity	Color/Location (Number)
C07	CUSTOM STONE VENEER WATER TABLE	S		
EVG	SIDING VENEER SIDE(S)	B (A)		
RF1	ROOF FELT (LOCAL)	S		
999QB03	STONE COLOR (STONE COLOR)	E		RUSSET

SELECTED OPTIONS FOUNDATIONS				
Option	Description	Category	Quantity	Color/Location (Number)
555XA11	EXCAVATION CUT 6'	S		
FBM	BASEMENT BEHIND GARAGE	E		
FBS	BASEMENT FOUNDATION STAIR FLOOR FRAMING - M/S W-FBA FULL BSMNT	E		
FDS	FOUNDATION FOOTING 6"	B (A)		
FLH	FOUNDATION FROST LINE 48"	S		
FWE	FOUNDATION GARAGE EXTERIOR WALL MIN PER FROST DEPTH	B (C)		

DAYTON (DCY)

Product (Set/Version): ELM (EMM00-01)

SELECTED OPTIONS | BASEMENT

Option	Description	Category	Quantity	Color/Location (Number)
9RB	3 PIECE PLUMBING ROUGH-IN BASEMENT	E		
MEC	UNFINISHED BASEMENT	B (C)		
WMC	WINDOW EGRESS BASEMENT	E		
ZMT	NO WALKOUT EXITS AT REAR	B (C)		

SELECTED OPTIONS | HOUSE

Option	Description	Category	Quantity	Color/Location (Number)
GCB	2 CAR GARAGE - FRONT ENTRY	B (A)		
GGP	WIFI ENABLED GARAGE DOOR OPENER W/REMOTE CONTROLS	B (A)		
GGU	GARAGE DOOR UPGRADE1	B (A)		TAUPE OR SANDTONE (BY MANUF)
SDF	FRONT DOOR FIBERGLASS	B (A)		TRICORN BLACK (SW6258)
SDS	FIREDOOR 20 MIN	B (A)		
SEA	STANCHIONS PER ENGINEERING	B (A)		
SEI	16" O.C. STUD SPACING EXTERIOR GABLE WALLS	B (A)		
SEO	TRUSS SHEATHING 7/16" OSB	S		
SFB	SHEATHING LAP @ OUTSIDE CORNERS	B (A)		
SFG	STRAPS ILO BOLTS (CONCRETE)	S		
SFJ	24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS	B (A)		
SFM	WALL SHEATHING 7/16" OSB	S		
SFV	HOUSE WRAP	E (G)		
SFZ	SAFETY PACKAGE MATERIAL	B (A)		
SGJ	WINDOW COLOR WHITE (EXTERIOR & INTERIOR)	B (A)		
SIG	INSULATION WALL R-13	B (A)		
SIL	INSULATION SLAB RIGID R-10	B (A)		
SIM	INSULATION CEILING BLOWN R49	S		
SIR	INSULATION UNFINISHED BASEMENT WALL R11	B (C)		
SPJ	SEISMIC DESIGN CATEGORY A/B	B (A)		
SRA	7/16" ROOF SHEATHING	B (A)		
SRI	CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B)	B (A)		
SRO	ROOF SHINGLES 3-TAB	B (A)		CHARCOAL
SRW	WIND LOAD 115 MPH (ULTIMATE)	B (A)		
STW	EXTERIOR TRIM WHITE	B (A)		
SUB	SIDING VINYL 042	B (A)		SILVER MIST ST MT CLAY (PRIMRY ACC)
SWF	WINDOWS VINYL SINGLE HUNG BRICKMOULD	B (A)		
SXC	CORNERSTONE SPECIFICATIONS	B (A)		
SYD	BUILTSMART 3.0	B (A)		

SELECTED OPTIONS | KITCHEN

Option	Description	Category	Quantity	Color/Location (Number)
9KA	FAUCET FIXTURES KITCHEN A	B (A)		
CKC	KITCHEN CABINETS	B (A)		
CKC2XDM	KITCHEN STANDARD FAIRFIELD NUTMEG	B (A)		
KFI	KITCHEN VENTILATION RECIRCULATING	B (A)		
KFN	KITCHEN SINK SINGLE BOWL	B (A)		
NBB	COUNTERTOP BACKSPLASH KITCHEN	B (A)		
NKK	LAMINATE COUNTERTOP KITCHEN	B (A)		LAMINATE JAMOCHA GR (7734 58)

DAYTON (DCY)

Product (Set/Version): ELM (EMM00-01)

SELECTED OPTIONS | APPLIANCES

Option	Description	Category	Quantity	Color/Location (Number)
4FM	APPLIANCE PKG UPGRADE FROM BLACK TO STAINLESS STEEL - SPICE/NUTMEG ONLY	E		
4FW	APPLIANCE PKG 4FW-SS RANGE/FRIDGE/DISHWASHER/MICRO/WHITE-WASH/DRY	E (G)		
4MA	MICROWAVE	B (A)		
ICA	RANGE ELECTRIC HOOK-UP	B (A)		
ICC	DRYER ELECTRIC HOOK-UP	B (A)		
ICG	MICROWAVE 110V HOOK-UP	B (C)		

SELECTED OPTIONS | OWNERS SUITE

Option	Description	Category	Quantity	Color/Location (Number)
AMS	OWNER'S BATHROOM FRAMED SHOWER DOOR	B (A)		

SELECTED OPTIONS | BEDROOMS

Option	Description	Category	Quantity	Color/Location (Number)
BDH	FOUR BEDROOM W/LOFT	B (A)		

SELECTED OPTIONS | VANITIES

Option	Description	Category	Quantity	Color/Location (Number)
CAM	VANITY OWNER'S BATHROOM	B (A)		
CAM2XDM	VANITY OWNER'S BATH STANDARD FAIRFIELD NUTMEG	B (A)		
CAZ	VANITY CABINETS	B (A)		
CAZ2XDM	VANITY STANDARD FAIRFIELD NUTMEG	B (A)		

SELECTED OPTIONS | GENERAL SPECIFICATIONS

Option	Description	Category	Quantity	Color/Location (Number)
555XA03	SOUTHWEST OHIO REQUIREMENTS	S		
555XA05	COUNTY REQUIREMENTS	S		
555XA06	BASEMENT INSULATION 4'	S		
555XA40	JURISDICTION REQUIREMENTS #4	E		
555XA85	BUILDING START PROGRAM	S		
555XA93	BUILDING 3 START PROGRAM	E		
SGD	PLANT INSTALLED WINDOWS	B (A)		
ZXF	NO CUSTOM EXTERIOR TRIM SIDE	B (A)		
ZXJ	NO CUSTOM EXTERIOR TRIM REAR	B (A)		

SELECTED OPTIONS | INTERIOR SPECIFICATIONS

Option	Description	Category	Quantity	Color/Location (Number)
AFM	BATHROOM MIRRORS (PLANT)	B (A)		
DHJ	INTERIOR DOOR HARDWARE FINISH SATIN NICKEL	B (A)		
DHM	LOCKS (PLANT)	B (A)		
QKM	CABINETS (PLANT)	B (A)		
RLS	INTERIOR HANDRAIL	B (A)		PAINTED WHITE SEMI-GLOSS
SJP	STAIR BOX PINE	B (A)		
STF	SIMPLY RYAN SPECIFICATIONS	B (A)		
SZB	NVR SPECIFICATIONS	B (A)		
SZH	2019 LIGHT/MIRROR LAYOUT DBL VANITY	B (A)		
YCM	VANITY TOPS (PLANT)	B (A)		

DAYTON (DCY)

Product (Set/Version): ELM (EMM00-01)

SELECTED OPTIONS | MECHANICAL SPECIFICATIONS

Option	Description	Category	Quantity	Color/Location (Number)
8AO	AIR CONDITION CONDENSER	B (A)		
8CV	EQUIPMENT PKG VERTICAL COIL ZONE 1	B (A)		
8M1	EQUIPMENT SUPPLIER GOODMAN	B (A)		
8TA	WIFI ENABLED SMART THERMOSTAT	B (A)		
8VW	50 CFM FAN BATH	B (A)		
8XX	LOCAL HVAC BY DESIGN	E		
8XY	LOCAL AIR CONDITIONING BY DESIGN	S		
8ZE	CLIMATE ZONE 5	S		
SHB	GAS HEAT	S		
SZF	HVAC & FLOOR SYSTEM PER DESIGN	B (A)		

SELECTED OPTIONS | ELECTRICAL AND HOME TECHNOLOGY SPECIFICATIONS

Option	Description	Category	Quantity	Color/Location (Number)
IAS	LIGHT PACKAGE (S)	B (A)		
IDB	SERVICE 150 AMP	S		
IGZ	CEILING FAN ROUGH-IN W/LIGHT (EA)	E	6	

SELECTED OPTIONS | PLUMBING SPECIFICATIONS

Option	Description	Category	Quantity	Color/Location (Number)
9FR	FAUCET FIXTURES BATHROOMS STANDARD+	B (A)		
9TA	STANDARD HGT TOILET HOUSE	B (A)		
9TZ	NO WASHER DRAIN PAN	S		
IHC	SUMP PUMP	S		
IHO	WATER HEATER ELECTRIC 40 GALLON	B (A)		

SELECTED OPTIONS | EXTERIOR SPECIFICATIONS

Option	Description	Category	Quantity	Color/Location (Number)
6LA	LANDSCAPING PACKAGE BASIC	S		
6LI	OPT IN - 12 MONTH LAWN CARE SERVICE	E		
SFS	EXTERIOR SAFETY RAIL ALUMINUM/PVC	E		
ST1	ENGINEERED EXTERIOR TRIM PRIMED	S		
ST3	EXTERIOR TRIM LINEAL PVC	B (A)		

SELECTED OPTIONS | FLOORING

Option	Description	Category	Quantity	Color/Location (Number)
ACPLG00	CARPET GREAT ROOM (A)	B (A)		FAST BALL II BARE MINERAL (NV22600105)
ACPUB00	CARPET ZONE 2 (A)	B (A)		FAST BALL II BARE MINERAL (NV22600105)
ARSAA00	RESILIENT BATHROOM #1 (A)	B (A)		HOMEIMAGES GLENVILLE CREME (010HI)
ARSAO00	RESILIENT OWNER'S BATHROOM (A)	B (A)		HOMEIMAGES GLENVILLE CREME (010HI)
ARSAP00	RESILIENT POWDER ROOM FIRST FLOOR (A)	B (A)		HOMEIMAGES GLENVILLE CREME (010HI)
ARSFY00	RESILIENT FOYER (A)	B (A)		HOMEIMAGES GLENVILLE CREME (010HI)
ARSKK00	RESILIENT KITCHEN (A)	B (A)		HOMEIMAGES GLENVILLE CREME (010HI)
ARVA00	RESILIENT LAUNDRY ROOM (A)	B (A)		HOMEIMAGES GLENVILLE CREME (010HI)

DAYTON (DCY)

Product (Set/Version): **ELM (EMM00-01)**

SELECTED OPTIONS | COLOR SELECTIONS

Option	Description	Category	Quantity	Color/Location (Number)
NVC	VANITY TOPS HOUSE	B (A)		
NVC2XAA	VANITY TOP HOUSE STANDARD CULTURED MARBLE WHITE	B (A)		
NVN	VANITY TOPS OWNER'S BATHROOM	B (A)		
NVN2XAA	VANITY TOP OWNER'S BATH STANDARD CULTURED MARBLE WHITE	B (A)		



DAYTON (DCY)

Product (Set/Version): **ELM (EMM00-01)**

CUSTOM OPTIONS

Option	Description	Category	Quantity	Color/Location (Number)
777XG24	STRUCTURAL CHANGES COMPLETE	S		
999ZZ01	MISC #1 - ESTIMATED DELIVERY D (estimated Delivery Date Aug/Sept 2021)	E		



DAYTON (DCY)

Product (Set/Version): ELM (EMM00-01)

CHANGE ORDER #1 | Date: **2/19/2021** | Status: **Ratified** | Layout: **PER PLAN** | Driveway: **RIGHT**

Change	Option	Description	Added Description	Color/Location	Quantity	Category	Create Person
UPDATE	999ZZ01	estimated Delivery Date Aug/Sept 2021				E	krose
DELETE	ELK	ELEVATION K				E	krose
ADD	ELL	ELEVATION L				E	krose
DELETE	TES	EXTERIOR SHUTTERS				B (C)	krose

CHANGE ORDER #2 | Date: **3/2/2021** | Status: **Ratified** | Layout: **PER PLAN** | Driveway: **RIGHT**

Change	Option	Description	Added Description	Color/Location	Quantity	Category	Create Person
ADD	555XA40	JURISDICTION REQUIREMENTS #4				E	cholstei

CHANGE ORDER #3 | Date: **3/9/2021** | Status: **Ratified** | Layout: **PER PLAN** | Driveway: **RIGHT**

Change	Option	Description	Added Description	Color/Location	Quantity	Category	Create Person
DELETE	SFR	EXTERIOR SAFETY RAIL				S	abahr
ADD	SFS	EXTERIOR SAFETY RAIL ALUMINUM/PVC				E	abahr

CHANGE ORDER #4 | Date: **5/17/2021** | Status: **Ratified** | Layout: **PER PLAN** | Driveway: **RIGHT**

Change	Option	Description	Added Description	Color/Location	Quantity	Category	Create Person
ADD	555XA93	BUILDING 3 START PROGRAM				E	abahr