SELECTION ACKNOWLEDGEMENT | DCY-S2-0288

Page 1 of 7



DAYTON (DCY)

Address: 1974 BYERS RD

City, State, Zip: MIAMISBURG, OH, 45342

Business: 937-914-4300

Fax: 937-913-4301

Product (Set/Version): ASPEN (ASP00-01)

Spec/Model: NO

Start Date: **8/25/2021**

Projected Settlement Date: 11/15/2021

Lumber Scheduled Date (ROUGH/TRIM): **8/10/2021 | 8/31/2021**

LOT INFORMATION				Layout PER PLAN	Driveway Location	RIGHT
Community	Code	Lot	Permit Number	Legal Lot/Block/Section	Address	
SAWYERS MILL - SIMPLY RYAN	S2	0288	R21-000175	00000288/0003	6645 RIVULET MIDDLETOWN, OF	

SALE INFORMATIO	N		Sale	Status	Ratified	Contract Date	4/11/2021
Purchaser Name	CoPurchaser Name	CDS #	Contingent	Sales	Manager	Sales Rep	Project Manager
Joseph Kosela		DA3051	N	Kellie	e Hedrick	Kathleen Rose	Cole Retzloff

SALE COMMENTS

Comments

SELECTED	OPTIONS BASEMENT FOUNDATION			
Option	Description	Category	Quantity	Color/Location (Number)
FBA	BASEMENT FOUNDATION	B (A)		

SELECTED OPTIONS ELEVATION K			
Option	Description	Category Quantity	Color/Location (Number)
FIK	FI FVATION K	F	

SELECTED	OPTIONS DESIGNER INTERIORS			
Option	Description	Category	Quantity	Color/Location (Number)
VKS	THE CAMERON	F		

SELECTED OF	PTIONS EXTERIOR COLOR SCHEME			
Option	Description	Category	Quantity	Color/Location (Number)
ESLSR28	EXTERIOR SFD FLINT/WEDGEWOOD D4.5L	B (A)		

SELECTED OPTIONS ELEVATIONS				
Option	Description	Category	Quantity	Color/Location (Number)
C07	CUSTOM STONE VENEER WATER TABLE	S		
EVG	SIDING VENEER SIDE(S)	B (A)		
RF1	ROOF FELT (LOCAL)	S		
999QB03	STONE COLOR (STONE COLOR)	E		WHISPERWOOD

SELECTED OPTIONS FOUNDATIONS				
Option	Description	Category	Quantity	Color/Location (Number)
555XA11	EXCAVATION CUT 6'	S		
FBS	BASEMENT FOUNDATION STAIR FLOOR FRAMING - M/S W-FBA FULL BSMNT	E		
FDS	FOUNDATION FOOTING 6"	B (A)		
FLH	FOUNDATION FROST LINE 48"	S		
FWE	FOUNDATION GARAGE EXTERIOR WALL MIN PER FROST DEPTH	В (С)		

SELECTED OPTIONS BASEMENT			
Option	Description	Category Quantity Color/Location (Number)	
ZMT	NO WALKOUT EXITS AT REAR	В (С)	



DAYTON (DCY) Product (Set/Version): ASPEN (ASP00-01)

UNIFIERMABLED GARAGE - FRONT ENTRY B (A) WIFIERMABLED GARAGE DOOR OPENER W/REMOTE CONTROLS B (A) WHITE MAGNET GARAGE DOOR OPENER W/REMOTE CONTROLS B (A) WHITE FRONT DOOR FIBERGLASS B (A) TRICORN BLACK (SW6258) FIREDOOR 20 MIN B (A) STANCHIONS PER ENGINEERING B (A) TRUSS SHEATHING 7/16" OSB B (A) SHEATHING LAP @ OUTSIDE CORNERS B (A) WALLS SHEATHING 7/16" OSB B (A) WALLS SHEATHING 7/16" OSB B (A) WALLS HEATHING 7/16" OSB B (A) WHITE TRICORN BLACK (SW6258) B (A) WALLS HEATHING TO SET WALLS WINDOW COLOR WHITE (EXTERIOR NON-BEARING WALLS WINDOW COLOR WHITE (EXTERIOR & INTERIOR) M (WINDOW SUNYL SINGLE HUNG BRICKMOULD M (WINDOWS VINYL	SELECTED (OPTIONS HOUSE			
SP WIFI ENABLED GARAGE DOOR OPENER W/REMOTE CONTROLS SU GARAGE DOOR UPGRADE1 B (A) WHITE FRONT DOOR FIBERGLASS B (A) TRICORN BLACK (SW6258) FREDOOR 20 MIN B (A) A STANCHIONS PER ENGINEERING B (A) I 16" O.C. STUD SPACING EXTERIOR GABLE WALLS B (A) SHEATHING 1/16" OSB B (A) B SHEATHING 1/16" OSB B (A) STRAPS ILO BOLTS (CONCRETE) S A" O.C. STUD SPACING INTERIOR NON-BEARING WALLS MW WALL SHEATHING 7/16" OSB B (A) WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (A) INSULATION WALL R-13 B (A) INSULATION SLAB RIGID R-10 B (A) MI INSULATION CEILING BLOWN R49 S R INSULATION UNFINISHED BASEMENT WALL R11 B (C) J SEISMIC DESIGN CATEGORY A/B B (A) A 7/16" ROOF SHEATHING B (A) TORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) WIND LOAD 115 MPH (ULTIMATE) B (A) WEXTERIOR TRIM WHITE B (A) WEXTERIOR TRIM WHITE B (A) WEXTERIOR TRIM WHITE B (A) WINDOWS VINYL SINGLE HUNG BRICKMOULD B (A) WINDOWS VINYL SINGLE HUNG BRICKMOULD B (A) WINDOWS VINYL SINGLE HUNG BRICKMOULD B (A) C CORNERSTONE SPECIFICATIONS B (A)	Option	Description	Category	Quantity	Color/Location (Number)
CONTROLS BLU GARAGE DOOR UPGRADE1 B (A) GARAGE DOOR UPGRADE1 B (A) F FRONT DOOR FIBERGLASS B (A) TRICORN BLACK (SW6258) TRICORN BLACK (SW6258) B (A) TRICORN BLACK (SW6258) TRICORN BLACK (SW6258) B (A) TRICORN BLACK (SW6258) TRACK (SW625) TRACK (SW625) TRACK (SW625) TRACK (SW625) TRACK	GCB	2 CAR GARAGE - FRONT ENTRY	B (A)		
FF FRONT DOOR FIBERGLASS S FIREDOOR 20 MIN A STANCHIONS PER ENGINEERING B (A) 16" O.C. STUD SPACING EXTERIOR GABLE WALLS B (A) TRUSS SHEATHING 7/16" OSB B (A) SHEATHING LAP @ OUTSIDE CORNERS B (A) STRAPS ILO BOLTS (CONCRETE) S 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS M WALL SHEATHING 7/16" OSB B (A) WALL SHEATHING 7/16" OSB B (A) V HOUSE WRAP B (C) S AFETY PACKAGE MATERIAL B (A) INSULATION WALL R-13 B (A) INSULATION UNFINISHED BASEMENT WALL R11 B (C) S EISMIC DESIGN CATEGORY A/B A 7/16" ROOF SHEATHING C CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) W WIND LOAD 115 MPH (ULTIMATE) B (A) C CORNERSTONE SPECIFICATIONS B (A) FLINT WEDGEWOOD (PRIMRY ACC) WINDOWS VINYL 042 W WINDOWS VINYL 015INGLE HUNG BRICKMOULD B (A) FLINT WEDGEWOOD (PRIMRY ACC) W WINDOWS VINYL 015INGLE HUNG BRICKMOULD B (A) C CORNERSTONE SPECIFICATIONS B (A)	GGP		B (A)		
FIREDOOR 20 MIN A STANCHIONS PER ENGINEERING B (A) 1 16" O.C. STUD SPACING EXTERIOR GABLE WALLS D TRUSS SHEATHING 7/16" OSB B (A) SHEATHING LAP @ OUTSIDE CORNERS B (A) STRAPS ILO BOLTS (CONCRETE) S 3 WALLS M WALLS SHEATHING 7/16" OSB B (A) WALLS M WALLS HEATHING 7/16" OSB B (A) WALLS M WALLS HEATHING 7/16" OSB B (A) WHOUSE WRAP B (C) SAFETY PACKAGE MATERIAL B (A) WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (A) INSULATION SLAB RIGID R-10 M INSULATION SLAB RIGID R-10 M INSULATION UNFINISHED BASEMENT WALL R11 B (C) SEISMIC DESIGN CATEGORY A/B A 7/16" ROOF SHEATHING CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) W WIND LOAD 115 MPH (ULTIMATE) B (A) CHARCOAL WINDOWS VINYL 042 W WINDOWS VINYL 042 W WINDOWS VINYL SINGLE HUNG BRICKMOULD B (A) C CORNERSTONE SPECIFICATIONS B (A) FLINT WEDGEWOOD (PRIMRY ACC) W WINDOWS VINYL SINGLE HUNG BRICKMOULD B (A) CORNERSTONE SPECIFICATIONS B (A)	GGU	GARAGE DOOR UPGRADE1	B (A)		WHITE
A STANCHIONS PER ENGINEERING B (A) 1 16" O.C. STUD SPACING EXTERIOR GABLE WALLS B (A) O TRUSS SHEATHING 7/16" OSB B (A) B SHEATHING LAP @ OUTSIDE CORNERS B (A) G STRAPS ILO BOLTS (CONCRETE) S J 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS M WALL SHEATHING 7/16" OSB B (A) W HOUSE WRAP B (C) Z SAFETY PACKAGE MATERIAL B (A) M WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (A) INSULATION WALL R-13 B (A) INSULATION SLAB RIGID R-10 B (A) M INSULATION UNFINISHED BASEMENT WALL R11 B (C) J SEISMIC DESIGN CATEGORY A/B B (A) A 7/16" ROOF SHEATHING B (A) I CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) W WIND LOAD 115 MPH (ULTIMATE) B (A) W WIND LOAD 115 MPH (ULTIMATE) B (A) EXTERIOR TRIM WHITE B (A) W WINDOWS VINYL SINGLE HUNG BRICKMOULD B (A) C CORNERSTONE SPECIFICATIONS B (A) W WINDOWS VINYL SINGLE HUNG BRICKMOULD B (A) C CORNERSTONE SPECIFICATIONS B (A)	SDF	FRONT DOOR FIBERGLASS	B (A)		TRICORN BLACK (SW6258)
1 16" O.C. STUD SPACING EXTERIOR GABLE WALLS B (A) O TRUSS SHEATHING 7/16" OSB B (A) B SHEATHING LAP @ OUTSIDE CORNERS B (A) G STRAPS ILO BOLTS (CONCRETE) S J 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS M WALLS SHEATHING 7/16" OSB B (A) V HOUSE WRAP B (C) Z SAFETY PACKAGE MATERIAL B (A) M WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (A) INSULATION WALL R-13 B (A) INSULATION SLAB RIGID R-10 B (A) M INSULATION CEILING BLOWN R49 S R INSULATION UNFINISHED BASEMENT WALL R11 B (C) J SEISMIC DESIGN CATEGORY A/B B (A) A 7/16" ROOF SHEATHING B (A) I CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) M WIND LOAD 115 MPH (ULTIMATE) B (A) W WIND LOAD 115 MPH (ULTIMATE) B (A) EXTERIOR TRIM WHITE B (A) B SIDING VINYL 042 B (A) WINDOWS VINYL SINGLE HUNG BRICKMOULD B (A) C CORNERSTONE SPECIFICATIONS B (A)	SDS	FIREDOOR 20 MIN	B (A)		
TRUSS SHEATHING 7/16" OSB B SHEATHING LAP @ OUTSIDE CORNERS B SHEATHING LAP @ OUTSIDE CORNERS B STRAPS ILO BOLTS (CONCRETE) S 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS M WALL SHEATHING 7/16" OSB B (A) W HOUSE WRAP B (C) SAFETY PACKAGE MATERIAL B (A) WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (A) INSULATION WALL R-13 B (A) INSULATION UNFINISHED BASEMENT WALL R11 B (C) SEISMIC DESIGN CATEGORY A/B A 7/16" ROOF SHEATHING C CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) W WIND LOAD 115 MPH (ULTIMATE) B (A) C CORNERSTONE SPECIFICATIONS B (A) FLINT WEDGEWOOD (PRIMRY ACC) W WINDOWS VINYL SINGLE HUNG BRICKMOULD B (A) C CORNERSTONE SPECIFICATIONS B (A)	SEA	STANCHIONS PER ENGINEERING	B (A)		
B SHEATHING LAP @ OUTSIDE CORNERS B (A) G STRAPS ILO BOLTS (CONCRETE) S J 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS M WALL SHEATHING 7/16" OSB B (A) V HOUSE WRAP B (C) Z SAFETY PACKAGE MATERIAL B (A) WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (A) G INSULATION WALL R-13 B (A) INSULATION SLAB RIGID R-10 B (A) M INSULATION CEILING BLOWN R49 S R INSULATION UNFINISHED BASEMENT WALL R11 B (C) J SEISMIC DESIGN CATEGORY A/B B (A) I CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) WO WIND LOAD 115 MPH (ULTIMATE) B (A) W EXTERIOR TRIM WHITE B (A) B SIDING VINYL 042 B (A) C CORNERSTONE SPECIFICATIONS C C CORNERSTONE SPECIFICATIONS C C CORNERSTONE SPECIFICATIONS C C CORNERSTONE SPECIFICATIONS C C C C C C C C C C C C C C C C C C C	SEI	16" O.C. STUD SPACING EXTERIOR GABLE WALLS	B (A)		
STRAPS ILO BOLTS (CONCRETE) 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS M WALL SHEATHING 7/16" OSB B (A) WHOUSE WRAP B (C) SAFETY PACKAGE MATERIAL B (A) WINDOW COLOR WHITE (EXTERIOR & INTERIOR) INSULATION WALL R-13 B (A) INSULATION SLAB RIGID R-10 B (A) INSULATION CEILING BLOWN R49 S INSULATION UNFINISHED BASEMENT WALL R11 B (C) J SEISMIC DESIGN CATEGORY A/B A 7/16" ROOF SHEATHING I CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) W WIND LOAD 115 MPH (ULTIMATE) B (A) W EXTERIOR TRIM WHITE B (A) FLINT WEDGEWOOD (PRIMRY ACC) WE WINDOWS VINYL SINGLE HUNG BRICKMOULD B (A) C CORNERSTONE SPECIFICATIONS B (A)	SEO	TRUSS SHEATHING 7/16" OSB	B (A)		
24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS M WALL SHEATHING 7/16" OSB B (A) V HOUSE WRAP B (C) Z SAFETY PACKAGE MATERIAL B (A) WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (A) INSULATION WALL R-13 B (A) INSULATION SLAB RIGID R-10 B (A) INSULATION UNFINISHED BASEMENT WALL R11 B (C) J SEISMIC DESIGN CATEGORY A/B A 7/16" ROOF SHEATHING I CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) W WIND LOAD 115 MPH (ULTIMATE) B (A) W WIND LOAD 115 MPH (ULTIMATE) B (A) W EXTERIOR TRIM WHITE B (A) W WINDOWS VINYL SINGLE HUNG BRICKMOULD B (A) C CORNERSTONE SPECIFICATIONS B (A) C CORNERSTONE SPECIFICATIONS B (A)	SFB	SHEATHING LAP @ OUTSIDE CORNERS	B (A)		
WALLS WA	SFG	STRAPS ILO BOLTS (CONCRETE)	S		
HOUSE WRAP Z SAFETY PACKAGE MATERIAL B (A) WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (A) INSULATION WALL R-13 B (A) INSULATION SLAB RIGID R-10 B (A) INSULATION CEILING BLOWN R49 S INSULATION UNFINISHED BASEMENT WALL R11 B (C) J SEISMIC DESIGN CATEGORY A/B A 7/16" ROOF SHEATHING B (A) I CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) W WIND LOAD 115 MPH (ULTIMATE) B (A) W EXTERIOR TRIM WHITE B (A) W EXTERIOR TRIM WHITE B (A) WINDOWS VINYL SINGLE HUNG BRICKMOULD WINDOWS VINYL SINGLE HUNG BRICKMOULD B (A) C CORNERSTONE SPECIFICATIONS B (A)	SFJ		B (A)		
SAFETY PACKAGE MATERIAL WINDOW COLOR WHITE (EXTERIOR & INTERIOR) INSULATION WALL R-13 B (A) INSULATION SLAB RIGID R-10 M INSULATION CEILING BLOWN R49 S INSULATION UNFINISHED BASEMENT WALL R11 B (C) J SEISMIC DESIGN CATEGORY A/B A 7/16" ROOF SHEATHING I CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) O ROOF SHINGLES 3-TAB B (A) WIND LOAD 115 MPH (ULTIMATE) B (A) WEXTERIOR TRIM WHITE B (A) SIDING VINYL 042 B (A) FLINT WEDGEWOOD (PRIMRY ACC) WINDOWS VINYL SINGLE HUNG BRICKMOULD B (A) C CORNERSTONE SPECIFICATIONS B (A)	SFM	WALL SHEATHING 7/16" OSB	B (A)		
WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (A) INSULATION WALL R-13 B (A) INSULATION SLAB RIGID R-10 B (A) INSULATION CEILING BLOWN R49 S INSULATION UNFINISHED BASEMENT WALL R11 B (C) J SEISMIC DESIGN CATEGORY A/B A 7/16" ROOF SHEATHING I CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) O ROOF SHINGLES 3-TAB W WIND LOAD 115 MPH (ULTIMATE) W EXTERIOR TRIM WHITE B (A) W EXTERIOR TRIM WHITE B (A) WINDOWS VINYL 042 B (A) FLINT WEDGEWOOD (PRIMRY ACC) WINDOWS VINYL SINGLE HUNG BRICKMOULD B (A) C CORNERSTONE SPECIFICATIONS B (A)	SFV	HOUSE WRAP	B (C)		
INSULATION WALL R-13 INSULATION SLAB RIGID R-10 MINSULATION CEILING BLOWN R49 S INSULATION UNFINISHED BASEMENT WALL R11 B (C) J SEISMIC DESIGN CATEGORY A/B A 7/16" ROOF SHEATHING I CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) O ROOF SHINGLES 3-TAB W WIND LOAD 115 MPH (ULTIMATE) B (A) EXTERIOR TRIM WHITE B (A) SIDING VINYL 042 B (A) FLINT WEDGEWOOD (PRIMRY ACC) WINDOWS VINYL SINGLE HUNG BRICKMOULD B (A) C CORNERSTONE SPECIFICATIONS B (A)	SFZ	SAFETY PACKAGE MATERIAL	B (A)		
INSULATION SLAB RIGID R-10 M INSULATION CEILING BLOWN R49 S INSULATION UNFINISHED BASEMENT WALL R11 B (C) J SEISMIC DESIGN CATEGORY A/B A 7/16" ROOF SHEATHING I CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) O ROOF SHINGLES 3-TAB B (A) W WIND LOAD 115 MPH (ULTIMATE) B (A) W EXTERIOR TRIM WHITE B (A) SIDING VINYL 042 WINDOWS VINYL SINGLE HUNG BRICKMOULD W WINDOWS VINYL SINGLE HUNG BRICKMOULD C CORNERSTONE SPECIFICATIONS B (A)	SGJ	WINDOW COLOR WHITE (EXTERIOR & INTERIOR)	B (A)		
INSULATION CEILING BLOWN R49 R INSULATION UNFINISHED BASEMENT WALL R11 B (C) J SEISMIC DESIGN CATEGORY A/B B (A) A 7/16" ROOF SHEATHING B (A) I CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) O ROOF SHINGLES 3-TAB B (A) W WIND LOAD 115 MPH (ULTIMATE) B (A) W EXTERIOR TRIM WHITE B (A) B SIDING VINYL 042 B (A) FLINT WEDGEWOOD (PRIMRY ACC) WE WINDOWS VINYL SINGLE HUNG BRICKMOULD B (A) C CORNERSTONE SPECIFICATIONS B (A)	SIG	INSULATION WALL R-13	B (A)		
INSULATION UNFINISHED BASEMENT WALL R11 B (C) J SEISMIC DESIGN CATEGORY A/B B (A) A 7/16" ROOF SHEATHING B (A) I CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) O ROOF SHINGLES 3-TAB B (A) W WIND LOAD 115 MPH (ULTIMATE) B (A) W EXTERIOR TRIM WHITE B (A) JUST B (A) SIDING VINYL 042 B (A) WINDOWS VINYL SINGLE HUNG BRICKMOULD B (A) C CORNERSTONE SPECIFICATIONS B (A)	SIL	INSULATION SLAB RIGID R-10	B (A)		
SEISMIC DESIGN CATEGORY A/B A 7/16" ROOF SHEATHING B (A) CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) ROOF SHINGLES 3-TAB B (A) WIND LOAD 115 MPH (ULTIMATE) B (A) EXTERIOR TRIM WHITE B (A) SIDING VINYL 042 B (A) FLINT WEDGEWOOD (PRIMRY ACC) WINDOWS VINYL SINGLE HUNG BRICKMOULD B (A) C CORNERSTONE SPECIFICATIONS B (A)	SIM	INSULATION CEILING BLOWN R49	S		
A 7/16" ROOF SHEATHING B (A) I CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) O ROOF SHINGLES 3-TAB B (A) W WIND LOAD 115 MPH (ULTIMATE) B (A) W EXTERIOR TRIM WHITE B (A) IB SIDING VINYL 042 B (A) W WINDOWS VINYL SINGLE HUNG BRICKMOULD B (A) C CORNERSTONE SPECIFICATIONS B (A)	SIR	INSULATION UNFINISHED BASEMENT WALL R11	B (C)		
CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) ROOF SHINGLES 3-TAB B (A) WIND LOAD 115 MPH (ULTIMATE) B (A) EXTERIOR TRIM WHITE B (A) B SIDING VINYL 042 B (A) FLINT WEDGEWOOD (PRIMRY ACC) WHOOWS VINYL SINGLE HUNG BRICKMOULD B (A) C CORNERSTONE SPECIFICATIONS B (A)	SPJ	SEISMIC DESIGN CATEGORY A/B	B (A)		
O ROOF SHINGLES 3-TAB B (A) CHARCOAL W WIND LOAD 115 MPH (ULTIMATE) B (A) W EXTERIOR TRIM WHITE B (A) B SIDING VINYL 042 B (A) FLINT WEDGEWOOD (PRIMRY ACC) WF WINDOWS VINYL SINGLE HUNG BRICKMOULD B (A) C CORNERSTONE SPECIFICATIONS B (A)	SRA	7/16" ROOF SHEATHING	B (A)		
W WIND LOAD 115 MPH (ULTIMATE) B (A) W EXTERIOR TRIM WHITE B (A) B SIDING VINYL 042 B (A) FLINT WEDGEWOOD (PRIMRY ACC) WF WINDOWS VINYL SINGLE HUNG BRICKMOULD B (A) C CORNERSTONE SPECIFICATIONS B (A)	SRI	CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B)	B (A)		
EXTERIOR TRIM WHITE B (A) B SIDING VINYL 042 B (A) FLINT WEDGEWOOD (PRIMRY ACC) WHO WINDOWS VINYL SINGLE HUNG BRICKMOULD C CORNERSTONE SPECIFICATIONS B (A)	SRO	ROOF SHINGLES 3-TAB	B (A)		CHARCOAL
B SIDING VINYL 042 WF WINDOWS VINYL SINGLE HUNG BRICKMOULD C CORNERSTONE SPECIFICATIONS B (A) FLINT WEDGEWOOD (PRIMRY ACC) B (A)	SRW	WIND LOAD 115 MPH (ULTIMATE)	B (A)		
WINDOWS VINYL SINGLE HUNG BRICKMOULD B (A) C CORNERSTONE SPECIFICATIONS B (A)	STW	EXTERIOR TRIM WHITE	B (A)		
C CORNERSTONE SPECIFICATIONS B (A)	SUB	SIDING VINYL 042	B (A)		FLINT WEDGEWOOD (PRIMRY ACC)
	SWF	WINDOWS VINYL SINGLE HUNG BRICKMOULD	B (A)		
D PLUITSMART 2 0	SXC	CORNERSTONE SPECIFICATIONS	B (A)		
DOILI SIVIANT 3.0 D (A)	SYD	BUILTSMART 3.0	B (A)		

SELECTED OPTIONS KITCHEN				
Option	Description	Category	Quantity	Color/Location (Number)
9КА	FAUCET FIXTURES KITCHEN A	B (A)		
СКС	KITCHEN CABINETS	B (A)		
KFB	KITCHEN ISLAND	Е		
KFI	KITCHEN VENTILATION RECIRCULATING	B (A)		
KFN	KITCHEN SINK SINGLE BOWL	B (A)		
NBB	COUNTERTOP BACKSPLASH KITCHEN	B (A)		
NKK	LAMINATE COUNTERTOP KITCHEN	B (A)		LAMINATE CARRARA BIANCO (6696 58)



DAYTON (DCY)

Option	Description	Category	Quantity	Color/Location (Number)
4FW	APPLIANCE PKG 4FW-SS RANGE/FRIDGE/DISHWASHER/MICRO/WHITE-WASH/DRY	E (G)		
4MA	MICROWAVE	B (A)		
ICA	RANGE ELECTRIC HOOK-UP	B (A)		
ICC	DRYER ELECTRIC HOOK-UP	B (A)		
ICG	MICROWAVE 110V HOOK-UP	B (C)		

SELECTED OPTIONS POWDER ROOM				
Option	Description	Category	Quantity	Color/Location (Number)
ZKV	NO POWDER ROOM FIRST FLOOR	B (A)		

SELECTED OP	TIONS BATHROOMS			
Option	Description	Category	Quantity	Color/Location (Number)
VVA	SINGLE BOWL VANITY OWNER'S BATHROOM	B (A)		

SELECTED OPTIONS VANITIES				
Option	Description	Category	Quantity	Color/Location (Number)
CAM	VANITY OWNER'S BATHROOM	B (A)		
CAZ	VANITY CABINETS	B (A)		
NVC	VANITY TOPS HOUSE	B (A)		
NVC2XAA	VANITY TOP HOUSE STANDARD CULTURED MARBLE WHITE	B (A)		
NVN	VANITY TOPS OWNER'S BATHROOM	B (A)		
NVN2XAA	VANITY TOP OWNER'S BATH STANDARD CULTURED MARBLE WHITE	B (A)		

SELECTED OP	SELECTED OPTIONS GENERAL SPECIFICATIONS				
Option	Description	Category	Quantity	Color/Location (Number)	
555XA03	SOUTHWEST OHIO REQUIREMENTS	S			
555XA05	COUNTY REQUIREMENTS	S			
555XA06	BASEMENT INSULATION 4'	S			
555XA40	JURISDICTION REQUIREMENTS #4	S			
555XA85	BUILDING START PROGRAM	S			
SGD	PLANT INSTALLED WINDOWS	B (A)			
ZXF	NO CUSTOM EXTERIOR TRIM SIDE	B (A)			
ZXJ	NO CUSTOM EXTERIOR TRIM REAR	B (A)			

SELECTED OPTIONS INTERIOR SPECIFICATIONS				
Description	Category	Quantity	Color/Location (Number)	
BATHROOM MIRRORS (PLANT)	B (A)			
INTERIOR DOOR HARDWARE FINISH SATIN NICKEL	B (A)			
LOCKS (PLANT)	B (A)			
CABINETS (PLANT)	B (A)			
INTERIOR HANDRAIL	B (A)		PAINTED WHITE SEMI-GLOSS	
STAIR BOX PINE	B (A)			
SIMPLY RYAN SPECIFICATIONS	B (A)			
NVR SPECIFICATIONS	B (A)			
2019 LIGHT/MIRROR LAYOUT DBL VANITY	B (A)			
INTERIOR DOOR SOLID JAMBS	B (A)			
VANITY TOPS (PLANT)	B (A)			
	BATHROOM MIRRORS (PLANT) INTERIOR DOOR HARDWARE FINISH SATIN NICKEL LOCKS (PLANT) CABINETS (PLANT) INTERIOR HANDRAIL STAIR BOX PINE SIMPLY RYAN SPECIFICATIONS NVR SPECIFICATIONS 2019 LIGHT/MIRROR LAYOUT DBL VANITY INTERIOR DOOR SOLID JAMBS	BATHROOM MIRRORS (PLANT) INTERIOR DOOR HARDWARE FINISH SATIN NICKEL B (A) LOCKS (PLANT) CABINETS (PLANT) INTERIOR HANDRAIL STAIR BOX PINE SIMPLY RYAN SPECIFICATIONS B (A) NVR SPECIFICATIONS B (A) 2019 LIGHT/MIRROR LAYOUT DBL VANITY B (A) INTERIOR DOOR SOLID JAMBS	BATHROOM MIRRORS (PLANT) INTERIOR DOOR HARDWARE FINISH SATIN NICKEL LOCKS (PLANT) CABINETS (PLANT) INTERIOR HANDRAIL STAIR BOX PINE SIMPLY RYAN SPECIFICATIONS NVR SPECIFICATIONS B (A) 2019 LIGHT/MIRROR LAYOUT DBL VANITY B (A) INTERIOR DOOR SOLID JAMBS B (A)	



DAYTON (DCY)

SELECTED OPTIONS MECHANICAL SPECIFICATIONS				
Option	Description	Category	Quantity	Color/Location (Number)
8AO	AIR CONDITION CONDENSER	B (A)		
8CV	EQUIPMENT PKG VERTICAL COIL ZONE 1	B (A)		
8M1	EQUIPMENT SUPPLIER GOODMAN	B (A)		
8TA	WIFI ENABLED SMART THERMOSTAT	B (A)		
8VW	50 CFM FAN BATH	B (A)		
8XX	LOCAL HVAC BY DESIGN	E		
8XY	LOCAL AIR CONDITIONING BY DESIGN	S		
8ZE	CLIMATE ZONE 5	S		
SHB	GAS HEAT	S		
SZF	HVAC & FLOOR SYSTEM PER DESIGN	B (A)		

SELECTED OPTIONS ELECTRICAL AND HOME TECHNOLOGY SPECIFICATIONS				
Option	Description	Category	Quantity	Color/Location (Number)
IAS	LIGHT PACKAGE (S)	B (A)		
IDB	SERVICE 150 AMP	S		
IGZ	CEILING FAN ROUGH-IN W/LIGHT (EA)	E	4	

SELECTED OPTIONS PLUMBING SPECIFICATIONS				
Option	Description	Category	Quantity	Color/Location (Number)
9FR	FAUCET FIXTURES BATHROOMS STANDARD+	B (A)		
9TA	STANDARD HGT TOILET HOUSE	B (A)		
9TZ	NO WASHER DRAIN PAN	S		
IHC	SUMP PUMP	S		
IHO	WATER HEATER ELECTRIC 40 GALLON	B (A)		

SELECTED OPTIONS EXTERIOR SPECIFICATIONS				
Option	Description	Category	Quantity	Color/Location (Number)
6LA	LANDSCAPING PACKAGE BASIC	S		
6LI	OPT IN - 12 MONTH LAWN CARE SERVICE	E		
SFS	EXTERIOR SAFETY RAIL ALUMINUM/PVC	S		
ST2	ENGINEERED EXTERIOR TRIM PAINTED	E		
ST3	EXTERIOR TRIM LINEAL PVC	B (A)		
TES	EXTERIOR SHUTTERS	B (A)		BLACK
				BLACK

SELECTED OPTIONS FLOORING					
Option	Description	Category	Quantity	Color/Location (Number)	
ACPLG00	CARPET GREAT ROOM (A)	В (А)		FAST BALL II BARE MINERAL (NV22600105)	
ACPUB00	CARPET ZONE 2 (A)	В (А)		FAST BALL II BARE MINERAL (NV22600105)	
ALVAA00	LVP BATHROOM #1 (00)	E (G)		NPX WOLFPNTHICKORY MOONSHADOW (412PX)	
ALVAO00	LVP OWNER'S BATHROOM (00)	E (G)		NPX WOLFPNTHICKORY MOONSHADOW (412PX)	
ALVFY00	LVP FOYER (00)	E (G)		NPX WOLFPNTHICKORY MOONSHADOW (412PX)	
ALVKK00	LVP KITCHEN (00)	E (G)		NPX WOLFPNTHICKORY MOONSHADOW (412PX)	
ALVVA00	LVP LAUNDRY ROOM (00)	E (G)		NPX WOLFPNTHICKORY MOONSHADOW (412PX)	

SELECTION ACKNOWLEDGEMENT | DCY-S2-0288

Page 5 of 7



DAYTON (DCY)

SELECTED OPTIONS COLOR SELECTIONS				
Option	Description	Category	Quantity	Color/Location (Number)
CAM2XEL	VANITY OWNER'S BATH UPGRADE2 BARNETT SR DURAFORM ESPRESSO	E (G)		
CAZ2XEL	VANITY UPGRADE2 BARNETT SR DURAFORM ESPRESSO	E (G)		
CKC2XEL	KITCHEN UPGRADE2 BARNETT SR DURAFORM ESPRESSO	E (G)		







DAYTON (DCY)

CUSTOM OPTIONS				
Option	Description	Category	Quantity	Color/Location (Number)
777XG24	STRUCTURAL CHANGES COMPLETE	S		
999ZZ01	MISC #1 - ESTIMATED DELIVERY D (Estimated Delivery Date Nov/Dec 2021)	E		



Page 7 of 7



CHANGE ORDER #1 Date: 6/3/2021 Status: Ratified				Layout: PER PLAN Driveway: RIGHT			
Change	Option	Description	Added Description	Color/Location	Quantity	Category	Create Person
DELETE	ST1	ENGINEERED EXTERIOR TRIM PRIMED				s	abahr
ADD	ST2	ENGINEERED EXTERIOR TRIM PAINTED				Е	abahr