



## DAYTON (DCY)

Address: 1974 BYERS RD

City, State, Zip: MIAMISBURG, OH, 45342

Business: 937-914-4300

Fax: 937-913-4301

Product (Set/Version): BIRCH (BRH00-01)

Spec/Model: NO

Start Date: 2/27/2023

Projected Settlement Date: 5/30/2023

Lumber Scheduled Date (ROUGH/TRIM): 2/14/2023 | NOT SCHEDULED

LOT INFORMATION				Layout	REVERSE	Driveway Location	LEFT
Community	Code	Lot	Permit Number	Legal Lot/Block/Section		Address	
SAWYERS MILL - SIMPLY RYAN	S2	0340	R23-000023	00000340/004A		5896 REGATTA DR MIDDLETOWN, OH 45042	

SALE INFORMATION				Sale Status	Ratified	Contract Date	1/11/2023
Purchaser Name	CoPurchaser Name	CDS #	Contingent	Sales Manager	Sales Rep	Project Manager	
Tina Evans		DA0103	N	Kellie Hedrick	Stephanie Sens	Jordan Harrah	

## SALE COMMENTS

Comments

## SELECTED OPTIONS | BASEMENT FOUNDATION

Option	Description	Category	Quantity	Color/Location (Number)
FBA	BASEMENT FOUNDATION	B (A)		

## SELECTED OPTIONS | ELEVATION K

Option	Description	Category	Quantity	Color/Location (Number)
ELK	ELEVATION K	B (A)		

## SELECTED OPTIONS | DESIGNER INTERIORS

Option	Description	Category	Quantity	Color/Location (Number)
DISR001	AVERY	B (A)		
DISRC01	FAIRFIELD TRUFFLE	B (A)		
ZWF	NO HARD SURFACE REMAINDER MAIN FLOOR	B (A)		

## SELECTED OPTIONS | EXTERIOR COLOR SCHEME

Option	Description	Category	Quantity	Color/Location (Number)
ECLS005	EXTERIOR LS/SR SFD SCHEME 5	E		

## SELECTED OPTIONS | ELEVATIONS

Option	Description	Category	Quantity	Color/Location (Number)
C07	CUSTOM STONE VENEER WATER TABLE	S		
EVG	SIDING VENEER SIDE(S)	B (A)		
RF3	ROOF UNDERLAYMENT (SYNTHETIC LOCAL)	S		

## SELECTED OPTIONS | FOUNDATIONS

Option	Description	Category	Quantity	Color/Location (Number)
555XA11	EXCAVATION CUT 6'	S		
FBS	BASEMENT FOUNDATION STAIR FLOOR FRAMING - M/S W-FBA FULL BSMNT	E		
FDS	FOUNDATION FOOTING 6"	B (A)		
FLH	FOUNDATION FROST LINE 48"	S		
FWE	FOUNDATION GARAGE EXTERIOR WALL MIN PER FROST DEPTH	B (C)		
PSIFT25	CONCRETE FOOTING 2500 PSI	B (A)		
PSIIS30	CONCRETE INTERIOR SLAB 3000 PSI	B (A)		
PSIWL40	CONCRETE WALLS 4000 PSI	S		

DAYTON (DCY)

Product (Set/Version): BIRCH (BRH00-01)

**SELECTED OPTIONS | OUTDOOR LIVING**

Option	Description	Category	Quantity	Color/Location (Number)
LSRDK01	10'X14' EXTERIOR COMPOSITE DECK	E		

**SELECTED OPTIONS | BASEMENT**

Option	Description	Category	Quantity	Color/Location (Number)
9RB	3 PIECE PLUMBING ROUGH-IN BASEMENT	E		
MEC	UNFINISHED BASEMENT	B (C)		
ZMT	NO WALKOUT EXITS AT REAR	B (C)		

**SELECTED OPTIONS | HOUSE**

Option	Description	Category	Quantity	Color/Location (Number)
GCB	2 CAR GARAGE - FRONT ENTRY	B (A)		
GGP	WIFI ENABLED GARAGE DOOR OPENER W/REMOTE CONTROLS	B (A)		
GGU	GARAGE DOOR UPGRADE1	B (A)		WHITE
SDF	FRONT DOOR FIBERGLASS	B (A)		QUIXOTIC PLUM (SW6265)
SDS	FIREDOOR 20 MIN	B (A)		
SEA	STANCHIONS PER ENGINEERING	B (A)		
SEI	16" O.C. STUD SPACING EXTERIOR GABLE WALLS	B (A)		
SEO	TRUSS SHEATHING 7/16" OSB	B (A)		
SFB	SHEATHING LAP @ OUTSIDE CORNERS	B (A)		
SFG	STRAPS ILO BOLTS (CONCRETE)	S		
SFJ	24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS	B (A)		
SFM	WALL SHEATHING 7/16" OSB	B (A)		
SFV	HOUSE WRAP	B (C)		
SFZ	SAFETY PACKAGE MATERIAL	B (A)		
SGJ	WINDOW COLOR WHITE (EXTERIOR & INTERIOR)	B (A)		
SIG	INSULATION WALL R-13	B (A)		
SIL	VERTICAL INSULATION SLAB RIGID R-10	B (A)		
SIM	INSULATION CEILING BLOWN R49	S		
SIR	INSULATION UNFINISHED BASEMENT WALL R11	B (C)		
SKJ	GARAGE DOOR HARDWARE	B (A)		
SPJ	SEISMIC DESIGN CATEGORY A/B	B (A)		
SRA	7/16" ROOF SHEATHING	B (A)		
SRI	CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B)	B (A)		
SRO	ROOF SHINGLES 3-TAB	B (A)		CHARCOAL
SRW	WIND LOAD 115 MPH (ULTIMATE)	B (A)		
STW	EXTERIOR TRIM WHITE	B (A)		
SUB	SIDING VINYL 042	B (A)		SAGEBROOK (PRIMANDACC)
SUF	SIDING PROFILE DOUBLE 4.5" DUTCH LAP	B (C)		
SWF	WINDOWS VINYL SINGLE HUNG BRICKMOULD	B (A)		
SXC	CORNERSTONE SPECIFICATIONS	B (A)		
SYD	BUILTSMART 3.0	B (A)		

DAYTON (DCY)

Product (Set/Version): BIRCH (BRH00-01)

**SELECTED OPTIONS | KITCHEN**

Option	Description	Category	Quantity	Color/Location (Number)
9KA	FAUCET FIXTURES KITCHEN A	B (A)		
CKC	KITCHEN CABINETS	B (A)		
CKC2XEM	KITCHEN STANDARD FAIRFIELD TRUFFLE	B (A)		
KFI	KITCHEN VENTILATION RECIRCULATING	B (A)		
KFN	KITCHEN SINK SINGLE BOWL	B (A)		
KMT	KITCHEN MANUFACTURER TIMBERLAKE	B (A)		
NBB	COUNTERTOP BACKSPLASH KITCHEN	B (A)		
NKK	LAMINATE COUNTERTOP KITCHEN	B (A)		LAMINATE BELMONTE GR (3496 58)

**SELECTED OPTIONS | APPLIANCES**

Option	Description	Category	Quantity	Color/Location (Number)
4FV	APPLIANCE PKG 4FV-BLACK RANGE/FRIDGE/DISHWASHER/MICRO/WHITE-WASH/DRY	B (A)		
4MA	MICROWAVE	B (A)		
ICA	RANGE ELECTRIC HOOK-UP	B (A)		
ICC	DRYER ELECTRIC HOOK-UP	B (A)		
ICG	MICROWAVE 110V HOOK-UP	B (C)		

**SELECTED OPTIONS | VANITIES**

Option	Description	Category	Quantity	Color/Location (Number)
CAM	VANITY OWNER'S BATHROOM	B (A)		
CAZ	VANITY CABINETS	B (A)		
NVC	VANITY TOPS HOUSE	B (A)		
NVC2XAA	VANITY TOP HOUSE STANDARD CULTURED MARBLE WHITE	B (A)		
NVN	VANITY TOPS OWNER'S BATHROOM	B (A)		
NVN2XAA	VANITY TOP OWNER'S BATH STANDARD CULTURED MARBLE WHITE	B (A)		

**SELECTED OPTIONS | GENERAL SPECIFICATIONS**

Option	Description	Category	Quantity	Color/Location (Number)
116	OHIO REGION	S		
217	DAYTON	S		
555XA03	SOUTHWEST OHIO REQUIREMENTS	S		
555XA05	COUNTY REQUIREMENTS	S		
555XA06	BASEMENT INSULATION 4'	S		
555XA40	JURISDICTION REQUIREMENTS #4	S		
555XA85	BUILDING START PROGRAM	S		
555XA92	BUILDING 2 START PROGRAM	E		
SGD	PLANT INSTALLED WINDOWS	B (A)		
ZXF	NO CUSTOM EXTERIOR TRIM SIDE	B (A)		
ZXJ	NO CUSTOM EXTERIOR TRIM REAR	B (A)		

DAYTON (DCY)

Product (Set/Version): BIRCH (BRH00-01)

**SELECTED OPTIONS | INTERIOR SPECIFICATIONS**

Option	Description	Category	Quantity	Color/Location (Number)
6PS	PAINT SHOE MOULDING	S		
AFE	NEW LIGHT/MIRROR LAYOUT DBL VANITY	S		
AFM	BATHROOM MIRRORS (PLANT)	B (A)		
DHJ	INTERIOR DOOR HARDWARE FINISH SATIN NICKEL	B (A)		
DHM	LOCKS (PLANT)	B (A)		
QKM	CABINETS (PLANT)	B (A)		
RLS	INTERIOR HANDRAIL	B (A)		PAINTED WHITE SEMI-GLOSS
SJP	STAIR BOX PINE	B (A)		
STF	SIMPLY RYAN SPECIFICATIONS	B (A)		
SZB	NVR SPECIFICATIONS	B (A)		
SZJ	INTERIOR DOOR SOLID JAMBS	B (A)		
YCM	VANITY TOPS (PLANT)	B (A)		

**SELECTED OPTIONS | MECHANICAL SPECIFICATIONS**

Option	Description	Category	Quantity	Color/Location (Number)
555XA32	HOUSE ORIENTATION WEST	E		
8AO	AIR CONDITION CONDENSER	B (A)		
8CV	EQUIPMENT PKG VERTICAL COIL ZONE 1	B (A)		
8M1	EQUIPMENT SUPPLIER GOODMAN	B (A)		
8TA	WIFI ENABLED SMART THERMOSTAT	B (A)		
8VB	TRANSFER GRILLES	B (A)		
8VW	50 CFM FAN BATH	B (A)		
8XX	LOCAL HVAC BY DESIGN	E		
8XY	LOCAL AIR CONDITIONING BY DESIGN	S		
8ZE	CLIMATE ZONE 5	S		
SHB	GAS HEAT	S		
SZF	HVAC & FLOOR SYSTEM PER DESIGN	B (A)		

**SELECTED OPTIONS | ELECTRICAL AND HOME TECHNOLOGY SPECIFICATIONS**

Option	Description	Category	Quantity	Color/Location (Number)
IAS	LIGHT PACKAGE (S)	B (A)		
IDB	SERVICE 150 AMP	B (A)		
IGZ	CEILING FAN ROUGH-IN W/LIGHT (EA)	E		OWNERS BEDROOM
SZK	HVAC WIRE COPPER	B (A)		

**SELECTED OPTIONS | PLUMBING SPECIFICATIONS**

Option	Description	Category	Quantity	Color/Location (Number)
9FR	FAUCET FIXTURES BATHROOMS STANDARD+	B (A)		
9TA	STANDARD HGT TOILET HOUSE	B (A)		
9TZ	NO WASHER DRAIN PAN	S		
IHC	SUMP PUMP	S		
IHO	WATER HEATER ELECTRIC 40 GALLON	B (A)		

DAYTON (DCY)

Product (Set/Version): BIRCH (BRH00-01)

**SELECTED OPTIONS | EXTERIOR SPECIFICATIONS**

Option	Description	Category	Quantity	Color/Location (Number)
6LA	LANDSCAPING PACKAGE BASIC	S		
6LI	12 MONTH LAWN FERTILIZATION TREATMENTS	E		
777XC11	SODDED LAWN UPGRADE1 - FULL SOD DISTRB ONLY	E		
DECKM04	COMPOSITE TYPE TIMBERTECH AZEK	E		
IEM	EXTERIOR FINISH BLACK	B (A)		
PSIES40	CONCRETE GARAGE SLAB 4000 PSI	S		
PSISS40	CONCRETE STOOP SLAB 4000 PSI	S		
SFS	EXTERIOR SAFETY RAIL ALUMINUM/PVC	S		
ST2	ENGINEERED EXTERIOR TRIM PAINTED	S		
ST4	EXTERIOR TRIM LINEAL VINYL	B (A)		
TES	EXTERIOR SHUTTERS	B (C)		PEPPERCORN

**SELECTED OPTIONS | FLOORING**

Option	Description	Category	Quantity	Color/Location (Number)
ACPLG01	CARPET GREAT ROOM (B)	E (G)		TURNBERRY POINT STUCCO (NV23800105)
ACPLG11	CARPET PAD GREAT ROOM (A)	E		
ACPUB01	CARPET ZONE 2 (B)	E (G)		TURNBERRY POINT STUCCO (NV23800105)
ACPUB11	CARPET PAD ZONE 2 (A)	E		
ARSAAA0	RESILIENT BATHROOM #1 (A) AHF	E (G)		STYLETRADBRONZE AIRY OASIS TAN (HS1BF001E)
ARSAOA0	RESILIENT OWNER'S BATHROOM (A) AHF	E (G)		STYLETRADBRONZE AIRY OASIS TAN (HS1BF001E)
ARSAPA0	RESILIENT POWDER ROOM FIRST FLOOR (A) AHF	E (G)		STYLETRADBRONZE AIRY OASIS TAN (HS1BF001E)
ARSFYA0	RESILIENT FOYER (A) AHF	E (G)		STYLETRADBRONZE AIRY OASIS TAN (HS1BF001E)
ARSKKA0	RESILIENT KITCHEN (A) AHF	E (G)		STYLETRADBRONZE AIRY OASIS TAN (HS1BF001E)
ARSVAA0	RESILIENT LAUNDRY ROOM (A) AHF	E (G)		STYLETRADBRONZE AIRY OASIS TAN (HS1BF001E)

**SELECTED OPTIONS | COLOR SELECTIONS**

Option	Description	Category	Quantity	Color/Location (Number)
CAM2XEM	VANITY OWNER'S BATH STANDARD FAIRFIELD TRUFFLE	B (A)		
CAZ2XEM	VANITY STANDARD FAIRFIELD TRUFFLE	B (A)		

DAYTON (DCY)

Product (Set/Version): **BIRCH (BRH00-01)**

CUSTOM OPTIONS				
Option	Description	Category	Quantity	Color/Location (Number)
777XG04	CUSTOMER CHANGE ORDERS COMPLETE	E		
777XG24	STRUCTURAL CHANGES COMPLETE	S		
999ZZ01	MISC #1 - DELIVERY DATE JUNE/J (Delivery Date June/July 2023 )	E		
999ZZ02	MISC #2 - DECK INCLUDED LOT 34 (Deck included lot 340 )	E		
999ZZ03	MISC #3 - FULL SOD INCLUDED LO (Full sod included lot 340 )	E		
999ZZ04	MISC #4 - HOLD TIGHT TO LEFT P (Hold tight to left PL )	E		

DAYTON (DCY)

Product (Set/Version): BIRCH (BRH00-01)

CHANGE ORDER #1   Date: 1/31/2023   Status: <i>Ratified</i>   Layout: REVERSE   Driveway: LEFT							
Change	Option	Description	Added Description	Color/Location	Quantity	Category	Create Person
ADD	555XA32	HOUSE ORIENTATION WEST				E	abahr

CHANGE ORDER #2   Date: 2/2/2023   Status: <i>Ratified</i>   Layout: REVERSE   Driveway: LEFT							
Change	Option	Description	Added Description	Color/Location	Quantity	Category	Create Person
DELETE	ST2	ENGINEERED EXTERIOR TRIM PAINTED				S	DBayer
ADD	STB	EXTERIOR TRIM HARDIE				E	DBayer

CHANGE ORDER #3   Date: 2/7/2023   Status: <i>Ratified</i>   Layout: REVERSE   Driveway: LEFT							
Change	Option	Description	Added Description	Color/Location	Quantity	Category	Create Person
ADD	ST2	ENGINEERED EXTERIOR TRIM PAINTED				S	abahr
DELETE	STB	EXTERIOR TRIM HARDIE				E	abahr

CHANGE ORDER #4   Date: 2/24/2023   Status: <i>Ratified</i>   Layout: REVERSE   Driveway: LEFT							
Change	Option	Description	Added Description	Color/Location	Quantity	Category	Create Person
ADD	555XA92	BUILDING 2 START PROGRAM				E	abahr