SELECTION ACKNOWLEDGEMENT | DCY-S2-0355

Page 1 of 7



DAYTON (DCY)

Address: 1974 BYERS RD

City, State, Zip: MIAMISBURG, OH, 45342

Business: 937-914-4300

Fax: 937-913-4301

Product (Set/Version): BIRCH (BRH00-01)

Spec/Model: NO

Start Date: 4/3/2023

Projected Settlement Date: 6/27/2023

Lumber Scheduled Date (ROUGH/TRIM): 3/21/2023 | NOT SCHEDULED

| LOT INFORMATION | | | | Layout REVERSE | Driveway Location | LEFT |
|-------------------------------|-----------|------|---------------|-------------------------|----------------------------------|------|
| Community | Code | Lot | Permit Number | Legal Lot/Block/Section | Address | |
| SAWYERS MILL - SIMPLY RYAN | S2 | 0355 | R23-000059 | 00000355/004B | 5953 WARM SPRI MIDDLETOWN, OH | |

| SALE INFORMATIO | N | | Sale | Status | Ratified | Contract Date | 2/20/2023 |
|-----------------|------------------|--------|------------|----------------|----------|----------------|-----------------------|
| Purchaser Name | CoPurchaser Name | CDS# | Contingent | Sales | Manager | Sales Rep | Project Manager |
| Laura Bukosky | Jesse Campbell | DA0873 | N | Kellie Hedrick | | Stephanie Sens | Jonathan Schindler |

SALE COMMENTS

Comments

| SELECTED OPTIONS E | BASEMENT FOUNDATION |
|----------------------|---------------------|
|----------------------|---------------------|

| Option | Description | Category | Quantity | Color/Location (Number) |
|--------|---------------------|----------|----------|-------------------------|
| EDA | PACEMENT FOUNDATION | D (A) | | |

SELECTED OPTIONS | ELEVATION K

| Option | Description | Category | Quantity | Color/Location (Number) |
|--------|-------------|----------|----------|-------------------------|
| ELK | ELEVATION K | B (A) | | |

| SELECTED OPTIONS DESIGNER INTERIORS | | | | |
|---------------------------------------|--------------------------------------|----------|----------|-------------------------|
| Option | Description | Category | Quantity | Color/Location (Number) |
| DISR001 | AVERY | B (A) | | |
| DISRC01 | FAIRFIELD TRUFFLE | B (A) | | |
| ZC1 | NO COUNTERTOP UPGRADE | B (A) | | |
| 7\/F | NO HARD SURFACE REMAINDER MAIN FLOOR | R (Δ) | | |

SELECTED OPTIONS | EXTERIOR COLOR SCHEME

| Option | Description | Category | Quantity | Color/Location (Number) |
|---------|-----------------------------|----------|----------|-------------------------|
| ECLS005 | EXTERIOR LS/SR SFD SCHEME 5 | E | | |

| SELECTED OPTIONS ELEVATIONS | | | | |
|-------------------------------|-------------------------------------|----------|----------|-------------------------|
| Option | Description | Category | Quantity | Color/Location (Number) |
| C07 | CUSTOM STONE VENEER WATER TABLE | S | | SAGINAW LEDGESTONE |
| EVG | SIDING VENEER SIDE(S) | B (A) | | |
| RF3 | ROOF UNDERLAYMENT (SYNTHETIC LOCAL) | S | | |
| 999QB03 | STONE COLOR (STONE COLOR) | E | | SAGINAW LEDGESTONE |

| SELECTED OPTIONS FOUNDATIONS | | | | |
|--------------------------------|--|----------|----------|-------------------------|
| Option | Description | Category | Quantity | Color/Location (Number) |
| 555XA11 | EXCAVATION CUT 6' | S | | |
| FBS | BASEMENT FOUNDATION STAIR FLOOR FRAMING - M/S W-FBA FULL BSMNT | E | | |
| FDS | FOUNDATION FOOTING 6" | B (A) | | |
| FLH | FOUNDATION FROST LINE 48" | S | | |
| FWE | FOUNDATION GARAGE EXTERIOR WALL MIN PER FROST DEPTH | B (C) | | |
| PSIFT25 | CONCRETE FOOTING 2500 PSI | B (A) | | |
| PSIIS30 | CONCRETE INTERIOR SLAB 3000 PSI | B (A) | | |
| PSIWL40 | CONCRETE WALLS 4000 PSI | S | | |





| SELECTED | SELECTED OPTIONS BASEMENT | | | | | |
|----------|-----------------------------|----------|----------|-------------------------|--|--|
| Option | Description | Category | Quantity | Color/Location (Number) | | |
| MEC | UNFINISHED BASEMENT | B (C) | | | | |
| WMC | WINDOW EGRESS | E | | | | |
| ZMT | NO WALKOUT EXITS AT REAR | B (C) | | | | |

| ZIVI I | NO WALKOUT EXITS AT REAR | B (C) | | |
|------------|---|----------|----------|-------------------------|
| SELECTED C | PTIONS HOUSE | | | |
| Option | Description | Category | Quantity | Color/Location (Number) |
| GCB | 2 CAR GARAGE - FRONT ENTRY | B (A) | | |
| GGP | WIFI ENABLED GARAGE DOOR OPENER W/REMOTE CONTROLS | B (A) | | |
| GGU | GARAGE DOOR UPGRADE1 | B (A) | | WHITE |
| SDF | FRONT DOOR FIBERGLASS | B (A) | | QUIXOTIC PLUM (SW6265) |
| SDS | FIREDOOR 20 MIN | B (A) | | |
| SEA | STANCHIONS PER ENGINEERING | B (A) | | |
| SEI | 16" O.C. STUD SPACING EXTERIOR GABLE WALLS | B (A) | | |
| SEO | TRUSS SHEATHING 7/16" OSB | B (A) | | |
| SFB | SHEATHING LAP @ OUTSIDE CORNERS | B (A) | | |
| SFG | STRAPS ILO BOLTS (CONCRETE) | S | | |
| SFJ | 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS | B (A) | | |
| SFM | WALL SHEATHING 7/16" OSB | B (A) | | |
| SFV | HOUSE WRAP | B (C) | | |
| SFZ | SAFETY PACKAGE MATERIAL | B (A) | | |
| SGJ | WINDOW COLOR WHITE (EXTERIOR & INTERIOR) | B (A) | | |
| SIG | INSULATION WALL R-13 | B (A) | | |
| SIL | VERTICAL INSULATION SLAB RIGID R-10 | B (A) | | |
| SIM | INSULATION CEILING BLOWN R49 | S | | |
| SIR | INSULATION UNFINISHED BASEMENT WALL R11 | B (C) | | |
| SKJ | GARAGE DOOR HARDWARE | B (A) | | |
| SPJ | SEISMIC DESIGN CATEGORY A/B | B (A) | | |
| SRA | 7/16" ROOF SHEATHING | B (A) | | |
| SRI | CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) | B (A) | | |
| SRO | ROOF SHINGLES 3-TAB | B (A) | | |
| SRW | WIND LOAD 115 MPH (ULTIMATE) | B (A) | | |
| STW | EXTERIOR TRIM WHITE | B (A) | | |
| SUB | SIDING VINYL 042 | B (A) | | SAGEBROOK (PRIMANDACC) |
| SUF | SIDING PROFILE DOUBLE 4.5" DUTCH LAP | B (C) | | |
| SUZ | SIDING SHAKE | E | | |
| SWF | WINDOWS VINYL SINGLE HUNG BRICKMOULD | B (A) | | |
| SXC | CORNERSTONE SPECIFICATIONS | B (A) | | |
| SYD | BUILTSMART 3.0 | B (A) | | |



| SELECTED OPTIONS KITCHEN | | | | |
|----------------------------|------------------------------------|----------|----------|--------------------------------|
| Option | Description | Category | Quantity | Color/Location (Number) |
| 9КА | FAUCET FIXTURES KITCHEN A | B (A) | | |
| СКС | KITCHEN CABINETS | B (A) | | |
| CKC2XEM | KITCHEN STANDARD FAIRFIELD TRUFFLE | B (A) | | |
| KFI | KITCHEN VENTILATION RECIRCULATING | B (A) | | |
| KFN | KITCHEN SINK SINGLE BOWL | B (A) | | |
| KMT | KITCHEN MANUFACTURER TIMBERLAKE | B (A) | | |
| NBB | COUNTERTOP BACKSPLASH KITCHEN | B (A) | | |
| NKK | LAMINATE COUNTERTOP KITCHEN | B (A) | | LAMINATE BELMONTE GR (3496 58) |

| SELECTED C | SELECTED OPTIONS APPLIANCES | | | | | |
|------------|--|----------|----------|-------------------------|--|--|
| Option | Description | Category | Quantity | Color/Location (Number) | | |
| 4FV | APPLIANCE PKG 4FV-BLACK RANGE/FRIDGE/DISHWASHER/MICRO/WHITE-WASH/DRY | B (A) | | | | |
| 4MA | MICROWAVE | B (A) | | | | |
| ICA | RANGE ELECTRIC HOOK-UP | B (A) | | | | |
| ICC | DRYER ELECTRIC HOOK-UP | B (A) | | | | |
| ICG | MICROWAVE 110V HOOK-UP | B (C) | | | | |

| SELECTED OPTIONS VANITIES | | | | | |
|-----------------------------|--|----------|----------|-------------------------|--|
| Option | Description | Category | Quantity | Color/Location (Number) | |
| CAM | VANITY OWNER'S BATHROOM | B (A) | | | |
| CAZ | VANITY CABINETS | B (A) | | | |
| NVC | VANITY TOPS HOUSE | B (A) | | | |
| NVC2XAA | VANITY TOP HOUSE STANDARD CULTURED MARBLE WHITE | B (A) | | | |
| NVN | VANITY TOPS OWNER'S BATHROOM | B (A) | | | |
| NVN2XAA | VANITY TOP OWNER'S BATH STANDARD CULTURED MARBLE WHITE | B (A) | | | |

| SELECTED O | SELECTED OPTIONS GENERAL SPECIFICATIONS | | | | | |
|------------|---|----------|----------|-------------------------|--|--|
| Option | Description | Category | Quantity | Color/Location (Number) | | |
| 116 | OHIO REGION | S | | | | |
| 217 | DAYTON | S | | | | |
| 555XA03 | SOUTHWEST OHIO REQUIREMENTS | S | | | | |
| 555XA05 | COUNTY REQUIREMENTS | S | | | | |
| 555XA06 | BASEMENT INSULATION 4' | S | | | | |
| 555XA40 | JURISDICTION REQUIREMENTS #4 | S | | | | |
| 555XA85 | BUILDING START PROGRAM | S | | | | |
| 555XB21 | CHARCOAL ROOF SHINGLES | E | | | | |
| SGD | PLANT INSTALLED WINDOWS | B (A) | | | | |
| ZXF | NO CUSTOM EXTERIOR TRIM SIDE | B (A) | | | | |
| ZXJ | NO CUSTOM EXTERIOR TRIM REAR | B (A) | | | | |



| SELECTED OPTIONS INTERIOR SPECIFICATIONS | | | | | |
|--|---|--|---|--|--|
| Description | Category | Quantity | Color/Location (Number) | | |
| PAINT SHOE MOULDING | S | | | | |
| NEW LIGHT/MIRROR LAYOUT DBL VANITY | S | | | | |
| BATHROOM MIRRORS (PLANT) | B (A) | | | | |
| INTERIOR DOOR HARDWARE FINISH SATIN NICKEL | B (A) | | | | |
| LOCKS (PLANT) | B (A) | | | | |
| CABINETS (PLANT) | B (A) | | | | |
| INTERIOR HANDRAIL | B (A) | | PAINTED WHITE SEMI-GLOSS | | |
| STAIR BOX PINE | B (A) | | | | |
| SIMPLY RYAN SPECIFICATIONS | B (A) | | | | |
| NVR SPECIFICATIONS | B (A) | | | | |
| INTERIOR DOOR SOLID JAMBS | B (A) | | | | |
| VANITY TOPS (PLANT) | B (A) | | | | |
| | Description PAINT SHOE MOULDING NEW LIGHT/MIRROR LAYOUT DBL VANITY BATHROOM MIRRORS (PLANT) INTERIOR DOOR HARDWARE FINISH SATIN NICKEL LOCKS (PLANT) CABINETS (PLANT) INTERIOR HANDRAIL STAIR BOX PINE SIMPLY RYAN SPECIFICATIONS NVR SPECIFICATIONS INTERIOR DOOR SOLID JAMBS | Description Category PAINT SHOE MOULDING NEW LIGHT/MIRROR LAYOUT DBL VANITY BATHROOM MIRRORS (PLANT) INTERIOR DOOR HARDWARE FINISH SATIN NICKEL LOCKS (PLANT) CABINETS (PLANT) INTERIOR HANDRAIL STAIR BOX PINE B (A) SIMPLY RYAN SPECIFICATIONS B (A) INTERIOR DOOR SOLID JAMBS Category S (A) B (A) B (A) B (A) B (A) B (A) B (A) | Description Category Quantity PAINT SHOE MOULDING S NEW LIGHT/MIRROR LAYOUT DBL VANITY S BATHROOM MIRRORS (PLANT) B (A) INTERIOR DOOR HARDWARE FINISH SATIN NICKEL B (A) LOCKS (PLANT) B (A) CABINETS (PLANT) B (A) INTERIOR HANDRAIL B (A) STAIR BOX PINE B (A) SIMPLY RYAN SPECIFICATIONS B (A) NVR SPECIFICATIONS B (A) INTERIOR DOOR SOLID JAMBS B (A) | | |

| SELECTED O | SELECTED OPTIONS MECHANICAL SPECIFICATIONS | | | | | |
|------------|--|----------|----------|-------------------------|--|--|
| Option | Description | Category | Quantity | Color/Location (Number) | | |
| 555XA28 | HOUSE ORIENTATION EAST | E | | | | |
| 8AO | AIR CONDITION CONDENSER | B (A) | | | | |
| 8CV | EQUIPMENT PKG VERTICAL COIL ZONE 1 | B (A) | | | | |
| 8M1 | EQUIPMENT SUPPLIER GOODMAN | B (A) | | | | |
| 8TA | WIFI ENABLED SMART THERMOSTAT | B (A) | | | | |
| 8VB | TRANSFER GRILLES | B (A) | | | | |
| 8VW | 50 CFM FAN BATH | B (A) | | | | |
| 8XX | LOCAL HVAC BY DESIGN | E | | | | |
| 8XY | LOCAL AIR CONDITIONING BY DESIGN | S | | | | |
| 8ZE | CLIMATE ZONE 5 | S | | | | |
| SHB | GAS HEAT | S | | | | |
| SZF | HVAC & FLOOR SYSTEM PER DESIGN | B (A) | | | | |

| SELECTED OPTIONS ELECTRICAL AND HOME TECHNOLOGY SPECIFICATIONS | | | | | |
|--|-----------------------------------|----------|----------|-----------------------------|--|
| Option | Description | Category | Quantity | Color/Location (Number) | |
| IAS | LIGHT PACKAGE (S) | B (A) | | | |
| IDB | SERVICE 150 AMP | B (A) | | | |
| IGZ | CEILING FAN ROUGH-IN W/LIGHT (EA) | E | 2 | GREAT ROOM & OWNERS BEDROOM | |
| SZK | HVAC WIRE COPPER | B (A) | | | |

| SELECTED OPTIONS PLUMBING SPECIFICATIONS | | | | | |
|--|-------------------------------------|----------|----------|-------------------------|--|
| Option | Description | Category | Quantity | Color/Location (Number) | |
| 9FR | FAUCET FIXTURES BATHROOMS STANDARD+ | B (A) | | | |
| 9TA | STANDARD HGT TOILET HOUSE | B (A) | | | |
| 9TZ | NO WASHER DRAIN PAN | S | | | |
| IHC | SUMP PUMP | S | | | |
| IHO | WATER HEATER ELECTRIC 40 GALLON | B (A) | | | |



| SELECTED OPTIONS EXTERIOR SPECIFICATIONS | | | | | |
|--|--|----------|----------|-------------------------|--|
| Option | Description | Category | Quantity | Color/Location (Number) | |
| 6LA | LANDSCAPING PACKAGE BASIC | S | | | |
| 6LI | 12 MONTH LAWN FERTILIZATION TREATMENTS | E | | | |
| IEM | EXTERIOR FINISH BLACK | B (A) | | | |
| PSIES40 | CONCRETE GARAGE SLAB 4000 PSI | S | | | |
| PSISS40 | CONCRETE STOOP SLAB 4000 PSI | S | | | |
| SFS | EXTERIOR SAFETY RAIL ALUMINUM/PVC | S | | | |
| ST2 | ENGINEERED EXTERIOR TRIM PAINTED | S | | | |
| ST4 | EXTERIOR TRIM LINEAL VINYL | B (A) | | | |
| TES | EXTERIOR SHUTTERS | B (C) | | PEPPERCORN | |

| SELECTED OPTIONS FLOORING | | | | | | |
|-----------------------------|---|----------|----------|--|--|--|
| Option | Description | Category | Quantity | Color/Location (Number) | | |
| ACPLG01 | CARPET GREAT ROOM (B) | E (G) | | TURNBERRY POINT STUCCO (NV23800105) | | |
| ACPLG11 | CARPET PAD GREAT ROOM (A) | E | | | | |
| ACPUB01 | CARPET ZONE 2 (B) | E (G) | | TURNBERRY POINT STUCCO (NV23800105) | | |
| ACPUB11 | CARPET PAD ZONE 2 (A) | E | | | | |
| ARSAAA0 | RESILIENT BATHROOM #1 (A) AHF | E (G) | | STYLETRADBRONZE AIRY OASIS TAN (HS1BF001E) | | |
| ARSAOA0 | RESILIENT OWNER'S BATHROOM (A) AHF | E (G) | | STYLETRADBRONZE AIRY OASIS TAN (HS1BF001E) | | |
| ARSAPA0 | RESILIENT POWDER ROOM FIRST FLOOR (A) AHF | E (G) | | STYLETRADBRONZE AIRY OASIS TAN (HS1BF001E) | | |
| ARSFYA0 | RESILIENT FOYER (A) AHF | E (G) | | STYLETRADBRONZE AIRY OASIS TAN (HS1BF001E) | | |
| ARSKKA0 | RESILIENT KITCHEN (A) AHF | E (G) | | STYLETRADBRONZE AIRY OASIS TAN (HS1BF001E) | | |
| ARSVAA0 | RESILIENT LAUNDRY ROOM (A) AHF | E (G) | | STYLETRADBRONZE AIRY OASIS TAN (HS1BF001E) | | |

| SELECTED OPTIONS COLOR SELECTIONS | | | | | |
|-------------------------------------|--|----------|----------|-------------------------|--|
| Option | Description | Category | Quantity | Color/Location (Number) | |
| CAM2XEM | VANITY OWNER'S BATH STANDARD FAIRFIELD TRUFFLE | B (A) | | | |
| CAZ2XEM | VANITY STANDARD FAIRFIELD TRUFFLE | B (A) | | | |

SELECTION ACKNOWLEDGEMENT | DCY-S2-0355

Page 6 of 7



DAYTON (DCY)

| CUSTOM OPTIONS | | | | | | |
|----------------|---|----------|----------|-------------------------|--|--|
| Option | Description | Category | Quantity | Color/Location (Number) | | |
| 777XG04 | CUSTOMER CHANGE ORDERS COMPLETE | E | | | | |
| 777XG24 | STRUCTURAL CHANGES COMPLETE | S | | | | |
| 999ZZ01 | MISC #1 - DELIVERY DATE JULY/A (Delivery Date July/August 2023) | E | | | | |
| 999ZZ02 | MISC #2 - REMOVE SRP AND ADD S (Remove SRP and Add SRT 3 Tab Shingles) | E | | | | |
| 999ZZ03 | MISC #3 - ADD REALTOR (OVERLOO (Add realtor (overlooked by SMR at contract)) | E | | | | |

SELECTION ACKNOWLEDGEMENT | DCY-S2-0355

Page 7 of 7



DAYTON (DCY)

| CHANCE | OPDED #1.J | Data: 2/22/2022 Status | Patified | | Lavout, DEV | /EDSE L | Drivovava I EET |
|---------------|----------------------|---|-----------------------------|--------------------------------|--------------------|-----------|-------------------------------|
| | | Date: 2/23/2023 Status: | | | | | Driveway: LEFT |
| Change | Option | Description | Added Description | Color/Location | Quantity | Category | Create Person |
| ADD | SRO | ROOF SHINGLES 3-TAB | | | | B (A) | abahr |
| DELETE | SRP | ROOF SHINGLES ARCHITECTURAL | | | | S | abahr |
| CHANGE | ORDER #2 | Date: 2/27/2023 Status: | Ratified | | Layout: RE\ | /ERSE I | Driveway: LEFT |
| Change | Option | Description | Added Description | Color/Location | Quantity | Category | Create Person |
| ADD | IGZ | CEILING FAN ROUGH-IN W/LIGHT (EA) | | | 2 | E | ssens |
| UPDATE | IGZ | CEILING FAN ROUGH-IN W/LIGHT (EA) | | Great Room & Owners Bedroom | | E | ssens |
| CHANGE | ORDER #3 | Date: 3/13/2023 Status: | Ratified | | Layout: RE\ | /ERSE I | Driveway: LEFT |
| Change | Option | Description | Added Description | Color/Location | Quantity | Category | Create Person |
| ADD | 999ZZ03 | Add realtor (overlooked by SMR at contract) | | | | E | ssens |
| CHANGE | ORDER #4 | Date: 3/14/2023 Status: | Ratified | | Layout: RE\ | /ERSE I | Driveway: LEFT |
| Change | Option | Description | Added Description | Color/Location | Quantity | Category | Create Person |
| ADD | 555XA28 | HOUSE ORIENTATION EAST | | | | E | abahr |
| | | | | | | | |
| CHANGE | ORDER #5 | Date: 3/31/2023 Status: | Ratified | | Layout: RE\ | /ERSE I | Driveway: LEFT |
| CHANGE Change | ORDER #5 Option | Date: 3/31/2023 Status: Description | Ratified Added Description | Color/Location | | | Driveway: LEFT Create Person |