



DAYTON (DCY)

Address: 1974 BYERS RD
City, State, Zip: MIAMISBURG, OH, 45342
Business: 937-914-4300
Fax: 937-913-4301

Product (Set/Version): ELM (EMM00-01)

Spec/Model: NO

Start Date:

Projected Settlement Date: 3/24/2023

Lumber Scheduled Date (ROUGH/TRIM): NOT SCHEDULED | NOT SCHEDULED

Table with columns: Community, Code, Lot, Permit Number, Legal Lot/Block/Section, Address. Row: SAWYERS MILL - SIMPLY RYAN, S2, 0361, R22-000441, 00000361/004B, 6808 RIVULET DR MIDDLETOWN, OH 45042

Table with columns: Purchaser Name, CoPurchaser Name, CDS #, Contingent, Sales Manager, Sales Rep, Project Manager. Row: Sam Gersch, Jessica Gersch, DA4372, N, Kellie Hedrick, Stephanie Sens, Jordan Harrah

Table with column: Comments

Table with columns: Option, Description, Category, Quantity, Color/Location (Number). Row: FBA, BASEMENT FOUNDATION, B (A)

Table with columns: Option, Description, Category, Quantity, Color/Location (Number). Row: ELL, ELEVATION L, E

Table with columns: Option, Description, Category, Quantity, Color/Location (Number). Rows: DISR002 COLTON, DISRC02 BARNETT DURAFORM ESPRESSO, HP2 HARD SURFACE UPGRADE GREAT ROOM - & FLEX ROOM, LVP LVP

Table with columns: Option, Description, Category, Quantity, Color/Location (Number). Row: ECLS012 EXTERIOR LS/SR SFD PRIMRY/ACCENT SCHM 12, E

Table with columns: Option, Description, Category, Quantity, Color/Location (Number). Rows: C07 CUSTOM STONE VENEER WATER TABLE, EVG SIDING VENEER SIDE(S), RF3 ROOF UNDERLAYMENT (SYNTHETIC LOCAL), 999Q200 BOARD & BATTEN COLOR (BOARD & BATTEN COLOR), 999QA00 EXTERIOR SCHEME COLOR (EXT SCHEME COLOR), 999QB03 STONE COLOR (STONE COLOR), 999QF02 SIDING ACCENT COLOR (SIDING ACCENT COLOR)

DAYTON (DCY)

Product (Set/Version): ELM (EMM00-01)

SELECTED OPTIONS | FOUNDATIONS

Option	Description	Category	Quantity	Color/Location (Number)
555XA11	EXCAVATION CUT 6'	S		
FBM	BASEMENT BEHIND GARAGE	B (C)		
FBS	BASEMENT FOUNDATION STAIR FLOOR FRAMING - M/S W-FBA FULL BSMNT	E		
FDS	FOUNDATION FOOTING 6"	B (A)		
FLH	FOUNDATION FROST LINE 48"	S		
FWE	FOUNDATION GARAGE EXTERIOR WALL MIN PER FROST DEPTH	B (C)		
PSIFT25	CONCRETE FOOTING 2500 PSI	S		
PSIIS30	CONCRETE INTERIOR SLAB 3000 PSI	S		
PSIWL40	CONCRETE WALLS 4000 PSI	S		

SELECTED OPTIONS | BASEMENT

Option	Description	Category	Quantity	Color/Location (Number)
9RB	3 PIECE PLUMBING ROUGH-IN BASEMENT	E		
MEC	UNFINISHED BASEMENT	B (C)		
WMC	WINDOW EGRESS	E		
ZMT	NO WALKOUT EXITS AT REAR	B (C)		

DAYTON (DCY)

Product (Set/Version): ELM (EMM00-01)

SELECTED OPTIONS | HOUSE

Option	Description	Category	Quantity	Color/Location (Number)
GCB	2 CAR GARAGE - FRONT ENTRY	B (A)		
GGP	WIFI ENABLED GARAGE DOOR OPENER W/REMOTE CONTROLS	B (A)		
GGU	GARAGE DOOR UPGRADE1	B (A)		WHITE
SDF	FRONT DOOR FIBERGLASS	B (A)		NAVAL (SW6244)
SDS	FIREDOOR 20 MIN	B (A)		
SEA	STANCHIONS PER ENGINEERING	B (A)		
SEI	16" O.C. STUD SPACING EXTERIOR GABLE WALLS	B (A)		
SEO	TRUSS SHEATHING 7/16" OSB	B (A)		
SFB	SHEATHING LAP @ OUTSIDE CORNERS	B (A)		
SFG	STRAPS ILO BOLTS (CONCRETE)	S		
SFJ	24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS	B (A)		
SFM	WALL SHEATHING 7/16" OSB	B (A)		
SFV	HOUSE WRAP	E (G)		
SFZ	SAFETY PACKAGE MATERIAL	B (A)		
SGJ	WINDOW COLOR WHITE (EXTERIOR & INTERIOR)	B (A)		
SIG	INSULATION WALL R-13	B (A)		
SIL	VERTICAL INSULATION SLAB RIGID R-10	B (A)		
SIM	INSULATION CEILING BLOWN R49	S		
SIR	INSULATION UNFINISHED BASEMENT WALL R11	B (C)		
SKJ	GARAGE DOOR HARDWARE	B (A)		
SPJ	SEISMIC DESIGN CATEGORY A/B	B (A)		
SRA	7/16" ROOF SHEATHING	B (A)		
SRI	CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B)	B (A)		
SRO	ROOF SHINGLES 3-TAB	B (A)		CHARCOAL
SRW	WIND LOAD 115 MPH (ULTIMATE)	B (A)		
STW	EXTERIOR TRIM WHITE	B (A)		WHITE
SUB	SIDING VINYL 042	B (A)		GEORGIAN GRAY-PEWTER (PRIMRY-ACC)
SUF	SIDING PROFILE DOUBLE 4.5" DUTCH LAP	B (C)		
SWF	WINDOWS VINYL SINGLE HUNG BRICKMOULD	B (A)		
SXC	CORNERSTONE SPECIFICATIONS	B (A)		
SYD	BUILTSMART 3.0	B (A)		

SELECTED OPTIONS | KITCHEN

Option	Description	Category	Quantity	Color/Location (Number)
9KB	FAUCET FIXTURES KITCHEN B	E (G)		
CKC	KITCHEN CABINETS	B (A)		
KFI	KITCHEN VENTILATION RECIRCULATING	B (A)		
KFN	KITCHEN SINK SINGLE BOWL	B (A)		
KMT	KITCHEN MANUFACTURER TIMBERLAKE	B (A)		
NBB	COUNTERTOP BACKSPLASH KITCHEN	B (A)		
NQ1	QUARTZ COUNTERTOP UPGRADE1	E		
NQK	QUARTZ COUNTERTOP KITCHEN UPGRADE1	E (G)		QUARTZ FROST WHITE

DAYTON (DCY)

Product (Set/Version): ELM (EMM00-01)

SELECTED OPTIONS | APPLIANCES

Option	Description	Category	Quantity	Color/Location (Number)
4FW	APPLIANCE PKG 4FW-SS RANGE/FRIDGE/DISHWASHER/MICRO/WHITE-WASH/DRY	E (G)		
4MA	MICROWAVE	B (A)		
ICA	RANGE ELECTRIC HOOK-UP	B (A)		
ICC	DRYER ELECTRIC HOOK-UP	B (A)		
ICG	MICROWAVE 110V HOOK-UP	B (C)		

SELECTED OPTIONS | OWNERS SUITE

Option	Description	Category	Quantity	Color/Location (Number)
AMS	OWNER'S BATHROOM FRAMED SHOWER DOOR	B (A)		

SELECTED OPTIONS | BEDROOMS

Option	Description	Category	Quantity	Color/Location (Number)
BDH	FOUR BEDROOM W/LOFT	B (A)		

SELECTED OPTIONS | VANITIES

Option	Description	Category	Quantity	Color/Location (Number)
CAM	VANITY OWNER'S BATHROOM	B (A)		
CAZ	VANITY CABINETS	B (A)		

SELECTED OPTIONS | GENERAL SPECIFICATIONS

Option	Description	Category	Quantity	Color/Location (Number)
116	OHIO REGION	S		
217	DAYTON	S		
555XA03	SOUTHWEST OHIO REQUIREMENTS	S		
555XA05	COUNTY REQUIREMENTS	S		
555XA06	BASEMENT INSULATION 4'	S		
555XA40	JURISDICTION REQUIREMENTS #4	S		
555XA85	BUILDING START PROGRAM	S		
SGD	PLANT INSTALLED WINDOWS	B (A)		
ZXF	NO CUSTOM EXTERIOR TRIM SIDE	B (A)		
ZXJ	NO CUSTOM EXTERIOR TRIM REAR	B (A)		

SELECTED OPTIONS | INTERIOR SPECIFICATIONS

Option	Description	Category	Quantity	Color/Location (Number)
6PS	PAINT SHOE MOULDING	S		
AFE	NEW LIGHT/MIRROR LAYOUT DBL VANITY	S		
AFM	BATHROOM MIRRORS (PLANT)	B (A)		
DHJ	INTERIOR DOOR HARDWARE FINISH SATIN NICKEL	B (A)		
DHM	LOCKS (PLANT)	B (A)		
QKM	CABINETS (PLANT)	B (A)		
RLS	INTERIOR HANDRAIL	B (A)		PAINTED WHITE SEMI-GLOSS
SJP	STAIR BOX PINE	B (A)		
SPG	ALTERNATE LVL FRAMING	S		
STF	SIMPLY RYAN SPECIFICATIONS	B (A)		
SZB	NVR SPECIFICATIONS	B (A)		
SZJ	INTERIOR DOOR SOLID JAMBS	B (A)		
YCM	VANITY TOPS (PLANT)	B (A)		

DAYTON (DCY)

Product (Set/Version): ELM (EMM00-01)

SELECTED OPTIONS | MECHANICAL SPECIFICATIONS

Option	Description	Category	Quantity	Color/Location (Number)
555XA30	HOUSE ORIENTATION SOUTH	E		
8AO	AIR CONDITION CONDENSER	B (A)		
8CV	EQUIPMENT PKG VERTICAL COIL ZONE 1	B (A)		
8M1	EQUIPMENT SUPPLIER GOODMAN	B (A)		
8TA	WIFI ENABLED SMART THERMOSTAT	B (A)		
8VB	TRANSFER GRILLES	B (A)		
8VW	50 CFM FAN BATH	B (A)		
8XX	LOCAL HVAC BY DESIGN	E		
8XY	LOCAL AIR CONDITIONING BY DESIGN	S		
8ZE	CLIMATE ZONE 5	S		
SHB	GAS HEAT	S		
SZF	HVAC & FLOOR SYSTEM PER DESIGN	B (A)		

SELECTED OPTIONS | ELECTRICAL AND HOME TECHNOLOGY SPECIFICATIONS

Option	Description	Category	Quantity	Color/Location (Number)
IAS	LIGHT PACKAGE (S)	B (A)		
IDB	SERVICE 150 AMP	S		
IGZ	CEILING FAN ROUGH-IN W/LIGHT (EA)	E	6	ALL BEDRMS, FLEX, GREAT RM
IK7	GREAT ROOM LED LIGHT PACKAGE	E		
SZK	HVAC WIRE COPPER	B (A)		

SELECTED OPTIONS | PLUMBING SPECIFICATIONS

Option	Description	Category	Quantity	Color/Location (Number)
9FR	FAUCET FIXTURES BATHROOMS STANDARD+	B (A)		
9TA	STANDARD HGT TOILET HOUSE	B (A)		
9TZ	NO WASHER DRAIN PAN	S		
IHC	SUMP PUMP	S		
IHO	WATER HEATER ELECTRIC 40 GALLON	B (A)		

SELECTED OPTIONS | EXTERIOR SPECIFICATIONS

Option	Description	Category	Quantity	Color/Location (Number)
6LA	LANDSCAPING PACKAGE BASIC	S		
6LI	12 MONTH LAWN FERTILIZATION TREATMENTS	E		
777XC11	SODDED LAWN UPGRADE1 - FULL SOD DISTRB ONLY	E		
IEM	EXTERIOR FINISH BLACK	B (A)		
PSIES40	CONCRETE GARAGE SLAB 4000 PSI	S		
PSISS40	CONCRETE STOOP SLAB 4000 PSI	S		
SFS	EXTERIOR SAFETY RAIL ALUMINUM/PVC	S		
ST2	ENGINEERED EXTERIOR TRIM PAINTED	S		
ST4	EXTERIOR TRIM LINEAL VINYL	B (A)		

DAYTON (DCY)

Product (Set/Version): ELM (EMM00-01)

SELECTED OPTIONS | FLOORING

Option	Description	Category	Quantity	Color/Location (Number)
AC PUB01	CARPET ZONE 2 (B)	E (G)		TURNBERRY POINT OPALINE (NV23800107)
AC PUB11	CARPET PAD ZONE 2 (A)	E		
ALVAAA1	LVP BATHROOM #1 (A) AHF	E (G)		LFSLCLSPL COASTAL SETTING BR (LP70RK10E)
ALVAAA1	LVP OWNER'S BATHROOM (A) AHF	E (G)		LFSLCLSPL COASTAL SETTING BR (LP70RK10E)
ALVAPA1	LVP POWDER ROOM FIRST FLOOR (A) AHF	E (G)		LFSLCLSPL COASTAL SETTING BR (LP70RK10E)
ALVFYA1	LVP FOYER (A) AHF	E (G)		LFSLCLSPL COASTAL SETTING BR (LP70RK10E)
ALVKKA1	LVP KITCHEN (A) AHF	E (G)		LFSLCLSPL COASTAL SETTING BR (LP70RK10E)
ALVLGA1	LVP GREAT ROOM (A) AHF	E (G)		LFSLCLSPL COASTAL SETTING BR (LP70RK10E)
ALVVAA1	LVP LAUNDRY ROOM (A) AHF	E (G)		LFSLCLSPL COASTAL SETTING BR (LP70RK10E)

SELECTED OPTIONS | COLOR SELECTIONS

Option	Description	Category	Quantity	Color/Location (Number)
CAM2XEL	VANITY OWNER'S BATH UPGRADE2 BARNETT SR DURAFORM ESPRESSO	E (G)		
CAZ2XEL	VANITY UPGRADE2 BARNETT SR DURAFORM ESPRESSO	E (G)		
CKC2XEL	KITCHEN UPGRADE2 BARNETT SR DURAFORM ESPRESSO	E (G)		
NVC	VANITY TOPS HOUSE	B (A)		
NVC2XAA	VANITY TOP HOUSE STANDARD CULTURED MARBLE WHITE	B (A)		
NVN	VANITY TOPS OWNER'S BATHROOM	B (A)		
NVN2XAA	VANITY TOP OWNER'S BATH STANDARD CULTURED MARBLE WHITE	B (A)		



DAYTON (DCY)

Product (Set/Version): **ELM (EMM00-01)**

CUSTOM OPTIONS

Option	Description	Category	Quantity	Color/Location (Number)
777XG04	CUSTOMER CHANGE ORDERS COMPLETE	E		
777XG24	STRUCTURAL CHANGES COMPLETE	S		
999ZZ01	MISC #1 - DELIVERY DATE MAR/AP (Delivery Date Mar/Apr 2023)	E		



DAYTON (DCY)

Product (Set/Version): **ELM (EMM00-01)**

CHANGE ORDER #1 | Date: **11/10/2022** | Status: **Ratified** | Layout: **REVERSE** | Driveway: **LEFT**

Change	Option	Description	Added Description	Color/Location	Quantity	Category	Create Person
ADD	555XA30	HOUSE ORIENTATION SOUTH				E	abahr