## SELECTION ACKNOWLEDGEMENT | DCY-S2-0444

Page 1 of 7



**DAYTON (DCY)** 

Address: 1974 BYERS RD

City, State, Zip: MIAMISBURG, OH, 45342

Business: 937-914-4300

Fax: 937-913-4301

Product (Set/Version): ASPEN (ASP00-01)

Spec/Model: NO

Start Date: 6/12/2023

Projected Settlement Date: 9/5/2023

Lumber Scheduled Date (ROUGH/TRIM): 5/30/2023 | NOT SCHEDULED

| LOT INFORMATION               |           |      |               | Layout        | REVERSE       | Driveway Location              | LEFT |
|-------------------------------|-----------|------|---------------|---------------|---------------|--------------------------------|------|
| Community                     | Code      | Lot  | Permit Number | Legal Lot/B   | Block/Section | Address                        |      |
| SAWYERS MILL - SIMPLY<br>RYAN | <b>S2</b> | 0444 | R23-000129    | 00000444/0005 |               | 5008 BROOKLE<br>MIDDLETOWN, OF |      |
|                               |           |      |               |               |               |                                |      |

| SALE INFORMATIO | N                |        | Sale       | Status Ratified | Contract Date  | 4/8/2023        |
|-----------------|------------------|--------|------------|-----------------|----------------|-----------------|
| Purchaser Name  | CoPurchaser Name | CDS#   | Contingent | Sales Manager   | Sales Rep      | Project Manager |
| Janet Owens     |                  | DA1773 | N          | Kellie Hedrick  | Stephanie Sens | Jordan Harrah   |

## SALE COMMENTS

Comments

| SELECTED OPTIONS   BASEMENT FOUNDATION |                     |          |          |                         |  |
|--|---------------------|----------|----------|-------------------------|--|
| Option                                 | Description         | Category | Quantity | Color/Location (Number) |  |
| FBA                                    | BASEMENT FOUNDATION | В (А)    |          |                         |  |

| SELECTED OPTIONS   ELEVATION K |             |          |          |                         |  |
|--------------------------------|-------------|----------|----------|-------------------------|--|
| Option                         | Description | Category | Quantity | Color/Location (Number) |  |
| ELK                            | ELEVATION K | B (A)    |          |                         |  |

| SELECTED OPTIONS   DESIGNER INTERIORS |                                      |          |          |                         |
|---------------------------------------|--------------------------------------|----------|----------|-------------------------|
| Option                                | Description                          | Category | Quantity | Color/Location (Number) |
| DISR001                               | AVERY                                | B (A)    |          |                         |
| DISRC01                               | FAIRFIELD TRUFFLE                    | B (A)    |          |                         |
| ZC1                                   | NO COUNTERTOP UPGRADE                | B (A)    |          |                         |
| ZWF                                   | NO HARD SURFACE REMAINDER MAIN FLOOR | B (A)    |          |                         |

| SELECTED OPTIONS   EXTERIOR COLOR SCHEME |  |          |          |                         |
|--|--|----------|----------|-------------------------|
| Option                                   | Description                              | Category | Quantity | Color/Location (Number) |
| ECLS011                                  | EXTERIOR LS/SR SFD PRIMRY/ACCENT SCHM 11 | Е        |          |                         |

| SELECTED OPTIONS   ELEVATIONS |                                     |          |          |                         |
|-------------------------------|-------------------------------------|----------|----------|-------------------------|
| Option                        | Description                         | Category | Quantity | Color/Location (Number) |
| C07                           | CUSTOM STONE VENEER WATER TABLE     | S        |          |                         |
| EVG                           | SIDING VENEER SIDE(S)               | B (A)    |          |                         |
| RF3                           | ROOF UNDERLAYMENT (SYNTHETIC LOCAL) | S        |          |                         |

| SELECTED OPTIONS   FOUNDATIONS |  |                              |          |                         |  |
|--------------------------------|--|------------------------------|----------|-------------------------|--|
| Option                         | Description  | Category                     | Quantity | Color/Location (Number) |  |
| 555XA11                        | EXCAVATION CUT 6'  | S                            |          |                         |  |
| FBS                            | BASEMENT FOUNDATION STAIR FLOOR FRAMING - M/S W-FBA FULL BSMNT   | E                            |          |                         |  |
| FDS                            | FOUNDATION FOOTING 6"  | B (A)                        |          |                         |  |
| FLH                            | FOUNDATION FROST LINE 48"  | S                            |          |                         |  |
| FWE                            | FOUNDATION GARAGE EXTERIOR WALL MIN PER FROST DEPTH  | B (C)                        |          |                         |  |
| PSIFT25                        | CONCRETE FOOTING 2500 PSI  | B (A)                        |          |                         |  |
| PSIIS30                        | CONCRETE INTERIOR SLAB 3000 PSI  | B (A)                        |          |                         |  |
| PSIWL40                        | CONCRETE WALLS 4000 PSI  | S                            |          |                         |  |
| FLH FWE PSIFT25 PSIIS30        | FOUNDATION FROST LINE 48"  FOUNDATION GARAGE EXTERIOR WALL MIN PER FROST DEPTH  CONCRETE FOOTING 2500 PSI  CONCRETE INTERIOR SLAB 3000 PSI | S<br>B (C)<br>B (A)<br>B (A) |          |                         |  |



**DAYTON (DCY)** 

| SELECTED OPTIONS   BASEMENT |                          |          |          |                         |
|-----------------------------|--------------------------|----------|----------|-------------------------|
| Option                      | Description              | Category | Quantity | Color/Location (Number) |
| MEC                         | UNFINISHED BASEMENT      | В (С)    |          |                         |
| ZMT                         | NO WALKOUT EXITS AT REAR | В (С)    |          |                         |

|            |   | ` '      |          |                              |
|------------|---|----------|----------|------------------------------|
| SELECTED ( | OPTIONS   <i>HOUSE</i>                            |          |          |                              |
| Option     | Description                                       | Category | Quantity | Color/Location (Number)      |
| GCB        | 2 CAR GARAGE - FRONT ENTRY                        | B (A)    |          |                              |
| GGP        | WIFI ENABLED GARAGE DOOR OPENER W/REMOTE CONTROLS | B (A)    |          |                              |
| GGU        | GARAGE DOOR UPGRADE1                              | B (A)    |          | WHITE                        |
| SDF        | FRONT DOOR FIBERGLASS                             | B (A)    |          | TRICORN BLACK (SW6258)       |
| SDS        | FIREDOOR 20 MIN                                   | B (A)    |          |                              |
| SEA        | STANCHIONS PER ENGINEERING                        | B (A)    |          |                              |
| SEI        | 16" O.C. STUD SPACING EXTERIOR GABLE WALLS        | B (A)    |          |                              |
| SEO        | TRUSS SHEATHING 7/16" OSB                         | B (A)    |          |                              |
| SFB        | SHEATHING LAP @ OUTSIDE CORNERS                   | B (A)    |          |                              |
| SFG        | STRAPS ILO BOLTS (CONCRETE)                       | S        |          |                              |
| SFJ        | 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS  | B (A)    |          |                              |
| SFM        | WALL SHEATHING 7/16" OSB                          | B (A)    |          |                              |
| SFV        | HOUSE WRAP  | B (C)    |          |                              |
| SFZ        | SAFETY PACKAGE MATERIAL                           | B (A)    |          |                              |
| SGJ        | WINDOW COLOR WHITE (EXTERIOR & INTERIOR)          | B (A)    |          |                              |
| SIG        | INSULATION WALL R-13                              | B (A)    |          |                              |
| SIL        | VERTICAL INSULATION SLAB RIGID R-10               | B (A)    |          |                              |
| SIM        | INSULATION CEILING BLOWN R49                      | S        |          |                              |
| SIR        | INSULATION UNFINISHED BASEMENT WALL R11           | B (C)    |          |                              |
| SKJ        | GARAGE DOOR HARDWARE                              | B (A)    |          |                              |
| SPJ        | SEISMIC DESIGN CATEGORY A/B                       | B (A)    |          |                              |
| SRA        | 7/16" ROOF SHEATHING                              | B (A)    |          |                              |
| SRI        | CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B)     | B (A)    |          |                              |
| SRP        | ROOF SHINGLES ARCHITECTURAL                       | S        |          | CHARCOAL                     |
| SRW        | WIND LOAD 115 MPH (ULTIMATE)                      | B (A)    |          |                              |
| STW        | EXTERIOR TRIM WHITE                               | B (A)    |          |                              |
| SUB        | SIDING VINYL 042                                  | B (A)    |          | FLINT-WEDGEWOOD (PRIMRY-ACC) |
| SUF        | SIDING PROFILE DOUBLE 4.5" DUTCH LAP              | B (C)    |          |                              |
| SUZ        | SIDING SHAKE                                      | E        |          |                              |
| SWF        | WINDOWS VINYL SINGLE HUNG BRICKMOULD              | B (A)    |          |                              |
| SXC        | CORNERSTONE SPECIFICATIONS                        | B (A)    |          |                              |
| SYD        | BUILTSMART 3.0                                    | B (A)    |          |                              |



|            | omes  | _        |          |  |
|------------|---|----------|----------|--|
| DAYTON (DO | CY)   |          |          | Product (Set/Version): <b>ASPEN (ASP00-01)</b> |
| SELECTED C | PTIONS   <i>KITCHEN</i>   |          |          |  |
| Option     | Description   | Category | Quantity | Color/Location (Number)                        |
| 9KA        | FAUCET FIXTURES KITCHEN A   | B (A)    |          |  |
| СКС        | KITCHEN CABINETS  | B (A)    |          |  |
| CKC2XEM    | KITCHEN STANDARD FAIRFIELD TRUFFLE                                    | B (A)    |          |  |
| KFI        | KITCHEN VENTILATION RECIRCULATING                                     | B (A)    |          |  |
| KFN        | KITCHEN SINK SINGLE BOWL  | B (A)    |          |  |
| KMT        | KITCHEN MANUFACTURER TIMBERLAKE                                       | B (A)    |          |  |
| NBB        | COUNTERTOP BACKSPLASH KITCHEN   | B (A)    |          |  |
| NKK        | LAMINATE COUNTERTOP KITCHEN   | B (A)    |          | LAMINATE BELMONTE GR (3496 58)                 |
| ZEG        | NO KITCHEN ISLAND   | B (A)    |          |  |
| SELECTED C | PTIONS   APPLIANCES   |          |          |  |
| Option     | Description   | Category | Quantity | Color/Location (Number)                        |
| 4FV        | APPLIANCE PKG 4FV-BLACK RANGE/FRIDGE/DISHWASHER/MICRO/WHITE- WASH/DRY | В (А)    |          |  |
| 4MA        | MICROWAVE   | B (A)    |          |  |
| ICA        | RANGE ELECTRIC HOOK-UP  | B (A)    |          |  |
| ICC        | DRYER ELECTRIC HOOK-UP  | B (A)    |          |  |
| ICG        | MICROWAVE 110V HOOK-UP  | B (C)    |          |  |
| SELECTED C | PTIONS   POWDER ROOM  |          |          |  |
| Option     | Description   | Category | Quantity | Color/Location (Number)                        |
| ZKV        | NO POWDER ROOM FIRST FLOOR  | B (A)    |          |  |
| SELECTED C | PTIONS   <i>BATHROOMS</i>   |          |          |  |
| Option     | Description   | Category | Quantity | Color/Location (Number)                        |
| VVA        | SINGLE BOWL VANITY OWNER'S BATHROOM                                   | B (A)    |          |  |
| SELECTED C | PTIONS   <i>VANITIES</i>  |          |          |  |
| Option     | Description   | Category | Quantity | Color/Location (Number)                        |
| CAM        | VANITY OWNER'S BATHROOM   | B (A)    |          |  |
| CAZ        | VANITY CABINETS   | B (A)    |          |  |
| NVC        | VANITY TOPS HOUSE   | B (A)    |          |  |
| NVN        | VANITY TOPS OWNER'S BATHROOM  | B (A)    |          |  |
| SELECTED C | PTIONS   GENERAL SPECIFICATIONS                                       |          |          |  |
| Option     | Description   | Category | Quantity | Color/Location (Number)                        |
| 116        | OHIO REGION   | S        |          |  |
| 217        | DAYTON  | S        |          |  |
| 555XA03    | SOUTHWEST OHIO REQUIREMENTS   | S        |          |  |
| 555XA05    | COUNTY REQUIREMENTS   | S        |          |  |
| 555XA06    | BASEMENT INSULATION 4'  | S        |          |  |
| 555XA40    | JURISDICTION REQUIREMENTS #4  | S        |          |  |
| 555XA85    | BUILDING START PROGRAM  | S        |          |  |
| 555XB21    | CHARCOAL ROOF SHINGLES  | S        |          |  |
| SGD        | PLANT INSTALLED WINDOWS   | B (A)    |          |  |

B (A)

B (A)

**NO CUSTOM EXTERIOR TRIM SIDE** 

NO CUSTOM EXTERIOR TRIM REAR

ZXF

ZXJ



| SELECTED OPTIONS   INTERIOR SPECIFICATIONS |  |          |          |                          |  |
|--|--|----------|----------|--------------------------|--|
| Option                                     | Description                                | Category | Quantity | Color/Location (Number)  |  |
| 6PS  | PAINT SHOE MOULDING                        | S        |          |                          |  |
| AFE  | NEW LIGHT/MIRROR LAYOUT DBL VANITY         | S        |          |                          |  |
| AFM  | BATHROOM MIRRORS (PLANT)                   | B (A)    |          |                          |  |
| DHJ  | INTERIOR DOOR HARDWARE FINISH SATIN NICKEL | B (A)    |          |                          |  |
| DHM  | LOCKS (PLANT)                              | B (A)    |          |                          |  |
| QKM  | CABINETS (PLANT)                           | B (A)    |          |                          |  |
| RLS  | INTERIOR HANDRAIL                          | B (A)    |          | PAINTED WHITE SEMI-GLOSS |  |
| SJP  | STAIR BOX PINE                             | B (A)    |          |                          |  |
| STF  | SIMPLY RYAN SPECIFICATIONS                 | B (A)    |          |                          |  |
| SZB  | NVR SPECIFICATIONS                         | B (A)    |          |                          |  |
| SZJ  | INTERIOR DOOR SOLID JAMBS                  | B (A)    |          |                          |  |
| YCM  | VANITY TOPS (PLANT)                        | B (A)    |          |                          |  |

| SELECTED OPTIONS   MECHANICAL SPECIFICATIONS |                                    |          |          |                         |  |  |
|--|------------------------------------|----------|----------|-------------------------|--|--|
| Option                                       | Description                        | Category | Quantity | Color/Location (Number) |  |  |
| 555XA31                                      | HOUSE ORIENTATION SOUTHWEST        | E        |          |                         |  |  |
| 8AO  | AIR CONDITION CONDENSER            | В (А)    |          |                         |  |  |
| 8CV  | EQUIPMENT PKG VERTICAL COIL ZONE 1 | B (A)    |          |                         |  |  |
| 8M1  | <b>EQUIPMENT SUPPLIER GOODMAN</b>  | В (А)    |          |                         |  |  |
| 8TA  | WIFI ENABLED SMART THERMOSTAT      | B (A)    |          |                         |  |  |
| 8VB  | TRANSFER GRILLES                   | В (А)    |          |                         |  |  |
| 8VW  | 50 CFM FAN BATH                    | B (A)    |          |                         |  |  |
| 8XX  | LOCAL HVAC BY DESIGN               | E        |          |                         |  |  |
| 8XY  | LOCAL AIR CONDITIONING BY DESIGN   | S        |          |                         |  |  |
| 8ZE  | CLIMATE ZONE 5                     | S        |          |                         |  |  |
| SHB  | GAS HEAT                           | S        |          |                         |  |  |
| SZF  | HVAC & FLOOR SYSTEM PER DESIGN     | В (А)    |          |                         |  |  |

| SELECTED OPTIONS   ELECTRICAL AND HOME TECHNOLOGY SPECIFICATIONS |                                |          |          |                         |  |  |
|--|--------------------------------|----------|----------|-------------------------|--|--|
| Option   | Description                    | Category | Quantity | Color/Location (Number) |  |  |
| СРА  | CABLE & INTERNET DUAL PORT (3) | S        |          |                         |  |  |
| IAS  | LIGHT PACKAGE (S)              | B (A)    |          |                         |  |  |
| IDB  | SERVICE 150 AMP                | S        |          |                         |  |  |
| SZK  | HVAC WIRE COPPER               | B (A)    |          |                         |  |  |

| SELECTED OPTIONS   PLUMBING SPECIFICATIONS |                                     |          |          |                         |  |  |
|--|-------------------------------------|----------|----------|-------------------------|--|--|
| Option                                     | Description                         | Category | Quantity | Color/Location (Number) |  |  |
| 9FR  | FAUCET FIXTURES BATHROOMS STANDARD+ | B (A)    |          |                         |  |  |
| 9TA  | STANDARD HGT TOILET HOUSE           | B (A)    |          |                         |  |  |
| 9TZ  | NO WASHER DRAIN PAN                 | S        |          |                         |  |  |
| IHC  | SUMP PUMP                           | S        |          |                         |  |  |
| IHO  | WATER HEATER ELECTRIC 40 GALLON     | B (A)    |          |                         |  |  |



**DAYTON (DCY)** 

| SELECTED OPTIONS   EXTERIOR SPECIFICATIONS |  |          |          |                         |  |
|--|--|----------|----------|-------------------------|--|
| Option                                     | Description                            | Category | Quantity | Color/Location (Number) |  |
| 6LA  | LANDSCAPING PACKAGE BASIC              | S        |          |                         |  |
| 6LI  | 12 MONTH LAWN FERTILIZATION TREATMENTS | E        |          |                         |  |
| IEM  | EXTERIOR FINISH BLACK                  | B (A)    |          |                         |  |
| PSIES40                                    | CONCRETE GARAGE SLAB 4000 PSI          | S        |          |                         |  |
| PSISS40                                    | CONCRETE STOOP SLAB 4000 PSI           | S        |          |                         |  |
| SFS  | EXTERIOR SAFETY RAIL ALUMINUM/PVC      | S        |          |                         |  |
| ST4  | EXTERIOR TRIM LINEAL VINYL             | B (A)    |          |                         |  |
| STB  | EXTERIOR TRIM HARDIE                   | S        |          |                         |  |
| TES  | EXTERIOR SHUTTERS                      | B (A)    |          | BLACK                   |  |

| SELECTED OPTIONS   FLOORING |                                    |          |          |  |  |  |  |
|-----------------------------|------------------------------------|----------|----------|--|--|--|--|
| Option                      | Description                        | Category | Quantity | Color/Location (Number)                    |  |  |  |
| ACPLG01                     | CARPET GREAT ROOM (B)              | E (G)    |          | TURNBERRY POINT STUCCO<br>(NV23800105)     |  |  |  |
| ACPLG11                     | CARPET PAD GREAT ROOM (A)          | E        |          |  |  |  |  |
| ACPUB01                     | CARPET ZONE 2 (B)                  | E (G)    |          | TURNBERRY POINT STUCCO (NV23800105)        |  |  |  |
| ACPUB11                     | CARPET PAD ZONE 2 (A)              | E        |          |  |  |  |  |
| ARSAAA0                     | RESILIENT BATHROOM #1 (A) AHF      | E (G)    |          | STYLETRADBRONZE AIRY OASIS TAN (HS1BF001E) |  |  |  |
| ARSAOA0                     | RESILIENT OWNER'S BATHROOM (A) AHF | E (G)    |          | STYLETRADBRONZE AIRY OASIS TAN (HS1BF001E) |  |  |  |
| ARSFYA0                     | RESILIENT FOYER (A) AHF            | E (G)    |          | STYLETRADBRONZE AIRY OASIS TAN (HS1BF001E) |  |  |  |
| ARSKKA0                     | RESILIENT KITCHEN (A) AHF          | E (G)    |          | STYLETRADBRONZE AIRY OASIS TAN (HS1BF001E) |  |  |  |
| ARSVAA0                     | RESILIENT LAUNDRY ROOM (A) AHF     | E (G)    |          | STYLETRADBRONZE AIRY OASIS TAN (HS1BF001E) |  |  |  |

| SELECTED OPTIONS   COLOR SELECTIONS |  |          |          |                         |  |
|-------------------------------------|--|----------|----------|-------------------------|--|
| Option                              | Description  | Category | Quantity | Color/Location (Number) |  |
| CAM2XEM                             | VANITY OWNER'S BATH STANDARD FAIRFIELD TRUFFLE         | B (A)    |          |                         |  |
| CAZ2XEM                             | VANITY STANDARD FAIRFIELD TRUFFLE                      | B (A)    |          |                         |  |
| NVC2XAA                             | VANITY TOP HOUSE STANDARD CULTURED MARBLE WHITE        | B (A)    |          |                         |  |
| NVN2XAA                             | VANITY TOP OWNER'S BATH STANDARD CULTURED MARBLE WHITE | B (A)    |          |                         |  |



Page 6 of 7



**DAYTON (DCY)** 

| CUSTOM OPTIONS |   |          |          |                         |  |
|----------------|---|----------|----------|-------------------------|--|
| Option         | Description   | Category | Quantity | Color/Location (Number) |  |
| 777XG04        | CUSTOMER CHANGE ORDERS COMPLETE                                       | E        |          |                         |  |
| 777XG24        | STRUCTURAL CHANGES COMPLETE   | S        |          |                         |  |
| 999ZZ01        | MISC #1 - DELIVERY DATE AUGUST (Delivery Date August/September 2023 ) | E        |          |                         |  |



Product (Set/Version): ASPEN (ASP00-01)

Page 7 of 7



DAYTON (DCY)

| CHANGE ORDER #1   Date: 5/9/2023   Status: Ratified |         |                             |                   |                | Layout: <b>REV</b> | <b>/ERSE  </b> D | riveway: <b>LEFT</b> |
|---|---------|-----------------------------|-------------------|----------------|--------------------|------------------|----------------------|
| Change  | Option  | Description                 | Added Description | Color/Location | Quantity           | Category         | <b>Create Person</b> |
| ADD   | 555XA31 | HOUSE ORIENTATION SOUTHWEST |                   |                |                    | E                | abahr                |