SELECTION ACKNOWLEDGEMENT | DCY-S2-0452

Page 1 of 7



DAYTON (DCY)

Address: 1974 BYERS RD

City, State, Zip: MIAMISBURG, OH, 45342

Business: 937-914-4300

Product (Set/Version): **SPRUCE (SPC00-01)**

Spec/Model: NO

Start Date: **10/23/2023**

Projected Settlement Date: 1/24/2024

Fax: 937-913-4301				Lumb	er Schedule	d Date (ROUGH,	TRIM): 10/10/2023	NOT SCHEDULED
LOT INFORMATION					Layout	PER PLAN	Driveway Location	RIGHT
Community	Code	Lot	Permi	t Number	Legal Lot/B	lock/Section	Addre	ess
SAWYERS MILL - SIME RYAN	S2	0452	R23-	-000257	000004	152/0005	5714 MILLBROMIDDLETOWN,	
SALE INFORMATIO	N			Sc	ale Status	Ratified	Contract Date	8/8/2023
Purchaser Name	CoPurchase	Name	CDS#	Contingen	nt Sales	Manager	Sales Rep	Project Manager
Stephen Walton	Cathy Wa	lton	DA3483	N	Kelli	e Hedrick	Stephanie Sens	Jordan Harrah

SALE COMMENTS

Comments

SELECTED	OPTIONS BASEMENT FOUNDATION			
Option	Description	Category	Quantity	Color/Location (Number)
FBA	BASEMENT FOUNDATION	B (A)		
SELECTED	OPTIONS FIFVATION K			

SELECTED OP	TIONS ELEVATION K			
Option	Description	Category	Quantity	Color/Location (Number)
ELK	ELEVATION K	B (A)		

SELECTED OP	TIONS DESIGNER INTERIORS			
Option	Description	Category	Quantity	Color/Location (Number)
DISR002	COLTON	E		
DISRC02	BARNETT DURAFORM ESPRESSO	E		
HP2	HARD SURFACE UPGRADE GREAT ROOM	E		
LVP	LVP	E		

SELECTED (OPTIONS EXTERIOR COLOR SCHEME			
Option	Description	Category	Quantity	Color/Location (Number)
ECLS007	EXTERIOR LS/SR SFD SCHEME 7	Е		

SELECTED OPTIONS ELEVATIONS				
Option	Description	Category	Quantity	Color/Location (Number)
C07	CUSTOM STONE VENEER WATER TABLE	S		OSAGE LEDGESTONE
EVG	SIDING VENEER SIDE(S)	B (A)		
RF3	ROOF UNDERLAYMENT (SYNTHETIC LOCAL)	S		

SELECTED OPTIONS FOUNDATIONS				
Option	Description	Category	Quantity	Color/Location (Number)
555XA11	EXCAVATION CUT 6'	S		
FBS	BASEMENT FOUNDATION STAIR FLOOR FRAMING - M/S W-FBA FULL BSMNT	E		
FDS	FOUNDATION FOOTING 6"	B (A)		
FLH	FOUNDATION FROST LINE 48"	S		
FWE	FOUNDATION GARAGE EXTERIOR WALL MIN PER FROST DEPTH	B (C)		
PSIFT25	CONCRETE FOOTING 2500 PSI	B (A)		
PSIIS30	CONCRETE INTERIOR SLAB 3000 PSI	B (A)		
PSIWL40	CONCRETE WALLS 4000 PSI	S		
FLH FWE PSIFT25 PSIIS30	FOUNDATION FROST LINE 48" FOUNDATION GARAGE EXTERIOR WALL MIN PER FROST DEPTH CONCRETE FOOTING 2500 PSI CONCRETE INTERIOR SLAB 3000 PSI	S B (C) B (A) B (A)		





SELECTED OPTIONS BASEMENT				
Option	Description	Category	Quantity	Color/Location (Number)
9RB	3 PIECE PLUMBING ROUGH-IN BASEMENT	E		
MEC	UNFINISHED BASEMENT	B (C)		
WMC	WINDOW EGRESS	E		
ZMT	NO WALKOUT EXITS AT REAR	B (C)		

ZMT	NO WALKOUT EXITS AT REAR	B (C)		
SELECTED (OPTIONS HOUSE			
Option	Description	Category	Quantity	Color/Location (Number)
GCB	2 CAR GARAGE - FRONT ENTRY	B (A)		
GGP	WIFI ENABLED GARAGE DOOR OPENER W/REMOTE CONTROLS	B (A)		
GGU	GARAGE DOOR UPGRADE1	B (A)		WHITE
SDF	FRONT DOOR FIBERGLASS	B (A)		SEQUIN (SW6394)
SDS	FIREDOOR 20 MIN	B (A)		
SEA	STANCHIONS PER ENGINEERING	B (A)		
SEI	16" O.C. STUD SPACING EXTERIOR GABLE WALLS	B (A)		
SEO	TRUSS SHEATHING 7/16" OSB	B (A)		
SFB	SHEATHING LAP @ OUTSIDE CORNERS	B (A)		
SFG	STRAPS ILO BOLTS (CONCRETE)	S		
SFJ	24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS	B (A)		
SFM	WALL SHEATHING 7/16" OSB	B (A)		
SFV	HOUSE WRAP	E (G)		
SFZ	SAFETY PACKAGE MATERIAL	B (A)		
SGJ	WINDOW COLOR WHITE (EXTERIOR & INTERIOR)	B (A)		
SIG	INSULATION WALL R-13	B (A)		
SIL	VERTICAL INSULATION SLAB RIGID R-10	B (A)		
SIM	INSULATION CEILING BLOWN R49	S		
SIR	INSULATION UNFINISHED BASEMENT WALL R11	B (C)		
SKJ	GARAGE DOOR HARDWARE	B (A)		
SM1	SIDING SUPPLIER PLYGEM	B (A)		
SPJ	SEISMIC DESIGN CATEGORY A/B	B (A)		
SRA	7/16" ROOF SHEATHING	B (A)		
SRI	CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B)	B (A)		
SRP	ROOF SHINGLES ARCHITECTURAL	S		CHARCOAL
SRW	WIND LOAD 115 MPH (ULTIMATE)	B (A)		
STW	EXTERIOR TRIM WHITE	B (A)		
SUB	SIDING VINYL 042	B (A)		IRISH THISTLE (PRIMANDACC)
SUF	SIDING PROFILE DOUBLE 4.5" DUTCH LAP	B (C)		
SUQ	SIDING BOARD & BATTEN	E		
SWF	WINDOWS VINYL SINGLE HUNG BRICKMOULD	B (A)		
SXC	CORNERSTONE SPECIFICATIONS	B (A)		
SYD	BUILTSMART 3.0	B (A)		
SYP	EXTERIOR WALLS 2X4	B (A)		



DAYTON (D	CY)		Pr	roduct (Set/Version): SPRUCE (SPC00-01)
SELECTED (OPTIONS <i>KITCHEN</i>			
Option	Description	Category	Quantity	Color/Location (Number)
9КВ	FAUCET FIXTURES KITCHEN B	E (G)		
СКС	KITCHEN CABINETS	B (A)		
KFI	KITCHEN VENTILATION RECIRCULATING	B (A)		
KFN	KITCHEN SINK SINGLE BOWL	B (A)		
KMT	KITCHEN MANUFACTURER TIMBERLAKE	B (A)		
NBB	COUNTERTOP BACKSPLASH KITCHEN	B (A)		
NM1	GRANITE COUNTERTOP UPGRADE1	E		
NMK	GRANITE COUNTERTOP KITCHEN UPGRADE1	E (G)		GRANITE LUNA PEARL
SELECTED (OPTIONS <i>APPLIANCES</i>			
Option	Description	Category	Quantity	Color/Location (Number)
4FW	APPLIANCE PKG 4FW-SS RANGE/FRIDGE/DISHWASHER/MICRO/WHITE-WASH/DRY	E (G)		
4MA	MICROWAVE	B (A)		
ICA	RANGE ELECTRIC HOOK-UP	B (A)		
ICC	DRYER ELECTRIC HOOK-UP	B (A)		
ICG	MICROWAVE 110V HOOK-UP	B (C)		
SELECTED (OPTIONS OWNERS SUITE			
Option	Description	Category	Quantity	Color/Location (Number)
AMA	OWNER'S BATHROOM SHOWER	B (A)		
AMS	OWNER'S BATHROOM FRAMED SHOWER DOOR	B (C)		
SELECTED (OPTIONS <i>VANITIES</i>			
Option	Description	Category	Quantity	Color/Location (Number)
CAM	VANITY OWNER'S BATHROOM	B (A)		
CAZ	VANITY CABINETS	B (A)		
NVC	VANITY TOPS HOUSE	B (A)		
NVN	VANITY TOPS OWNER'S BATHROOM	B (A)		
SELECTED (OPTIONS GENERAL SPECIFICATIONS			
Option	Description	Category	Quantity	Color/Location (Number)
116	OHIO REGION	S		
217	DAYTON	S		
555XA03	SOUTHWEST OHIO REQUIREMENTS	S		
555XA05	COUNTY REQUIREMENTS	S		
555XA06	BASEMENT INSULATION 4'	S		
555XA40	JURISDICTION REQUIREMENTS #4	S		
555XA85	BUILDING START PROGRAM	S		
555XB21	CHARCOAL ROOF SHINGLES	S		
SGD	PLANT INSTALLED WINDOWS	B (A)		

B (A)

B (A)

NO CUSTOM EXTERIOR TRIM SIDE

NO CUSTOM EXTERIOR TRIM REAR

ZXF

ZXJ



SELECTED OP	TIONS INTERIOR SPECIFICATIONS			
Option	Description	Category	Quantity	Color/Location (Number)
6PS	PAINT SHOE MOULDING	S		
AFE	NEW LIGHT/MIRROR LAYOUT DBL VANITY	S		
AFM	BATHROOM MIRRORS (PLANT)	B (A)		
DHJ	INTERIOR DOOR HARDWARE FINISH SATIN NICKEL	B (A)		
DHM	LOCKS (PLANT)	B (A)		
QKM	CABINETS (PLANT)	B (A)		
SJP	STAIR BOX PINE	B (C)		
STF	SIMPLY RYAN SPECIFICATIONS	B (A)		
SZB	NVR SPECIFICATIONS	B (A)		
SZJ	INTERIOR DOOR SOLID JAMBS	B (A)		
YCM	VANITY TOPS (PLANT)	B (A)		

SELECTED (OPTIONS MECHANICAL SPECIFICATIONS			
Option	Description	Category	Quantity	Color/Location (Number)
555XA32	HOUSE ORIENTATION WEST	E		
8AO	AIR CONDITION CONDENSER	В (А)		
8CV	EQUIPMENT PKG VERTICAL COIL ZONE 1	В (А)		
8M1	EQUIPMENT SUPPLIER GOODMAN	В (А)		
8TA	WIFI ENABLED SMART THERMOSTAT	B (A)		
8VB	TRANSFER GRILLES	B (A)		
8VW	50 CFM FAN BATH	B (A)		
8XX	LOCAL HVAC BY DESIGN	E		
8XY	LOCAL AIR CONDITIONING BY DESIGN	S		
8ZE	CLIMATE ZONE 5	S		
SHB	GAS HEAT	S		
SZF	HVAC & FLOOR SYSTEM PER DESIGN	В (А)		

SELECTED OPTIONS ELECTRICAL AND HOME TECHNOLOGY SPECIFICATIONS							
Option	Description	Category	Quantity	Color/Location (Number)			
CPG	CABLE & INTERNET DUAL PORT (1)	B (A)					
IAS	LIGHT PACKAGE (S)	B (A)					
IDB	SERVICE 150 AMP	S					
IGZ	CEILING FAN ROUGH-IN W/LIGHT (EA)	E	4	ALL BEDROOMS, GREAT RM			
IK7	GREAT ROOM LED LIGHT PACKAGE	E					
SZK	HVAC WIRE COPPER	B (A)					

SELECTED OPTIONS PLUMBING SPECIFICATIONS						
Option	Description	Category	Quantity	Color/Location (Number)		
9FR	FAUCET FIXTURES BATHROOMS STANDARD+	B (A)				
9TA	STANDARD HGT TOILET HOUSE	B (A)				
9TZ	NO WASHER DRAIN PAN	S				
IHC	SUMP PUMP	S				
IHO	WATER HEATER ELECTRIC 40 GALLON	B (A)				



DAYTON (DCY)

SELECTED OPTIONS EXTERIOR SPECIFICATIONS							
Option	Description	Category	Quantity	Color/Location (Number)			
6LA	LANDSCAPING PACKAGE BASIC	S					
6LI	12 MONTH LAWN FERTILIZATION TREATMENTS	E					
777XC11	SODDED LAWN UPGRADE1 - FULL SOD DISTRB ONLY	E					
IEM	EXTERIOR FINISH BLACK	B (A)					
PSIES40	CONCRETE GARAGE SLAB 4000 PSI	S					
PSISS40	CONCRETE STOOP SLAB 4000 PSI	S					
SFS	EXTERIOR SAFETY RAIL ALUMINUM/PVC	S					
ST4	EXTERIOR TRIM LINEAL VINYL	B (A)					
STB	EXTERIOR TRIM HARDIE	S					
TES	EXTERIOR SHUTTERS	B (C)		BLACK			

SELECTED OPTIONS FLOORING							
Option	Description	Category	Quantity	Color/Location (Number)			
ACPBA01	CARPET OWNER'S BEDROOM (B)	E (G)		TURNBERRY POINT OPALINE (NV23800107)			
ACPBA11	CARPET PAD OWNER'S BEDROOM (A)	E					
ACPUB01	CARPET ZONE 2 (B)	E (G)		TURNBERRY POINT OPALINE (NV23800107)			
ACPUB11	CARPET PAD ZONE 2 (A)	E					
ALVAAA1	LVP BATHROOM #1 (A) AHF	E (G)		LFSLCLSPL COASTAL SETTING BR (LP70RK10E)			
ALVAOA1	LVP OWNER'S BATHROOM (A) AHF	E (G)		LFSLCLSPL COASTAL SETTING BR (LP70RK10E)			
ALVFYA1	LVP FOYER (A) AHF	E (G)		LFSLCLSPL COASTAL SETTING BR (LP70RK10E)			
ALVKKA1	LVP KITCHEN (A) AHF	E (G)		LFSLCLSPL COASTAL SETTING BR (LP70RK10E)			
ALVLGA1	LVP GREAT ROOM (A) AHF	E (G)		LFSLCLSPL COASTAL SETTING BR (LP70RK10E)			
ALVVAA1	LVP LAUNDRY ROOM (A) AHF	E (G)		LFSLCLSPL COASTAL SETTING BR (LP70RK10E)			

SELECTED OPTIONS COLOR SELECTIONS							
Option	Description	Category	Quantity	Color/Location (Number)			
CAM2XEL	VANITY OWNER'S BATH UPGRADE2 BARNETT SR DURAFORM ESPRESSO	E (G)					
CAZ2XEL	VANITY UPGRADE2 BARNETT SR DURAFORM ESPRESSO	E (G)					
CKC2XEL	KITCHEN UPGRADE2 BARNETT SR DURAFORM ESPRESSO	E (G)					
NVC2XAA	VANITY TOP HOUSE STANDARD CULTURED MARBLE WHITE	B (A)					
NVN2XAA	VANITY TOP OWNER'S BATH STANDARD CULTURED MARBLE WHITE	B (A)					







DAYTON (DCY)

CUSTOM OPTIONS							
Option	Description	Category	Quantity	Color/Location (Number)			
555XJ28	RANCH PRODUCT	S					
777XG04	CUSTOMER CHANGE ORDERS COMPLETE	E					
777XG24	STRUCTURAL CHANGES COMPLETE	S					
999ZZ01	MISC #1 - DELIVERY DATE FEB/MA (Delivery Date Feb/Mar 2024)	E					
999ZZ02	MISC #2 - CUSTOMER UNDERSTANDS (Customer understands they will pay Middletown Income tax of 2%. Ryan Homes has no control over if this amount changes at any time)	E					



Page 7 of 7



CHANGE ORDER #1 Date: 8/8/2023 Status: Ratified				Layo	ayout: PER PLAN Driveway: RIGHT			
Change	Option	Description	Added Description	Color/Location	Quantity	Category	Create Person	
ADD	9RB	3 PIECE PLUMBING ROUGH- IN BASEMENT				Е	ssens	

CHANGE ORDER #2 Date: 9/8/2023 Status: Ratified				Layo	out: PER PI	. AN Driv	veway: RIGHT
Change	Option	Description	Added Description	Color/Location	Quantity	Category	Create Person
ADD	555XA32	HOUSE ORIENTATION W	/EST			E	abahr