



DAYTON (DCY)

Address: 1974 BYERS RD

City, State, Zip: MIAMISBURG, OH, 45342

Business: 937-914-4300

Fax: 937-913-4301

Product (Set/Version): ASPEN (ASP00-01)

Spec/Model: NO

Start Date: 3/8/2021

Projected Settlement Date: 6/3/2021

Lumber Scheduled Date (ROUGH/TRIM): 2/24/2021 | NOT SCHEDULED

LOT INFORMATION				Layout	PER PLAN	Driveway Location	RIGHT
Community	Code	Lot	Permit Number	Legal Lot/Block/Section		Address	
PINNACLE RIDGE	SA	5561	BLD21-00037	00005561/0002		1889 AMELIA WAY DAYTON, OH 45439	

SALE INFORMATION				Sale Status	Ratified	Contract Date	1/9/2021
Purchaser Name	CoPurchaser Name	CDS #	Contingent	Sales Manager	Sales Rep	Project Manager	
Ja'Quan Dangerfield		DA0101	N	Kellie Hedrick	Linda Ramsey	Andrew Trohatos	

SALE COMMENTS

Comments

SELECTED OPTIONS | BASEMENT FOUNDATION

Option	Description	Category	Quantity	Color/Location (Number)
FBA	BASEMENT FOUNDATION	B (A)		

SELECTED OPTIONS | ELEVATION K

Option	Description	Category	Quantity	Color/Location (Number)
ELK	ELEVATION K	S		

SELECTED OPTIONS | DESIGNER INTERIORS

Option	Description	Category	Quantity	Color/Location (Number)
VKD	THE AURORA	B (A)		

SELECTED OPTIONS | EXTERIOR COLOR SCHEME

Option	Description	Category	Quantity	Color/Location (Number)
ESLSR30	EXTERIOR SFD STONE MOUNTAIN CLAY/TEAK D4.5L	E		

SELECTED OPTIONS | ELEVATIONS

Option	Description	Category	Quantity	Color/Location (Number)
EVG	SIDING VENEER SIDE(S)	B (A)		
RF1	ROOF FELT (LOCAL)	S		
999QA00	EXTERIOR SCHEME COLOR (EXT SCHEME COLOR)	E		ESLSR30
999QF02	SIDING ACCENT COLOR (SIDING ACCENT COLOR)	E		TEAK
999QI01	SHAKE SIDING COLOR (SHAKE SIDING COLOR)	E		STONE MOUNTAIN CLAY

SELECTED OPTIONS | FOUNDATIONS

Option	Description	Category	Quantity	Color/Location (Number)
555XA11	EXCAVATION CUT 6'	S		
FBS	BASEMENT FOUNDATION STAIR FLOOR FRAMING - M/S W-FBA FULL BSMNT	E		
FDS	FOUNDATION FOOTING 6"	B (A)		
FLH	FOUNDATION FROST LINE 48"	S		
FWE	FOUNDATION GARAGE EXTERIOR WALL MIN PER FROST DEPTH	B (C)		

SELECTED OPTIONS | OUTDOOR LIVING

Option	Description	Category	Quantity	Color/Location (Number)
777XB04	DECK TYPE #1	S		

DAYTON (DCY)

Product (Set/Version): ASPEN (ASP00-01)

SELECTED OPTIONS | BASEMENT

Option	Description	Category	Quantity	Color/Location (Number)
ZMT	NO WALKOUT EXITS AT REAR	B (C)		

SELECTED OPTIONS | HOUSE

Option	Description	Category	Quantity	Color/Location (Number)
GCB	2 CAR GARAGE - FRONT ENTRY	B (A)		
GGP	WIFI ENABLED GARAGE DOOR OPENER W/REMOTE CONTROLS	B (A)		
GGU	GARAGE DOOR UPGRADE1	B (A)		DESERT TAN OR WICKER TAN (BY MANUF)
SDF	FRONT DOOR FIBERGLASS	B (A)		RAISIN (SW7630)
SDS	FIREDOOR 20 MIN	B (A)		
SEA	STANCHIONS PER ENGINEERING	B (A)		
SEI	16" O.C. STUD SPACING EXTERIOR GABLE WALLS	B (A)		
SEO	TRUSS SHEATHING 7/16" OSB	S		
SFB	SHEATHING LAP @ OUTSIDE CORNERS	B (A)		
SFG	STRAPS ILO BOLTS (CONCRETE)	S		
SFJ	24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS	B (A)		
SFM	WALL SHEATHING 7/16" OSB	S		
SFV	HOUSE WRAP	E (G)		
SFZ	SAFETY PACKAGE MATERIAL	B (A)		
SGJ	WINDOW COLOR WHITE (EXTERIOR & INTERIOR)	B (A)		
SIG	INSULATION WALL R-13	B (A)		
SIL	INSULATION SLAB RIGID R-10	B (A)		
SIM	INSULATION CEILING BLOWN R49	S		
SIR	INSULATION UNFINISHED BASEMENT WALL R11	B (C)		
SPJ	SEISMIC DESIGN CATEGORY A/B	B (A)		
SRA	7/16" ROOF SHEATHING	B (A)		
SRI	CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B)	B (A)		
SRO	ROOF SHINGLES 3-TAB	B (A)		CHARCOAL
SRW	WIND LOAD 115 MPH (ULTIMATE)	B (A)		
STW	EXTERIOR TRIM WHITE	B (A)		
SUB	SIDING VINYL 042	B (A)		ST MT CLAY TEAK (PRIMRY ACC)
SWF	WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300	B (A)		
SXC	CORNERSTONE SPECIFICATIONS	B (A)		
SYD	BUILTSMART 3.0	B (A)		

SELECTED OPTIONS | KITCHEN

Option	Description	Category	Quantity	Color/Location (Number)
9KA	FAUCET FIXTURES KITCHEN A	B (A)		
CKC	KITCHEN CABINETS	B (A)		
CKC2XDM	KITCHEN STANDARD FAIRFIELD NUTMEG	B (A)		
KFB	KITCHEN ISLAND	E		
KFI	KITCHEN VENTILATION RECIRCULATING	B (A)		
KFN	KITCHEN SINK SINGLE BOWL	B (A)		
NBB	COUNTERTOP BACKSPLASH KITCHEN	B (A)		
NKK	LAMINATE COUNTERTOP KITCHEN	B (A)		LAMINATE JAMOCHA GR (7734 58)

DAYTON (DCY)

Product (Set/Version): ASPEN (ASP00-01)

SELECTED OPTIONS | APPLIANCES

Option	Description	Category	Quantity	Color/Location (Number)
4FV	APPLIANCE PKG 4FV-BLACK RANGE/FRIDGE/DISHWASHER/MICRO/WHITE-WASH/DRY	B (A)		
4MA	MICROWAVE	B (A)		
ICA	RANGE ELECTRIC HOOK-UP	B (A)		
ICC	DRYER ELECTRIC HOOK-UP	B (A)		
ICG	MICROWAVE 110V HOOK-UP	B (C)		

SELECTED OPTIONS | POWDER ROOM

Option	Description	Category	Quantity	Color/Location (Number)
APR	POWDER ROOM FIRST FLOOR	E		

SELECTED OPTIONS | BATHROOMS

Option	Description	Category	Quantity	Color/Location (Number)
VVA	SINGLE BOWL VANITY OWNER'S BATHROOM	B (A)		

SELECTED OPTIONS | VANITIES

Option	Description	Category	Quantity	Color/Location (Number)
CAM	VANITY OWNER'S BATHROOM	B (A)		
CAM2XDM	VANITY OWNER'S BATH STANDARD FAIRFIELD NUTMEG	B (A)		
CAZ	VANITY CABINETS	B (A)		
CAZ2XDM	VANITY STANDARD FAIRFIELD NUTMEG	B (A)		
NVC	VANITY TOPS HOUSE	B (A)		
NVC2XAA	VANITY TOP HOUSE STANDARD CULTURED MARBLE WHITE	B (A)		
NVN	VANITY TOPS OWNER'S BATHROOM	B (A)		
NVN2XAA	VANITY TOP OWNER'S BATH STANDARD CULTURED MARBLE WHITE	B (A)		

SELECTED OPTIONS | GENERAL SPECIFICATIONS

Option	Description	Category	Quantity	Color/Location (Number)
555XA03	SOUTHWEST OHIO REQUIREMENTS	S		
555XA05	COUNTY REQUIREMENTS	S		
555XA06	BASEMENT INSULATION 4'	S		
555XA40	JURISDICTION REQUIREMENTS #4	E		
555XA85	BUILDING START PROGRAM	S		
SGD	PLANT INSTALLED WINDOWS	B (A)		
ZXF	NO CUSTOM EXTERIOR TRIM SIDE	B (A)		
ZXJ	NO CUSTOM EXTERIOR TRIM REAR	B (A)		
ZZX	NO BSMT OR FDN INSULATION GRG CMN WALL	S		

DAYTON (DCY)

Product (Set/Version): ASPEN (ASP00-01)

SELECTED OPTIONS | INTERIOR SPECIFICATIONS

Option	Description	Category	Quantity	Color/Location (Number)
AFM	BATHROOM MIRRORS (PLANT)	B (A)		
DHJ	INTERIOR DOOR HARDWARE FINISH SATIN NICKEL	B (A)		
DHM	LOCKS (PLANT)	B (A)		
QKM	CABINETS (PLANT)	B (A)		
RLS	INTERIOR HANDRAIL	B (A)		PAINTED WHITE SEMI-GLOSS
SJP	STAIR BOX PINE	B (A)		
STF	SIMPLY RYAN SPECIFICATIONS	B (A)		
SZB	NVR SPECIFICATIONS	B (A)		
SZH	2019 LIGHT/MIRROR LAYOUT DBL VANITY	B (A)		
YCM	VANITY TOPS (PLANT)	B (A)		

SELECTED OPTIONS | MECHANICAL SPECIFICATIONS

Option	Description	Category	Quantity	Color/Location (Number)
8AO	AIR CONDITION CONDENSER	B (A)		
8CV	EQUIPMENT PKG VERTICAL COIL ZONE 1	B (A)		
8M1	EQUIPMENT SUPPLIER GOODMAN	B (A)		
8TA	WIFI ENABLED SMART THERMOSTAT	B (A)		
8VW	50 CFM FAN BATH	B (A)		
8XX	LOCAL HVAC BY DESIGN	E		
8XY	LOCAL AIR CONDITIONING BY DESIGN	S		
8ZE	CLIMATE ZONE 5	S		
SHB	GAS HEAT	S		
SZF	HVAC & FLOOR SYSTEM PER DESIGN	B (A)		

SELECTED OPTIONS | ELECTRICAL AND HOME TECHNOLOGY SPECIFICATIONS

Option	Description	Category	Quantity	Color/Location (Number)
IAS	LIGHT PACKAGE (S)	B (A)		
IDB	SERVICE 150 AMP	S		
IGG	POST LIGHT ELECTRIC	S		
IGZ	CEILING FAN ROUGH-IN W/LIGHT (EA)	E	2	

SELECTED OPTIONS | PLUMBING SPECIFICATIONS

Option	Description	Category	Quantity	Color/Location (Number)
9FR	FAUCET FIXTURES BATHROOMS STANDARD+	B (A)		
9TA	STANDARD HGT TOILET HOUSE	B (A)		
9TZ	NO WASHER DRAIN PAN	S		
IHC	SUMP PUMP	S		
IHO	WATER HEATER ELECTRIC 40 GALLON	B (A)		

SELECTED OPTIONS | EXTERIOR SPECIFICATIONS

Option	Description	Category	Quantity	Color/Location (Number)
6LA	LANDSCAPING PACKAGE BASIC	S		
6LI	OPT IN - 12 MONTH LAWN CARE SERVICE	E		
SFS	EXTERIOR SAFETY RAIL ALUMINUM/PVC	E		
ST1	ENGINEERED EXTERIOR TRIM PRIMED	S		
ST3	EXTERIOR TRIM LINEAL PVC	B (A)		
TES	EXTERIOR SHUTTERS	B (A)		PEPPERCORN

DAYTON (DCY)

Product (Set/Version): ASPEN (ASP00-01)

SELECTED OPTIONS | FLOORING

Option	Description	Category	Quantity	Color/Location (Number)
ACPLG00	CARPET GREAT ROOM (A)	B (A)		FAST BALL II BARE MINERAL (NV22600105)
AC PUB00	CARPET ZONE 2 (A)	B (A)		FAST BALL II BARE MINERAL (NV22600105)
ARSAA00	RESILIENT BATHROOM #1 (A)	B (A)		HOMEIMAGES GLENVILLE CREME (010HI)
ARSAO00	RESILIENT OWNER'S BATHROOM (A)	B (A)		HOMEIMAGES GLENVILLE CREME (010HI)
ARSAP00	RESILIENT POWDER ROOM FIRST FLOOR (A)	E (G)		HOMEIMAGES GLENVILLE CREME (010HI)
ARSFY00	RESILIENT FOYER (A)	B (A)		HOMEIMAGES GLENVILLE CREME (010HI)
ARSKK00	RESILIENT KITCHEN (A)	B (A)		HOMEIMAGES GLENVILLE CREME (010HI)
ARSVA00	RESILIENT LAUNDRY ROOM (A)	B (A)		HOMEIMAGES GLENVILLE CREME (010HI)



DAYTON (DCY)

Product (Set/Version): **ASPEN (ASP00-01)**

CUSTOM OPTIONS

Option	Description	Category	Quantity	Color/Location (Number)
777XG04	CUSTOMER CHANGE ORDERS COMPLETE	E		
777XG24	STRUCTURAL CHANGES COMPLETE	S		
999ZZ01	MISC #1 - MAY JUNE DELIVERY 20 (May June Delivery 2021)	E		



DAYTON (DCY)

Product (Set/Version): ASPEN (ASP00-01)

CHANGE ORDER #1 | Date: **2/4/2021** | Status: **Ratified** | Layout: **PER PLAN** | Driveway: **RIGHT**

Change	Option	Description	Added Description	Color/Location	Quantity	Category	Create Person
ADD	ST3	EXTERIOR TRIM LINEAL PVC				B (A)	cholstei

CHANGE ORDER #2 | Date: **3/2/2021** | Status: **Ratified** | Layout: **PER PLAN** | Driveway: **RIGHT**

Change	Option	Description	Added Description	Color/Location	Quantity	Category	Create Person
ADD	555XA40	JURISDICTION REQUIREMENTS #4				E	cholstei

CHANGE ORDER #3 | Date: **3/10/2021** | Status: **Ratified** | Layout: **PER PLAN** | Driveway: **RIGHT**

Change	Option	Description	Added Description	Color/Location	Quantity	Category	Create Person
DELETE	SFR	EXTERIOR SAFETY RAIL				S	abahr
ADD	SFS	EXTERIOR SAFETY RAIL ALUMINUM/PVC				E	abahr