SELECTION ACKNOWLEDGEMENT | DCY-SA-5573

Page 1 of 7



DAYTON (DCY)

Address: 1974 BYERS RD

City, State, Zip: MIAMISBURG, OH, 45342

Business: 937-914-4300

Fax: 937-913-4301

Product (Set/Version): ASPEN (ASP00-01)

Spec/Model: NO

Start Date: **3/16/2021**

Projected Settlement Date: 6/14/2021

Lumber Scheduled Date (ROUGH/TRIM): 3/2/2021 | NOT SCHEDULED

557 525					arriber serieu	alca bate (NOO	011) 111111). 0) L) L0 L1	NOT SCHEDOLED
LOT INFORMATION					Layout	PER PLAN	Driveway Location	RIGHT
Community	Code	Lot	Permit	Number	Legal Lot/E	Block/Section	Addre	ess
PINNACLE RIDGE	SA	5573	BLD2	1-00103	00005	573/0002	1865 AME DAYTON, OF	
SALE INFORMATION	N			S	ale Status	Ratified	Contract Date	1/12/2021
Purchaser Name	CoPurchaser	Name	CDS#	Continge	nt Sale	s Manager	Sales Rep	Project Manager
Anthony James Sr.			DA0271	N	Kell	ie Hedrick	Linda Ramsey	Andrew Trohatos

SALE COMMENTS

Comments

SELECTED	OPTIONS BASEMENT FOUNDATION			
Option	Description	Category	Quantity	Color/Location (Number)
FBA	BASEMENT FOUNDATION	B (A)		
SELECTED	OPTIONS FLEVATION L			

SELECTED OP	SELECTED OPTIONS ELEVATION L			
Option	Description	Category	Quantity	Color/Location (Number)
ELL	ELEVATION L	Е		

SELECTED OP	TIONS DESIGNER INTERIORS			
Option	Description	Category	Quantity	Color/Location (Number)
VKS	THE CAMERON	Е		

SELECTED	SELECTED OPTIONS EXTERIOR COLOR SCHEME			
Option	Description	Category	Quantity	Color/Location (Number)
ESI SP20	EXTEDIOD SED GEODGIAN GDAY/DEWTED DA SI	E		

SELECTED OPTIONS ELEVATIONS				
Option	Description	Category	Quantity	Color/Location (Number)
EVG	SIDING VENEER SIDE(S)	B (A)		
RF1	ROOF FELT (LOCAL)	S		
999Q200	BOARD & BATTEN COLOR (BOARD & BATTEN COLOR)	E		GEORGIAN GRAY
999QA00	EXTERIOR SCHEME COLOR (EXT SCHEME COLOR)	E		ESLSR29
999QF02	SIDING ACCENT COLOR (SIDING ACCENT COLOR)	E		PEWTER

SELECTED OP	SELECTED OPTIONS FOUNDATIONS				
Option	Description	Category	Quantity	Color/Location (Number)	
555XA11	EXCAVATION CUT 6'	S			
FBS	BASEMENT FOUNDATION STAIR FLOOR FRAMING - M/S W-FBA FULL BSMNT	E			
FDS	FOUNDATION FOOTING 6"	B (A)			
FLH	FOUNDATION FROST LINE 48"	S			
FWE	FOUNDATION GARAGE EXTERIOR WALL MIN PER FROST DEPTH	В (С)			

SELECTED OPTIONS OUTDOOR LIVING				
Option	Description	Category	Quantity	Color/Location (Number)
777XB04	DECK TYPE #1	S		



SELECTED OPTIONS BASEMENT			
Option	Description	Category Quantity Color/Location (Number)	
ZMT	NO WALKOUT EXITS AT REAR	В (С)	

SELECTED OPTIONS Option Descri GCB 2 CAR		Catagoni		
GCB 2 CAR		Category	Quantity	Color/Location (Number)
	GARAGE - FRONT ENTRY	B (A)		
GGP WIFI E	ENABLED GARAGE DOOR OPENER W/REMOTE ROLS	B (A)		
GGU GARA	GE DOOR UPGRADE1	B (A)		WHITE
SDF FRON	T DOOR FIBERGLASS	B (A)		TRICORN BLACK (SW6258)
SDS FIRED	OOR 20 MIN	B (A)		
SEA STANC	CHIONS PER ENGINEERING	B (A)		
SEI 16" O.	.C. STUD SPACING EXTERIOR GABLE WALLS	B (A)		
SEO TRUSS	S SHEATHING 7/16" OSB	S		
SFB SHEAT	THING LAP @ OUTSIDE CORNERS	B (A)		
SFG STRAP	PS ILO BOLTS (CONCRETE)	S		
SFJ 24" O. WALLS	.C. STUD SPACING INTERIOR NON-BEARING S	B (A)		
SFM WALL	SHEATHING 7/16" OSB	S		
SFV HOUS	SE WRAP	E (G)		
SFZ SAFET	TY PACKAGE MATERIAL	B (A)		
SGJ WIND	OOW COLOR WHITE (EXTERIOR & INTERIOR)	B (A)		
SIG INSUL	ATION WALL R-13	B (A)		
SIL INSUL	ATION SLAB RIGID R-10	B (A)		
SIM INSUL	ATION CEILING BLOWN R49	S		
SIR INSUL	ATION UNFINISHED BASEMENT WALL R11	B (C)		
SPJ SEISM	IIC DESIGN CATEGORY A/B	B (A)		
SRA 7/16"	ROOF SHEATHING	B (A)		
SRI CORPO	ORATE TRUSS SPECIFICATIONS - EXPOSURE (B)	B (A)		
SRO ROOF	SHINGLES 3-TAB	B (A)		CHARCOAL
SRW WIND	LOAD 115 MPH (ULTIMATE)	B (A)		
STW EXTER	RIOR TRIM WHITE	B (A)		STW
SUB SIDING	G VINYL 042	B (A)		GEORGIAN GRAY PEWTER (PRIMRY ACC)
SWF WIND	OWS VINYL SINGLE HUNG BRICKMOULD 2300	B (A)		
SXC CORN	ERSTONE SPECIFICATIONS	B (A)		
SYD BUILTS	SMART 3.0	B (A)		

SELECTED C	PTIONS <i>KITCHEN</i>			
Option	Description	Category	Quantity	Color/Location (Number)
9КА	FAUCET FIXTURES KITCHEN A	В (А)		
СКС	KITCHEN CABINETS	В (А)		
KFB	KITCHEN ISLAND	E		
KFI	KITCHEN VENTILATION RECIRCULATING	B (A)		
KFN	KITCHEN SINK SINGLE BOWL	В (А)		
NBB	COUNTERTOP BACKSPLASH KITCHEN	В (А)		
NKK	LAMINATE COUNTERTOP KITCHEN	B (A)		LAMINATE CARRARA BIANCO (6696 58)



SELECTED OPTIONS APPLIANCES				
Option	Description	Category	Quantity	Color/Location (Number)
4FW	APPLIANCE PKG 4FW-SS RANGE/FRIDGE/DISHWASHER/MICRO/WHITE- WASH/DRY	E (G)		
4MA	MICROWAVE	B (A)		
ICA	RANGE ELECTRIC HOOK-UP	B (A)		
ICC	DRYER ELECTRIC HOOK-UP	B (A)		
ICG	MICROWAVE 110V HOOK-UP	B (C)		

SELECTED	OPTIONS POWDER ROOM			
Option	Description	Category C	Quantity	Color/Location (Number)
APR	POWDER ROOM FIRST FLOOR	E		

SELECTED OP	SELECTED OPTIONS BATHROOMS				
Option	Description	Category	Quantity	Color/Location (Number)	
VVA	SINGLE BOWL VANITY OWNER'S BATHROOM	B (A)			

SELECTED OPTIONS VANITIES				
Option	Description	Category	Quantity	Color/Location (Number)
CAM	VANITY OWNER'S BATHROOM	B (A)		
CAZ	VANITY CABINETS	B (A)		
NVC	VANITY TOPS HOUSE	B (A)		
NVC2XAA	VANITY TOP HOUSE STANDARD CULTURED MARBLE WHITE	B (A)		
NVN	VANITY TOPS OWNER'S BATHROOM	B (A)		
NVN2XAA	VANITY TOP OWNER'S BATH STANDARD CULTURED MARBLE WHITE	B (A)		

SELECTED OF	SELECTED OPTIONS GENERAL SPECIFICATIONS				
Option	Description	Category	Quantity	Color/Location (Number)	
555XA03	SOUTHWEST OHIO REQUIREMENTS	S			
555XA05	COUNTY REQUIREMENTS	S			
555XA06	BASEMENT INSULATION 4'	S			
555XA40	JURISDICTION REQUIREMENTS #4	E			
555XA85	BUILDING START PROGRAM	S			
SGD	PLANT INSTALLED WINDOWS	B (A)			
ZXF	NO CUSTOM EXTERIOR TRIM SIDE	B (A)			
ZXJ	NO CUSTOM EXTERIOR TRIM REAR	B (A)			
ZZX	NO BSMT OR FDN INSULATION GRG CMN WALL	S			

SELECTED OPTIONS INTERIOR SPECIFICATIONS				
Description	Category	Quantity	Color/Location (Number)	
BATHROOM MIRRORS (PLANT)	B (A)			
INTERIOR DOOR HARDWARE FINISH SATIN NICKEL	B (A)			
LOCKS (PLANT)	B (A)			
CABINETS (PLANT)	B (A)			
INTERIOR HANDRAIL	B (A)		PAINTED WHITE SEMI-GLOSS	
STAIR BOX PINE	B (A)			
SIMPLY RYAN SPECIFICATIONS	B (A)			
NVR SPECIFICATIONS	B (A)			
2019 LIGHT/MIRROR LAYOUT DBL VANITY	B (A)			
VANITY TOPS (PLANT)	B (A)			
	Description BATHROOM MIRRORS (PLANT) INTERIOR DOOR HARDWARE FINISH SATIN NICKEL LOCKS (PLANT) CABINETS (PLANT) INTERIOR HANDRAIL STAIR BOX PINE SIMPLY RYAN SPECIFICATIONS NVR SPECIFICATIONS 2019 LIGHT/MIRROR LAYOUT DBL VANITY	Description Category BATHROOM MIRRORS (PLANT) B (A) INTERIOR DOOR HARDWARE FINISH SATIN NICKEL B (A) LOCKS (PLANT) B (A) CABINETS (PLANT) B (A) INTERIOR HANDRAIL B (A) STAIR BOX PINE B (A) SIMPLY RYAN SPECIFICATIONS B (A) NVR SPECIFICATIONS B (A) 2019 LIGHT/MIRROR LAYOUT DBL VANITY B (A)	Description Category Quantity BATHROOM MIRRORS (PLANT) INTERIOR DOOR HARDWARE FINISH SATIN NICKEL LOCKS (PLANT) CABINETS (PLANT) INTERIOR HANDRAIL STAIR BOX PINE SIMPLY RYAN SPECIFICATIONS NVR SPECIFICATIONS B (A) 2019 LIGHT/MIRROR LAYOUT DBL VANITY B (A) Category Quantity B (A) B (A) B (A) B (A) B (A) B (A)	



SELECTED OPTIONS MECHANICAL SPECIFICATIONS				
Option	Description	Category	Quantity	Color/Location (Number)
8AO	AIR CONDITION CONDENSER	B (A)		
8CV	EQUIPMENT PKG VERTICAL COIL ZONE 1	B (A)		
8M1	EQUIPMENT SUPPLIER GOODMAN	B (A)		
8TA	WIFI ENABLED SMART THERMOSTAT	B (A)		
8VW	50 CFM FAN BATH	B (A)		
8XX	LOCAL HVAC BY DESIGN	E		
8XY	LOCAL AIR CONDITIONING BY DESIGN	S		
8ZE	CLIMATE ZONE 5	S		
SHB	GAS HEAT	S		
SZF	HVAC & FLOOR SYSTEM PER DESIGN	B (A)		

SELECTED OPTIONS ELECTRICAL AND HOME TECHNOLOGY SPECIFICATIONS				
Option	Description	Category	Quantity	Color/Location (Number)
IAS	LIGHT PACKAGE (S)	B (A)		
IDB	SERVICE 150 AMP	S		
IGG	POST LIGHT ELECTRIC	S		
IGZ	CEILING FAN ROUGH-IN W/LIGHT (EA)	E	2	

SELECTED OPTIONS PLUMBING SPECIFICATIONS				
Option	Description	Category	Quantity	Color/Location (Number)
9FR	FAUCET FIXTURES BATHROOMS STANDARD+	B (A)		
9TA	STANDARD HGT TOILET HOUSE	B (A)		
9TZ	NO WASHER DRAIN PAN	S		
IHC	SUMP PUMP	S		
IHO	WATER HEATER ELECTRIC 40 GALLON	B (A)		

SELECTED	SELECTED OPTIONS EXTERIOR SPECIFICATIONS			
Option	Description	Category	Quantity	Color/Location (Number)
6LA	LANDSCAPING PACKAGE BASIC	S		
6LI	OPT IN - 12 MONTH LAWN CARE SERVICE	E		
SFS	EXTERIOR SAFETY RAIL ALUMINUM/PVC	E		
ST1	ENGINEERED EXTERIOR TRIM PRIMED	S		
ST3	EXTERIOR TRIM LINEAL PVC	B (A)		
TES	EXTERIOR SHUTTERS	B (A)		BLUE





SELECTED OF	SELECTED OPTIONS FLOORING					
Option	Description	Category	Quantity	Color/Location (Number)		
ACPLG00	CARPET GREAT ROOM (A)	B (A)		FAST BALL II BARE MINERAL (NV22600105)		
ACPUB00	CARPET ZONE 2 (A)	B (A)		FAST BALL II BARE MINERAL (NV22600105)		
ALVAA00	LVP BATHROOM #1 (00)	E (G)		NPX WOLFPNTHICKORY MOONSHADOW (412PX)		
ALVAO00	LVP OWNER'S BATHROOM (00)	E (G)		NPX WOLFPNTHICKORY MOONSHADOW (412PX)		
ALVAP00	LVP POWDER ROOM FIRST FLOOR (00)	E (G)		NPX WOLFPNTHICKORY MOONSHADOW (412PX)		
ALVFY00	LVP FOYER (00)	E (G)		NPX WOLFPNTHICKORY MOONSHADOW (412PX)		
ALVKK00	LVP KITCHEN (00)	E (G)		NPX WOLFPNTHICKORY MOONSHADOW (412PX)		
ALVVA00	LVP LAUNDRY ROOM (00)	E (G)		NPX WOLFPNTHICKORY MOONSHADOW (412PX)		

SELECTED OPTIONS COLOR SELECTIONS				
Option	Description	Category	Quantity	Color/Location (Number)
CAM2XEL	VANITY OWNER'S BATH UPGRADE2 BARNETT SR DURAFORM ESPRESSO	E (G)		
CAZ2XEL	VANITY UPGRADE2 BARNETT SR DURAFORM ESPRESSO	E (G)		
CKC2XEL	KITCHEN UPGRADE2 BARNETT SR DURAFORM ESPRESSO	E (G)		







CUSTOM OPTIONS				
Option	Description	Category	Quantity	Color/Location (Number)
777XG04	CUSTOMER CHANGE ORDERS COMPLETE	E		
777XG24	STRUCTURAL CHANGES COMPLETE	S		
999ZZ01	MISC #1 - MAY JUNE DELIVERY 20 (May June Delivery 2021)	E		

SELECTION ACKNOWLEDGEMENT | DCY-SA-5573

Page 7 of 7



DAYTON (DCY)

Product (Set/Version): ASPEN (ASP00-01) CHANGE ORDER #1 | Date: 2/4/2021 | Status: Ratified Layout: **PER PLAN** | Driveway: **RIGHT**

Added Description Option Description Color/Location **Quantity Category Create Person** ADD ST3 **EXTERIOR TRIM LINEAL PVC** B (A) cholstei

CHANGE ORDER #2 | Date: 3/2/2021 | Status: Ratified Layout: PER PLAN | Driveway: RIGHT Added Description Color/Location **Quantity Category Create Person** Change Option Description **JURISDICTION** 555XA40 **ADD** Ε cholstei

REQUIREMENTS #4 CHANGE ORDER #3 | Date: 3/10/2021 | Status: Ratified Layout: PER PLAN | Driveway: RIGHT **Added Description** Color/Location **Quantity Category Create Person Option** Change Description

DELETE S abahr SFR **EXTERIOR SAFETY RAIL EXTERIOR SAFETY RAIL ADD SFS** E abahr

ALUMINUM/PVC