SELECTION ACKNOWLEDGEMENT | DCY-SA-5594

Lumber Scheduled Date (ROUGH/TRIM): 3/2/2021 | NOT SCHEDULED

Page 1 of 7



DAYTON (DCY)

Address: 1974 BYERS RD

City, State, Zip: MIAMISBURG, OH, 45342

Business: 937-914-4300

Fax: 937-913-4301

Product (Set/Version): **ELM (EMM00-01)**

Spec/Model: NO

Start Date: **3/19/2021**

Projected Settlement Date: 6/16/2021

LOT INFORMATION				Layout REVERSE	Driveway Location LEFT
Community	Code	Lot	Permit Number	Legal Lot/Block/Section	Address
PINNACLE RIDGE	SA	5594	BLD21-00109	00005594/0002	1923 BESSIE AVE DAYTON, OH 45439

SALE INFORMATIO	N		Sale	Status Ratifi e	ed Contract Date	1/19/2021
Purchaser Name	CoPurchaser Name	CDS #	Contingent	Sales Manage	er Sales Rep	Project Manager
Reginald Williams		DA0511	N	Kellie Hedric	k Linda Ramsey	Cody Doddroe

SALE COMMENTS

Comments

SELECTED OP	TIONS BASEMENT FOUNDATION			
Option	Description	Category	Quantity	Color/Location (Number)
FBA	BASEMENT FOUNDATION	B (A)		

SELECTED OP	TIONS ELEVATION L			
Option	Description	Category	Quantity	Color/Location (Number)
ELL	ELEVATION L	E		

SELECTED OPTIONS	DESIGNER INTERIORS	

Option	Description	Category	Quantity	Color/Location (Number)
VKD	THE AURORA	B (A)		

SELECTED OPTIONS | EXTERIOR COLOR SCHEME

Option	Description	Category Quantity	Color/Location (Number)

ESLSR35 **EXTERIOR SFD PEWTER/FLINT D4.5L**

SELECTED OPTIONS ELEVATIONS				
Option	Description	Category	Quantity	Color/Location (Number)
EVG	SIDING VENEER SIDE(S)	B (A)		
RF1	ROOF FELT (LOCAL)	S		
999Q200	BOARD & BATTEN COLOR (BOARD & BATTEN COLOR)	E		PEWTER
999QF02	SIDING ACCENT COLOR (SIDING ACCENT COLOR)	E		FLINT

SELECTED OPTIONS FOUNDATIONS				
Option	Description	Category	Quantity	Color/Location (Number)
555XA11	EXCAVATION CUT 6'	S		
FBM	BASEMENT BEHIND GARAGE	E		
FBS	BASEMENT FOUNDATION STAIR FLOOR FRAMING - M/S W-FBA FULL BSMNT	E		
FDS	FOUNDATION FOOTING 6"	B (A)		
FLH	FOUNDATION FROST LINE 48"	S		
FWE	FOUNDATION GARAGE EXTERIOR WALL MIN PER FROST DEPTH	B (C)		

SELECTED (OPTIONS OUTDOOR LIVING			
Option	Description	Category	Quantity	Color/Location (Number)
777XB04	DECK TYPE #1	S		



DAYTON (DCY)

SELECTED OPTIONS BASEMENT			
Description	Category	Quantity	Color/Location (Number)
3 PIECE PLUMBING ROUGH-IN BASEMENT	E		
UNFINISHED BASEMENT	B (C)		
NO WALKOUT EXITS AT REAR	B (C)		
	Description 3 PIECE PLUMBING ROUGH-IN BASEMENT UNFINISHED BASEMENT	DescriptionCategory3 PIECE PLUMBING ROUGH-IN BASEMENTEUNFINISHED BASEMENTB (C)	Description Category Quantity 3 PIECE PLUMBING ROUGH-IN BASEMENT E UNFINISHED BASEMENT B (C)

ELECTED O	PTIONS <i>HOUSE</i>			
Option	Description	Category	Quantity	Color/Location (Number)
ЭСВ	2 CAR GARAGE - FRONT ENTRY	B (A)		
GGP	WIFI ENABLED GARAGE DOOR OPENER W/REMOTE CONTROLS	B (A)		
GGU	GARAGE DOOR UPGRADE1	B (A)		WHITE
SDF	FRONT DOOR FIBERGLASS	B (A)		RAISIN (SW7630)
SDS	FIREDOOR 20 MIN	B (A)		
SEA	STANCHIONS PER ENGINEERING	B (A)		
SEI	16" O.C. STUD SPACING EXTERIOR GABLE WALLS	B (A)		
SEO	TRUSS SHEATHING 7/16" OSB	S		
SFB .	SHEATHING LAP @ OUTSIDE CORNERS	B (A)		
SFG .	STRAPS ILO BOLTS (CONCRETE)	S		
SFJ .	24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS	B (A)		
SFM	WALL SHEATHING 7/16" OSB	S		
SFV	HOUSE WRAP	E (G)		
SFZ .	SAFETY PACKAGE MATERIAL	B (A)		
GJ .	WINDOW COLOR WHITE (EXTERIOR & INTERIOR)	B (A)		
SIG	INSULATION WALL R-13	B (A)		
SIL	INSULATION SLAB RIGID R-10	B (A)		
SIM	INSULATION CEILING BLOWN R49	S		
SIR	INSULATION UNFINISHED BASEMENT WALL R11	B (C)		
SPJ .	SEISMIC DESIGN CATEGORY A/B	B (A)		
SRA	7/16" ROOF SHEATHING	B (A)		
SRI	CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B)	B (A)		
SRO	ROOF SHINGLES 3-TAB	B (A)		CHARCOAL
SRW	WIND LOAD 115 MPH (ULTIMATE)	B (A)		
STW	EXTERIOR TRIM WHITE	B (A)		
SUB	SIDING VINYL 042	B (A)		PEWTER FLINT (PRIMRY ACC)
SWF	WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300	B (A)		
SXC	CORNERSTONE SPECIFICATIONS	B (A)		
SYD	BUILTSMART 3.0	B (A)		

SELECTED OPTIONS KITCHEN				
Option	Description	Category	Quantity	Color/Location (Number)
9КА	FAUCET FIXTURES KITCHEN A	B (A)		
СКС	KITCHEN CABINETS	B (A)		
CKC2XDM	KITCHEN STANDARD FAIRFIELD NUTMEG	B (A)		
KFI	KITCHEN VENTILATION RECIRCULATING	B (A)		
KFN	KITCHEN SINK SINGLE BOWL	B (A)		
NBB	COUNTERTOP BACKSPLASH KITCHEN	B (A)		
NKK	LAMINATE COUNTERTOP KITCHEN	B (A)		LAMINATE JAMOCHA GR (7734 58)



Option	Description	Category	Quantity	Color/Location (Number)
4FM	APPLIANCE PKG UPGRADE FROM BLACK TO STAINLESS STEEL - SPICE/NUTMEG ONLY	E		
4FW	APPLIANCE PKG 4FW-SS RANGE/FRIDGE/DISHWASHER/MICRO/WHITE- WASH/DRY	E (G)		
4MA	MICROWAVE	B (A)		
ICA	RANGE ELECTRIC HOOK-UP	B (A)		
ICC	DRYER ELECTRIC HOOK-UP	B (A)		
ICG	MICROWAVE 110V HOOK-UP	B (C)		

SELECTED OPTIONS OWNERS SUITE				
Option	Description	Category	Quantity	Color/Location (Number)
AMS	OWNER'S BATHROOM FRAMED SHOWER DOOR	B (A)		

SELECTED O	PTIONS BEDROOMS			
Option	Description	Category	Quantity	Color/Location (Number)
BDH	FOUR BEDROOM W/LOFT	B (A)		

SELECTED OPTIONS VANITIES				
Option	Description	Category	Quantity	Color/Location (Number)
CAM	VANITY OWNER'S BATHROOM	B (A)		
CAM2XDM	VANITY OWNER'S BATH STANDARD FAIRFIELD NUTMEG	B (A)		
CAZ	VANITY CABINETS	B (A)		
CAZ2XDM	VANITY STANDARD FAIRFIELD NUTMEG	B (A)		

SELECTED OF	PTIONS GENERAL SPECIFICATIONS			
Option	Description	Category	Quantity	Color/Location (Number)
555XA03	SOUTHWEST OHIO REQUIREMENTS	S		
555XA05	COUNTY REQUIREMENTS	S		
555XA06	BASEMENT INSULATION 4'	S		
555XA40	JURISDICTION REQUIREMENTS #4	E		
555XA85	BUILDING START PROGRAM	S		
SGD	PLANT INSTALLED WINDOWS	B (A)		
ZXF	NO CUSTOM EXTERIOR TRIM SIDE	B (A)		
ZXJ	NO CUSTOM EXTERIOR TRIM REAR	B (A)		
ZZX	NO BSMT OR FDN INSULATION GRG CMN WALL	S		

SELECTED OPTIONS INTERIOR SPECIFICATIONS				
Option	Description	Category	Quantity	Color/Location (Number)
AFM	BATHROOM MIRRORS (PLANT)	B (A)		
DHJ	INTERIOR DOOR HARDWARE FINISH SATIN NICKEL	B (A)		
DHM	LOCKS (PLANT)	B (A)		
QKM	CABINETS (PLANT)	B (A)		
RLS	INTERIOR HANDRAIL	B (A)		PAINTED WHITE SEMI-GLOSS
SJP	STAIR BOX PINE	B (A)		
STF	SIMPLY RYAN SPECIFICATIONS	B (A)		
SZB	NVR SPECIFICATIONS	B (A)		
SZH	2019 LIGHT/MIRROR LAYOUT DBL VANITY	B (A)		
YCM	VANITY TOPS (PLANT)	B (A)		



DAYTON (DCY)

SELECTED	SELECTED OPTIONS MECHANICAL SPECIFICATIONS				
Option	Description	Category	Quantity	Color/Location (Number)	
8AO	AIR CONDITION CONDENSER	B (A)			
8CV	EQUIPMENT PKG VERTICAL COIL ZONE 1	В (А)			
8M1	EQUIPMENT SUPPLIER GOODMAN	В (А)			
8TA	WIFI ENABLED SMART THERMOSTAT	В (А)			
8VW	50 CFM FAN BATH	В (А)			
8XX	LOCAL HVAC BY DESIGN	E			
8XY	LOCAL AIR CONDITIONING BY DESIGN	S			
8ZE	CLIMATE ZONE 5	S			
SHB	GAS HEAT	S			
SZF	HVAC & FLOOR SYSTEM PER DESIGN	B (A)			

SELECTED OPTIONS ELECTRICAL AND HOME TECHNOLOGY SPECIFICATIONS				
Option	Description	Category	Quantity	Color/Location (Number)
IAS	LIGHT PACKAGE (S)	B (A)		
IDB	SERVICE 150 AMP	S		
IGG	POST LIGHT ELECTRIC	S		
IGZ	CEILING FAN ROUGH-IN W/LIGHT (EA)	E	2	

SELECTED	SELECTED OPTIONS PLUMBING SPECIFICATIONS				
Option	Description	Category	Quantity	Color/Location (Number)	
9FR	FAUCET FIXTURES BATHROOMS STANDARD+	B (A)			
9TA	STANDARD HGT TOILET HOUSE	B (A)			
9TZ	NO WASHER DRAIN PAN	S			
IHC	SUMP PUMP	S			
IHO	WATER HEATER ELECTRIC 40 GALLON	B (A)			

SELECTED OPTIONS EXTERIOR SPECIFICATIONS				
Option	Description	Category	Quantity	Color/Location (Number)
6LA	LANDSCAPING PACKAGE BASIC	S		
6LI	OPT IN - 12 MONTH LAWN CARE SERVICE	E		
SFS	EXTERIOR SAFETY RAIL ALUMINUM/PVC	E		
ST1	ENGINEERED EXTERIOR TRIM PRIMED	S		
ST3	EXTERIOR TRIM LINEAL PVC	B (A)		

SELECTED OPTIONS FLOORING					
Option	Description	Category	Quantity	Color/Location (Number)	
ACPLG00	CARPET GREAT ROOM (A)	B (A)		FAST BALL II BARE MINERAL (NV22600105)	
ACPUB00	CARPET ZONE 2 (A)	В (А)		FAST BALL II BARE MINERAL (NV22600105)	
ARSAA00	RESILIENT BATHROOM #1 (A)	B (A)		HOMEIMAGES GLENVILLE CREME (010HI)	
ARSAO00	RESILIENT OWNER'S BATHROOM (A)	B (A)		HOMEIMAGES GLENVILLE CREME (010HI)	
ARSAP00	RESILIENT POWDER ROOM FIRST FLOOR (A)	B (A)		HOMEIMAGES GLENVILLE CREME (010HI)	
ARSFY00	RESILIENT FOYER (A)	В (А)		HOMEIMAGES GLENVILLE CREME (010HI)	
ARSKK00	RESILIENT KITCHEN (A)	B (A)		HOMEIMAGES GLENVILLE CREME (010HI)	
ARSVA00	RESILIENT LAUNDRY ROOM (A)	В (А)		HOMEIMAGES GLENVILLE CREME (010HI)	

SELECTION ACKNOWLEDGEMENT | DCY-SA-5594

Page 5 of 7



SELECTED OPTIONS COLOR SELECTIONS							
Option	Description	Category	Quantity	Color/Location (Number)			
NVC	VANITY TOPS HOUSE	B (A)					
NVC2XAA	VANITY TOP HOUSE STANDARD CULTURED MARBLE WHITE	B (A)					
NVN	VANITY TOPS OWNER'S BATHROOM	B (A)					
NVN2XAA	VANITY TOP OWNER'S BATH STANDARD CULTURED MARBLE WHITE	В (А)					







DAYTON (DCY)

CUSTOM OPTIONS							
Option	Description	Category	Quantity	Color/Location (Number)			
777XG04	CUSTOMER CHANGE ORDERS COMPLETE	E					
777XG24	STRUCTURAL CHANGES COMPLETE	S					
999ZZ01	MISC #1 - MAY JUNE DELIVERY 20 (May June Delivery 2021)	E					
999ZZ02	MISC #2 - JUNE JULY DELIVERY 2 (June July Delivery 2021)	E					

SELECTION ACKNOWLEDGEMENT | DCY-SA-5594

Page 7 of 7



DAYTON (DCY)					Product (Set/Ve	rsion): ELIV	1 (EMIMOO-01)	
CHANGE ORDER #1 Date: 2/4/2021 Status: Ratified Lav					Layout: RE\	Layout: REVERSE Driveway: LEFT		
Change	Option	Description	Added Description	Color/Location	Quantity	Category	Create Person	
ADD	ST3	EXTERIOR TRIM LINEAL PVC				B (A)	cholstei	

CHANGE ORDER #2 Date: 3/2/2021 Status: Ratified				Layout: REVERSE Driveway: LEFT			
Change	Option	Description	Added Description	Color/Location	Quantity	Category	Create Person
ADD	555XA40	JURISDICTION REQUIREMENTS #4				E	cholstei

CHANGE ORDER #3 Date: 3/5/2021 Status: Ratified				Layout: REVERSE Driveway: LEFT				
Change	Option	Description	Added Description	Color/Location	Quantity	Category	Create Person	
ADD	999ZZ02	June July Delivery 2021				E	Iramsey	

CHANGE ORDER #4 Date: 3/10/2021 Status: Ratified				Layout: REVERSE Driveway: LEFT			
Change	Option	Description	Added Description	Color/Location	Quantity	Category	Create Person
DELETE	SFR	EXTERIOR SAFETY RAIL				S	abahr
ADD	SFS	EXTERIOR SAFETY RAIL ALUMINUM/PVC				Е	abahr