SELECTION ACKNOWLEDGEMENT | DCY-SS-1856

Lumber Scheduled Date (ROUGH/TRIM): 4/20/2023 | NOT SCHEDULED

Page 1 of 7



DAYTON (DCY)

Address: 1974 BYERS RD

City, State, Zip: MIAMISBURG, OH, 45342

Business: 937-914-4300

Fax: 937-913-4301

Product (Set/Version): **SPRUCE (SPC00-01)**

Spec/Model: NO

Start Date: 4/24/2023

Projected Settlement Date: **7/25/2023**

LOT INFORMATION				Layout PER PLAN	Driveway Location	RIGHT
Community	Code	Lot	Permit Number	Legal Lot/Block/Section	Address	
STILLWATER CROSSINGS SF	SS	1856	20231101	00001856/003A	15 KELLY CO WEST MILTON, OH	

SALE INFORMATIO	N		Sale	Status Ratified	Contract Date	3/19/2023
Purchaser Name	CoPurchaser Name	CDS#	Contingent	Sales Manager	Sales Rep	Project Manager
Darrell A Patrick (TR)	Gloria Patrick	DA1393	N	Kellie Hedrick	Melissa North	Trenton Allen

SALE COMMENTS

Comments

SELECTED OPTIONS SLAB FOUNDATION				
Option	Description	Category	Quantity	Color/Location (Number)
FSA	SLAB FOUNDATION	S		

SELECTED OPTIONS ELEVATION K				
Option	Description	Category	Quantity	Color/Location (Number)
ELK	ELEVATION K	В (А)		

SELECTED OPTIONS DESIGNER INTERIORS					
Option	Description	Category	Quantity	Color/Location (Number)	
DISR002	COLTON	E			
DISRC03	BARNETT DURAFORM LINEN	E			
ZC1	NO COUNTERTOP UPGRADE	B (A)			
ZWF	NO HARD SURFACE REMAINDER MAIN FLOOR	B (A)			

SELECTED OPTIONS EXTERIOR COLOR SCHEME				
Option	Description	Category	Quantity	Color/Location (Number)
ECLS003	EXTERIOR LS/SR SFD SCHEME 3	Е		

SELECTED OPTIONS ELEVATIONS				
Option	Description	Category	Quantity	Color/Location (Number)
EVF	SIDING VENEER FRONT	B (A)		
EVG	SIDING VENEER SIDE(S)	B (A)		
RF3	ROOF UNDERLAYMENT (SYNTHETIC LOCAL)	S		

SELECTED OPTIONS FOUNDATIONS					
Option	Description	Category	Quantity	Color/Location (Number)	
555XA11	EXCAVATION CUT 6'	S			
555XI88	SLAB DESIGNED CONDITION	S			
FDS	FOUNDATION FOOTING 6"	B (A)			
FLH	FOUNDATION FROST LINE 48"	S			
FSC	SLAB FOUNDATION STEM WALL POURED	S			
PSIFT25	CONCRETE FOOTING 2500 PSI	B (A)			
PSIIS30	CONCRETE INTERIOR SLAB 3000 PSI	B (A)			
PSIWL30	CONCRETE WALLS 3000 PSI	B (C)			



DAYTON (DCY)

SELECTED OPTIONS OUTDOOR LIVING					
Option	Description	Category	Quantity	Color/Location (Number)	
LSRPT01	10'X14' EXTERIOR PATIO	E			

	PTIONS HOUSE			
Option	Description	Category	Quantity	Color/Location (Number)
555XI93	ALTERNATE SECOND FLOOR MECANICAL ROOM	S		
GCB	2 CAR GARAGE - FRONT ENTRY	B (A)		
GGP	WIFI ENABLED GARAGE DOOR OPENER W/REMOTE CONTROLS	B (A)		
GGU	GARAGE DOOR UPGRADE1	B (A)		WHITE
SDF	FRONT DOOR FIBERGLASS	B (A)		BRAVADO RED (SW6320)
SDS	FIREDOOR 20 MIN	B (A)		
SEA	STANCHIONS PER ENGINEERING	B (A)		
SEI	16" O.C. STUD SPACING EXTERIOR GABLE WALLS	B (A)		
SEO	TRUSS SHEATHING 7/16" OSB	B (A)		
SFB	SHEATHING LAP @ OUTSIDE CORNERS	B (A)		
SFG	STRAPS ILO BOLTS (CONCRETE)	S		
SFJ	24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS	В (А)		
SFM	WALL SHEATHING 7/16" OSB	B (A)		
SFV	HOUSE WRAP	E (G)		
SFZ	SAFETY PACKAGE MATERIAL	B (A)		
SGJ	WINDOW COLOR WHITE (EXTERIOR & INTERIOR)	B (A)		
SIG	INSULATION WALL R-13	B (A)		
SIL	VERTICAL INSULATION SLAB RIGID R-10	B (A)		
SIM	INSULATION CEILING BLOWN R49	S		
SKJ	GARAGE DOOR HARDWARE	B (A)		
SPJ	SEISMIC DESIGN CATEGORY A/B	B (A)		
SRA	7/16" ROOF SHEATHING	B (A)		
SRI	CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B)	B (A)		
SRP	ROOF SHINGLES ARCHITECTURAL	S		
SRW	WIND LOAD 115 MPH (ULTIMATE)	B (A)		
STW	EXTERIOR TRIM WHITE	B (A)		
SUB	SIDING VINYL 042	B (A)		WEDGEWOOD (PRIMANDACC)
SUF	SIDING PROFILE DOUBLE 4.5" DUTCH LAP	B (C)		
suq	SIDING BOARD & BATTEN	Е		
SWF	WINDOWS VINYL SINGLE HUNG BRICKMOULD	B (A)		
SXC	CORNERSTONE SPECIFICATIONS	B (A)		
SYD	BUILTSMART 3.0	B (A)		

SELECTED OPTIONS KITCHEN				
Option	Description	Category	Quantity	Color/Location (Number)
9КА	FAUCET FIXTURES KITCHEN A	B (A)		
СКС	KITCHEN CABINETS	B (A)		
KFI	KITCHEN VENTILATION RECIRCULATING	B (A)		
KFN	KITCHEN SINK SINGLE BOWL	B (A)		
KMT	KITCHEN MANUFACTURER TIMBERLAKE	B (A)		
NBB	COUNTERTOP BACKSPLASH KITCHEN	B (A)		
NKK	LAMINATE COUNTERTOP KITCHEN	B (A)		LAMINATE CARRARA BIANCO (6696 58)



DAYTON (DCY)

SELECTED OPTIONS APPLIANCES					
Option	Description	Category	Quantity	Color/Location (Number)	
4FW	APPLIANCE PKG 4FW-SS RANGE/FRIDGE/DISHWASHER/MICRO/WHITE- WASH/DRY	E (G)			
4MA	MICROWAVE	B (A)			
ICB	RANGE GAS HOOK-UP	E			
ICC	DRYER ELECTRIC HOOK-UP	B (A)			
ICG	MICROWAVE 110V HOOK-UP	B (C)			

SELECTED OPTIONS OWNERS SUITE					
Option	Description	Category	Quantity	Color/Location (Number)	
AMA	OWNER'S BATHROOM SHOWER	B (A)			
AMS	OWNER'S BATHROOM FRAMED SHOWER DOOR	B (C)			

SELECTED OPTIONS VANITIES						
Option	Description	Category	Quantity	Color/Location (Number)		
CAM	VANITY OWNER'S BATHROOM	B (A)				
CAZ	VANITY CABINETS	B (A)				
NVC	VANITY TOPS HOUSE	B (A)				
NVC2XAA	VANITY TOP HOUSE STANDARD CULTURED MARBLE WHITE	B (A)				
NVN	VANITY TOPS OWNER'S BATHROOM	B (A)				
NVN2XAA	VANITY TOP OWNER'S BATH STANDARD CULTURED MARBLE WHITE	В (А)				

SELECTED OPTIONS GENERAL SPECIFICATIONS						
Option	Description	Category	Quantity	Color/Location (Number)		
116	OHIO REGION	S				
217	DAYTON	S				
555XA03	SOUTHWEST OHIO REQUIREMENTS	S				
555XA05	COUNTY REQUIREMENTS	S				
555XA06	BASEMENT INSULATION 4'	S				
555XA40	JURISDICTION REQUIREMENTS #4	S				
555XA85	BUILDING START PROGRAM	S				
555XB21	CHARCOAL ROOF SHINGLES	S				
SGD	PLANT INSTALLED WINDOWS	B (A)				
ZXF	NO CUSTOM EXTERIOR TRIM SIDE	B (A)				
ZXJ	NO CUSTOM EXTERIOR TRIM REAR	B (A)				

SELECTED OPTIONS INTERIOR SPECIFICATIONS						
Description	Category	Quantity	Color/Location (Number)			
PAINT SHOE MOULDING	S					
NEW LIGHT/MIRROR LAYOUT DBL VANITY	S					
BATHROOM MIRRORS (PLANT)	B (A)					
INTERIOR DOOR HARDWARE FINISH SATIN NICKEL	B (A)					
LOCKS (PLANT)	B (A)					
CABINETS (PLANT)	B (A)					
SIMPLY RYAN SPECIFICATIONS	B (A)					
NVR SPECIFICATIONS	B (A)					
INTERIOR DOOR SOLID JAMBS	B (A)					
VANITY TOPS (PLANT)	B (A)					
	PAINT SHOE MOULDING NEW LIGHT/MIRROR LAYOUT DBL VANITY BATHROOM MIRRORS (PLANT) INTERIOR DOOR HARDWARE FINISH SATIN NICKEL LOCKS (PLANT) CABINETS (PLANT) SIMPLY RYAN SPECIFICATIONS NVR SPECIFICATIONS INTERIOR DOOR SOLID JAMBS	DescriptionCategoryPAINT SHOE MOULDINGSNEW LIGHT/MIRROR LAYOUT DBL VANITYSBATHROOM MIRRORS (PLANT)B (A)INTERIOR DOOR HARDWARE FINISH SATIN NICKELB (A)LOCKS (PLANT)B (A)CABINETS (PLANT)B (A)SIMPLY RYAN SPECIFICATIONSB (A)NVR SPECIFICATIONSB (A)INTERIOR DOOR SOLID JAMBSB (A)	DescriptionCategoryQuantityPAINT SHOE MOULDINGSNEW LIGHT/MIRROR LAYOUT DBL VANITYSBATHROOM MIRRORS (PLANT)B (A)INTERIOR DOOR HARDWARE FINISH SATIN NICKELB (A)LOCKS (PLANT)B (A)CABINETS (PLANT)B (A)SIMPLY RYAN SPECIFICATIONSB (A)NVR SPECIFICATIONSB (A)INTERIOR DOOR SOLID JAMBSB (A)			



DAYTON (DCY)

SELECTED OPTIONS MECHANICAL SPECIFICATIONS						
Option	Description	Category	Quantity	Color/Location (Number)		
555XA30	HOUSE ORIENTATION SOUTH	E				
8AO	AIR CONDITION CONDENSER	B (A)				
8CV	EQUIPMENT PKG VERTICAL COIL ZONE 1	В (А)				
8M1	EQUIPMENT SUPPLIER GOODMAN	B (A)				
8TA	WIFI ENABLED SMART THERMOSTAT	В (А)				
8VB	TRANSFER GRILLES	B (A)				
8VW	50 CFM FAN BATH	В (А)				
8XX	LOCAL HVAC BY DESIGN	E				
8XY	LOCAL AIR CONDITIONING BY DESIGN	S				
8ZE	CLIMATE ZONE 5	S				
SHB	GAS HEAT	S				
SZF	HVAC & FLOOR SYSTEM PER DESIGN	B (A)				

SELECTED OPTIONS ELECTRICAL AND HOME TECHNOLOGY SPECIFICATIONS					
Option	Description	Category	Quantity	Color/Location (Number)	
СРА	CABLE & INTERNET DUAL PORT (3)	S			
IAS	LIGHT PACKAGE (S)	B (A)			
IDB	SERVICE 150 AMP	S			
IGZ	CEILING FAN ROUGH-IN W/LIGHT (EA)	E	2		
SZK	HVAC WIRE COPPER	В (А)			

SELECTED OPTIONS PLUMBING SPECIFICATIONS						
Option	Description	Category	Quantity	Color/Location (Number)		
9FR	FAUCET FIXTURES BATHROOMS STANDARD+	B (A)				
9ТА	STANDARD HGT TOILET HOUSE	B (A)				
9TZ	NO WASHER DRAIN PAN	S				
IHC	SUMP PUMP	S				
IHO	WATER HEATER ELECTRIC 40 GALLON	B (A)				

SELECTED OPTIONS EXTERIOR SPECIFICATIONS						
Option	Description	Category	Quantity	Color/Location (Number)		
6LA	LANDSCAPING PACKAGE BASIC	S				
6LI	12 MONTH LAWN FERTILIZATION TREATMENTS	E				
IEM	EXTERIOR FINISH BLACK	B (A)				
PSIES40	CONCRETE GARAGE SLAB 4000 PSI	S				
PSISS40	CONCRETE STOOP SLAB 4000 PSI	S				
SFS	EXTERIOR SAFETY RAIL ALUMINUM/PVC	S				
ST4	EXTERIOR TRIM LINEAL VINYL	B (A)				
STB	EXTERIOR TRIM HARDIE	E				
TES	EXTERIOR SHUTTERS	B (C)		BLACK		





SELECTED OPTIONS FLOORING						
Option	Description	Category	Quantity	Color/Location (Number)		
ACPBA01	CARPET OWNER'S BEDROOM (B)	E (G)		TURNBERRY POINT OPALINE (NV23800107)		
ACPBA11	CARPET PAD OWNER'S BEDROOM (A)	E				
ACPLG01	CARPET GREAT ROOM (B)	E (G)		TURNBERRY POINT OPALINE (NV23800107)		
ACPLG11	CARPET PAD GREAT ROOM (A)	E				
ACPUB01	CARPET ZONE 2 (B)	E (G)		TURNBERRY POINT OPALINE (NV23800107)		
ACPUB11	CARPET PAD ZONE 2 (A)	E				
ALVAAA1	LVP BATHROOM #1 (A) AHF	E (G)		LFSLCLSPL COASTAL SETTING BR (LP70RK10E)		
ALVAOA1	LVP OWNER'S BATHROOM (A) AHF	E (G)		LFSLCLSPL COASTAL SETTING BR (LP70RK10E)		
ALVFYA1	LVP FOYER (A) AHF	E (G)		LFSLCLSPL COASTAL SETTING BR (LP70RK10E)		
ALVKKA1	LVP KITCHEN (A) AHF	E (G)		LFSLCLSPL COASTAL SETTING BR (LP70RK10E)		
ALVVAA1	LVP LAUNDRY ROOM (A) AHF	E (G)		LFSLCLSPL COASTAL SETTING BR (LP70RK10E)		

SELECTED OPTIONS COLOR SELECTIONS					
Option	Description	Category	Quantity	Color/Location (Number)	
CAM2XED	VANITY OWNER'S BATH UPGRADE2 BARNETT DURAFORM LINEN	E (G)			
CAZ2XED	VANITY UPGRADE2 BARNETT DURAFORM LINEN	E (G)			
CKC2XED	KITCHEN UPGRADE2 BARNETT DURAFORM LINEN	E (G)			



Page 6 of 7



DAYTON (DCY)

CUSTOM OPTIONS					
Option	Description	Category	Quantity	Color/Location (Number)	
777XG24	STRUCTURAL CHANGES COMPLETE	S			

SELECTION ACKNOWLEDGEMENT | DCY-SS-1856

Page 7 of 7



DAYTON (DCY)

CHANGE ORDER #1 Date: 4/5/2023 Status: Ratified			ANGE ORDER #1 Date: 4/5/2023 Status: Ratified Layout: PER PLAN Driveway: RIC				
Change	Option	Description	Added Description	Color/Location	Quantity	Category	Create Person
DELETE	ST2	ENGINEERED EXTERIOR TRIM PAINTED				s	abahr
ADD	STB	EXTERIOR TRIM HARDIE				E	abahr

CHANGE ORDER #2 Date: 4/6/2023 Status: Ratified				Layout: PER PLAN Driveway: RIGHT			
Change	Option	Description	Added Description	Color/Location	Quantity	Category	Create Person
ADD	555XA30	HOUSE ORIENTATION SOUTH				E	abahr