SELECTION ACKNOWLEDGEMENT | DCY-VG-K453

Page 1 of 7



DAYTON (DCY)

Address: 884 PLEASANT VALLEY DRIVE

City, State, Zip: SPRINGBORO, OH, 45066

Business: 937-746-0073

Fax: 937-746-0887

Product (Set/Version): PALERMO (PAL00-03)

Spec/Model: **NO**

Start Date: 4/27/2018

Projected Settlement Date: 8/7/2018

Lumber Scheduled Date (ROUGH/TRIM): **5/1/2018 | NOT SCHEDULED**

LOT INFORMATION				Layout PER PLAN	Driveway Location	RIGHT
Community	Code	Lot	Permit Number	Legal Lot/Block/Section	Address	
VLGS OF WINDING CREEK WARR CO	VG	K453	2018-332	00000453/0005	9664 CROOKED CR CENTERVILLE, OH	

SALE INFORMATIO	N		Sale	Status	Ratified	Contract Date	1/15/2018
Purchaser Name	CoPurchaser Name	CDS#	Contingent	Sales	Manager	Sales Rep	Project Manager
Ben Vennefron		DY0258	N	Michael Cole		Melissa/Kathlee North/Rose	Jonathan Schindler

SALE COMMENTS

Comments

SELECTED OPTIONS | BASEMENT FOUNDATION

Option	Description	Category	Quantity	Color/Location (Number)
ERΛ	BASEMENT FOLINDATION	R (A)		

SELECTED OPTIONS | ELEVATION L

Option	Description	Category	Quantity	Color/Location (Number)
ELL	ELEVATION L - PARTIAL STONE	Е		

SELECTED OPTIONS DESIGNER INTERIORS					
Option	Description	Category	Quantity	Color/Location (Number)	
ISB	тне ѕоно	S			
ZH1	NO WHOLE HOUSE CARPET UPGRADE	E (G)			
ZWF	NO HARD SURFACE REMAINDER MAIN FLOOR	E (G)			

SELECTED OPTIONS ELEVATIONS					
Option	Description	Category	Quantity	Color/Location (Number)	
777XA08	BRICK VENEER SIDE(S) FIRST FLOOR	R			
777XA10	BRICK VENEER REAR FIRST FLOOR	R			
EWF	CULTURED STONE VENEER FRONT	E			
RPE	8/12 ROOF PITCH	S			
999QB01	BRICK COLOR (BRICK COLOR)	E		SMOKEY MOUNTAIN QUEEN	
999QB03	STONE COLOR (STONE COLOR)	E		SLATE TERRA CUT STONE	
999QG00	GUTTER/DOWNSPOUT COLOR (GUTTER/SPOUT COLOR)	E		WHITE	
999QI01	SHAKE SIDING COLOR (SHAKE SIDING COLOR)	E		AGED PEWTER	
999QS00	SHUTTERS COLOR (SHUTTERS COLOR)	E		RED	

SELECTED OPTIONS FOUNDATIONS					
Option	Description	Category	Quantity	Color/Location (Number)	
555XA11	EXCAVATION CUT 6'	R			
FDS	FOUNDATION FOOTING 6"	B (A)			
FLH	FOUNDATION FROST LINE 48"	S			
FWE	FOUNDATION GARAGE EXTERIOR WALL MIN PER FROST DEPTH	В (С)			

SELECTED OPTIONS BASEMENT				
Option	Description	Category	Quantity	Color/Location (Number)
MEC	UNFINISHED BASEMENT	B (C)		



Option	SELECTED OP	TIONS HOUSE			
DHD FRONT DOOR STANDARD LOCK B (A) EDQ 4"-0" EXTENSION TO HOUSE E EBB 2"-0" EXTENSION TO HOUSE E EBB 2"-0" EXTENSION TO GARAGE E GCF 3 CAR GARAGE - FRONT ENTRY - OPENER INCL W/3CAR GGO DOOR OPENER GARAGE W/(2)REMOTE CONTROLS S GGU GARAGE DOOR UPGRADE1 E SDF FRONT DOOR FIBERGLASS B (A) SDS FIREDOOR 20 MIN B (A) SEA STANCHIONS PER ENGINEERING B (C) SEI 16" O.C. STUD SPACING EXTERIOR GABLE WALLS S SEO TRUSS SHEATHING 7/16" OSB S SFB SHEATHING LAP @ OUTSIDE CORNERS B (A) SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFW WALL SHEATHING 7/16" OSB B (A) SFV HOUSE WRAP B (A) SFZ SAFETY PACKAGE MATERIAL B (A) SFJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) SGT ALTERNATE GRILLE PATTERN E (G) SIB INSULATION WALL R-13 B (A) SIG INSULATION WALL R-13 B (A) SIG INSULATION WALL NEINISHED BASEMENT R11 B (C) SQU ROOF ACCENT SHINGLED E (G) SRA 7/16" ROOF SHEATHING SRN WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE S SUD SIDING HARDBOARD - COMMUNITY SPECIFIC SIDING HARDSON COMMUNITY SPECIFIC SIDING HARDBOARD - COM	Option	Description	Category	Quantity	Color/Location (Number)
EDQ 4'-0" EXTENSION TO HOUSE E EBB 2'-0" EXTENSION TO GARAGE E EBB 2'-0" EXTENSION TO GARAGE E EC GCF 3 CAR GARAGE - FRONT ENTRY - OPENER INCL W/SCAR GGO DOOR OPENER GARAGE W/(2)REMOTE CONTROLS (EA) - UPG #5140 GGU GARAGE DOOR UPGRADE1 E SDF FRONT DOOR FIBERGLASS B (A) SDS FIREDOOR 20 MIN B (A) SEA STANCHIONS PER ENGINEERING B (C) SEI 16" O.C. STUD SPACING EXTERIOR GABLE WALLS S SEO TRUSS SHEATHING 7/16" OSB S SFB SHEATHING 17/16" OSB S SFB SHEATHING 17/16" OSB S SFB SHEATHING 7/16" OSB B (A) SFF WALLS SHEATHING 7/16" OSB B (A) SFV HOUSE WRAP B (A) SFV HOUSE WRAP B (A) SFV HOUSE WRAP B (A) SFZ SAFETY PACKAGE MATERIAL B (A) SFG ALTERNATE GRILLE PATTERN E (G) SIB INSULATION WALL R-13 B (A) SIG INSULATION WALL R-13 B (A) SIG INSULATION WALL NEINISHED BASEMENT R11 B (C) SQU ROOF ACCENT SHINGLED SRAP 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) SRP ROOF SHINGLES 30 YEAR S SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRUS SPECIFICATIONS - EXPOSURE (B) STW EXTERIOR TRUS MINT SHE HUNG BRICKMOULD 2300 B (A) SYD BUILTSMART 3.0 B (A) SYD BUILTSMART 3.0	777XA21	ADDRESS STONE	R		
EEB 2'-0" EXTENSION TO GARAGE E GCF 3 CAR GARAGE - FRONT ENTRY - OPENER INCL W/3CAR GGO (DOOR OPENER GARAGE W/(2)REMOTE CONTROLS (EA) - UPG #5140 GGU GARAGE DOOR UPGRADE1 E SDF RRONT DOOR FIBERGLASS B (A) SDS FIREDOOR 20 MIN B (A) SEA STANCHIONS PER ENGINEERING B (C) SEI 16" O.C. STUD SPACING EXTERIOR GABLE WALLS S SEO TRUSS SHEATHING 7/16" OSB S S SFB SHEATHING 17/16" OSB B (A) SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFM WALL SHEATHING 7/16" OSB B (A) SFJ WALLS SFM WALL SHEATHING 7/16" OSB B (A) SFZ SAFETY PACKAGE MATERIAL B (A) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) SIG INSULATION CEILING BLOWN R3B B (A) SIG INSULATION CEILING BLOWN R3B B (A) SIL INSULATION WALL UNFINISHED BASEMENT R11 B (C) SQU ROOF ACCENT SHINGLED E SQU ROOF ACCENT SHINGLED BASEMENT R11 B (C) SQU ROOF ACCENT SHINGLED BASEMENT R11 B (C) SRA 7/16" ROOF SHEATHING SRP ROOF SHINGLES 30 YEAR SRP ROOF SHINGLES 30 YEAR SRP ROOF SHINGLES 30 YEAR SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE S SUD SIDING HARDBOARD - COMMUNITY SPECIFIC SWF WINDOWS VINN'L SINGLE HUNG BRICKMOULD 2300 B (A) SYD BUILTSMART 3.0 B (A) SYD BUILTSMART 3.0	DHD	FRONT DOOR STANDARD LOCK	B (A)		
GCF	EDQ	4'-0" EXTENSION TO HOUSE	E		
GCF W/3CAR GGO DOOR OPENER GARAGE W/(2)REMOTE CONTROLS (EA) - UPG #5140 GGU GARAGE DOOR UPGRADE1 E SDF FRONT DOOR FIBERGLASS B (A) SDS FIREDOOR 20 MIN B (A) SEA STANCHIONS PER ENGINEERING B (C) SEI 16" O.C. STUD SPACING EXTERIOR GABLE WALLS S SEO TRUSS SHEATHING 7/16" OSB S S SFB SHEATHING 1AP @ OUTSIDE CORNERS B (A) SFI WALLS SFM WALLS SHEATHING 7/16" OSB B (A) SFV HOUSE WRAP B (A) SFV HOUSE WRAP B (A) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SGT ALTERNATE GRILLE PATTERN E (G) SIB INSULATION WALL R-13 B (A) SIL INSULATION WALL R-13 B (A) SIL INSULATION WALL DENING BOWN R38 B (A) SIL INSULATION WALL UNFINISHED BASEMENT R11 B (C) SQU ROOF ACCENT SHINGED E (G) SRA 7/16" ROOF SHEATHING B (E) SRA 7/16" ROOF SHEATHING B (E) SRA 7/16" ROOF SHEATHING B (E) SRA WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE S SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE S SUD SIDING HARDBOARD - COMMUNITY SPECIFIC (SIDING HARDBOARD - COMMUNITY SPECIFIC (SIDING HARDBOARD) - COMMUNITY SPECIFIC (SIDING HARDBOARD	EEB	2'-0" EXTENSION TO GARAGE	E		
GGU GRAGE DOOR UPGRADE1 E SDF FRONT DOOR FIBERGLASS B (A) SDS FIREDOOR 20 MIN B (A) SEA STANCHIONS PER ENGINEERING B (C) SEI 16" O.C. STUD SPACING EXTERIOR GABLE WALLS S SEO TRUSS SHEATHING 7/16" OSB S S SFB SHEATHING LAP @ OUTSIDE CORNERS B (A) SFFI 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFFI WALLS SHEATHING 7/16" OSB B (A) SFF WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SFF ALTERNATE GRILLE PATTERN E (G) SIB INSULATION WALL R-13 B (A) SIG INSULATION WALL R-13 B (A) SIG INSULATION WALL DININISHED BASEMENT R11 B (C) SQU ROOF ACCENT SHINGLED E (G) SRA 7/16" ROOF SHEATHING B (A) SRR CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES 30 YEAR S SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE S SUD SIDING HARDBOARD - COMMUNITY SPECIFIC (SIDING HARDBOARD) - COMMUNITY SPECIFIC (SIDING HARDBOARD) - COMMUNITY SPECIFIC (SIDING HARDBOARD) B (A) SXC CORNESTONE SPECIFICATIONS B (A) SXC CORNERSTONE SPECIFICATIONS B (A) SXC CORNESTONE SPECIFICATIONS B (A)	GCF		E		
SDF FRONT DOOR FIBERGLASS B (A) SDS FIREDOOR 20 MIN B (A) SEA STANCHIONS PER ENGINEERING B (C) SEI 16" O.C. STUD SPACING EXTERIOR GABLE WALLS S SEO TRUSS SHEATHING 7/16" OSB S SFB SHEATHING LAP @ OUTSIDE CORNERS B (A) SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFM WALL SHEATHING 7/16" OSB B (A) SFW HOUSE WRAP B (A) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SGT ALTERNATE GRILLE PATTERN E (G) SIB INSULATION CEILING BLOWN R38 B (A) SIG INSULATION WALL R13 B (A) SIG INSULATION WALL R13 B (A) SIR INSULATION WALL WININISHED BASEMENT R11 B (C) SQU ROOF ACCENT SHINGLED E (G) SRA 7/16" ROOF SHEATHING B (A) SRP ROOF SHINGLES 30 YEAR S SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE S SUD SIDING HARDBOARD - COMMUNITY SPECIFIC (SIDING HARDBOARD) SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A) SXC CORNERSTONE SPECIFICATIONS B (A) SXD BUILTSMART 3.0 B (A)	GGO		S		
SDS FIREDOOR 20 MIN B (A) SEA STANCHIONS PER ENGINEERING B (C) SEI 16" O.C. STUD SPACING EXTERIOR GABLE WALLS S SEO TRUSS SHEATHING 7/16" OSB S SFB SHEATHING LAP @ OUTSIDE CORNERS B (A) SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFM WALL SHEATHING 7/16" OSB B (A) SFV HOUSE WRAP B (A) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SGT ALTERNATE GRILLE PATTERN E (G) SIB INSULATION CEILING BLOWN R38 B (A) SIG INSULATION WALL R-13 B (A) SIG INSULATION WALL UNIFINISHED BASEMENT R11 B (C) SQU ROOF ACCENT SHINGLED E (G) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE S SUD (SIDING HARDBOARD) COMMUNITY SPECIFIC (SIDING HARDBOARD) SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS - B (A) SXC CORNERSTONE SPECIFICATIONS B (A) SXD BUILTSMART 3.0	GGU	GARAGE DOOR UPGRADE1	E		
SEA STANCHIONS PER ENGINEERING B (C) SEI 16" O.C. STUD SPACING EXTERIOR GABLE WALLS S SEO TRUSS SHEATHING 7/16" OSB S SFB SHEATHING LAP @ OUTSIDE CORNERS B (A) SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFM WALL SHEATHING 7/16" OSB B (A) SFW HOUSE WRAP B (A) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SGT ALTERNATE GRILLE PATTERN E (G) SIB INSULATION CEILING BLOWN R38 B (A) SIG INSULATION WALL R-13 B (A) SIR INSULATION WALL UNFINISHED BASEMENT R11 B (C) SQU ROOF ACCENT SHINGLED E (G) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES 30 YEAR S SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE S SUD SIDING HARDBOARD - COMMUNITY SPECIFIC (SIDING HARDBOARD) - COMMUNITY SPECIFIC E PEARL GRAY SYD BUILTSMART 3.0 B (A)	SDF	FRONT DOOR FIBERGLASS	B (A)		
SEI 16" O.C. STUD SPACING EXTERIOR GABLE WALLS S SEO TRUSS SHEATHING 7/16" OSB S SFB SHEATHING LAP @ OUTSIDE CORNERS B (A) SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFJ WALL SHEATHING 7/16" OSB B (A) SFM WALL SHEATHING 7/16" OSB B (A) SFW HOUSE WRAP B (A) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SGT ALTERNATE GRILLE PATTERN E (G) SIB INSULATION CEILING BLOWN R38 B (A) SIG INSULATION WALL R-13 B (A) SIL INSULATION WALL R-10 B (A) SIR INSULATION WALL UNFINISHED BASEMENT R11 B (C) SQU ROOF ACCENT SHINGLED E (G) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES 30 YEAR S SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE S SUD SIDING HARDBOARD - COMMUNITY SPECIFIC E PEARL GRAY SYD BUILTSMART 3.0 B (A)	SDS	FIREDOOR 20 MIN	B (A)		
SEO TRUSS SHEATHING 7/16" OSB S SFB SHEATHING LAP @ OUTSIDE CORNERS B (A) SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFM WALL SHEATHING 7/16" OSB B (A) SFW HOUSE WRAP B (A) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SGT ALTERNATE GRILLE PATTERN E (G) SIB INSULATION CEILING BLOWN R38 B (A) SIG INSULATION WALL R-13 B (A) SIL INSULATION WALL R-10 B (C) SQU ROOF ACCENT SHINGLED E (G) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) STW EXTERIOR TRIM WHITE S SUD SIDING HARDBOARD - COMMUNITY SPECIFIC (SIDING HARDBOARD) SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SYD BUILTSMART 3.0 B (A) SYD BUILTSMART 3.0	SEA	STANCHIONS PER ENGINEERING	B (C)		
SFB SHEATHING LAP @ OUTSIDE CORNERS B (A) SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFM WALL SHEATHING 7/16" OSB B (A) SFW HOUSE WRAP B (A) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SGT ALTERNATE GRILLE PATTERN E (G) SIB INSULATION CEILING BLOWN R38 B (A) SIG INSULATION WALL R-13 B (A) SIL INSULATION WALL R-13 B (A) SIR INSULATION WALL UNFINISHED BASEMENT R11 B (C) SQU ROOF ACCENT SHINGLED E (G) SRA 7/16" ROOF SHEATHING SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) STRY WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE S SUD SIDING HARDBOARD - COMMUNITY SPECIFIC (SIDING HARDBOARD) SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SYC CORNERSTONE SPECIFICATIONS B (A) SYD BUILTSMART 3.0	SEI	16" O.C. STUD SPACING EXTERIOR GABLE WALLS	S		
SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFM WALL SHEATHING 7/16" OSB B (A) SFV HOUSE WRAP B (A) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SGT ALTERNATE GRILLE PATTERN E (G) SIB INSULATION CEILING BLOWN R38 B (A) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIR INSULATION WALL UNFINISHED BASEMENT R11 B (C) SQU ROOF ACCENT SHINGLED E (G) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE S SUD SIDING HARDBOARD - COMMUNITY SPECIFIC (SIDING HARDBOARD) SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SYC CORNERSTONE SPECIFICATIONS B (A) SYD BUILTSMART 3.0	SEO	TRUSS SHEATHING 7/16" OSB	S		
SFI WALLS SFM WALL SHEATHING 7/16" OSB B (A) SFV HOUSE WRAP B (A) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SGT ALTERNATE GRILLE PATTERN E (G) SIB INSULATION CEILING BLOWN R38 B (A) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIR INSULATION WALL UNFINISHED BASEMENT R11 B (C) SQU ROOF ACCENT SHINGLED E (G) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE S SUD SIDING HARDBOARD - COMMUNITY SPECIFIC (SIDING HARDBOARD) SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SYD BUILTSMART 3.0 B (A)	SFB	SHEATHING LAP @ OUTSIDE CORNERS	B (A)		
SFV HOUSE WRAP SFZ SAFETY PACKAGE MATERIAL SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) SGT ALTERNATE GRILLE PATTERN E (G) SIB INSULATION CEILING BLOWN R38 B (A) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIR INSULATION WALL UNFINISHED BASEMENT R11 B (C) SQU ROOF ACCENT SHINGLED E (G) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) SRY WIND LOAD 90 MPH (116 MPH ULTIMATE) STW EXTERIOR TRIM WHITE SUD SIDING HARDBOARD - COMMUNITY SPECIFIC (SIDING HARDBOARD) SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SYD BUILTSMART 3.0 B (A)	SFJ		B (A)		
SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SGT ALTERNATE GRILLE PATTERN E (G) SIB INSULATION CEILING BLOWN R38 B (A) SIG INSULATION WALL R-13 B (A) SIL INSULATION WALL UNFINISHED BASEMENT R11 B (C) SQU ROOF ACCENT SHINGLED E (G) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES 30 YEAR S SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE S SUD SIDING HARDBOARD - COMMUNITY SPECIFIC (SIDING HARDBOARD) SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SYD BUILTSMART 3.0 B (A)	SFM	WALL SHEATHING 7/16" OSB	B (A)		
SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SGT ALTERNATE GRILLE PATTERN E (G) SIB INSULATION CEILING BLOWN R38 B (A) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIR INSULATION WALL UNFINISHED BASEMENT R11 B (C) SQU ROOF ACCENT SHINGLED E (G) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES 30 YEAR S SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE S SUD SIDING HARDBOARD - COMMUNITY SPECIFIC (SIDING HARDBOARD) SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SYD BUILTSMART 3.0 B (A)	SFV	HOUSE WRAP	B (A)		
SGT ALTERNATE GRILLE PATTERN E (G) SIB INSULATION CEILING BLOWN R38 B (A) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIR INSULATION WALL UNFINISHED BASEMENT R11 B (C) SQU ROOF ACCENT SHINGLED E (G) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES 30 YEAR S SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE S SUD SIDING HARDBOARD - COMMUNITY SPECIFIC (SIDING HARDBOARD) SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A) SYD BUILTSMART 3.0 B (A)	SFZ	SAFETY PACKAGE MATERIAL	B (A)		
SIB INSULATION CEILING BLOWN R38 B (A) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIR INSULATION WALL UNFINISHED BASEMENT R11 B (C) SQU ROOF ACCENT SHINGLED E (G) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES 30 YEAR S SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE S SUD SIDING HARDBOARD - COMMUNITY SPECIFIC (SIDING HARDBOARD) SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A) SYD BUILTSMART 3.0 B (A)	SGJ	WINDOW COLOR WHITE (EXTERIOR & INTERIOR)	B (C)		
SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIR INSULATION WALL UNFINISHED BASEMENT R11 B (C) SQU ROOF ACCENT SHINGLED E (G) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES 30 YEAR S SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE S SUD SIDING HARDBOARD - COMMUNITY SPECIFIC (SIDING HARDBOARD) SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A) SYD BUILTSMART 3.0 B (A)	SGT	ALTERNATE GRILLE PATTERN	E (G)		
SIL INSULATION SLAB RIGID R-10 B (A) SIR INSULATION WALL UNFINISHED BASEMENT R11 B (C) SQU ROOF ACCENT SHINGLED E (G) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES 30 YEAR S SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE S SUD SIDING HARDBOARD - COMMUNITY SPECIFIC (SIDING HARDBOARD) SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A) SYD BUILTSMART 3.0 B (A)	SIB	INSULATION CEILING BLOWN R38	B (A)		
SIR INSULATION WALL UNFINISHED BASEMENT R11 B (C) SQU ROOF ACCENT SHINGLED E (G) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES 30 YEAR S SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE S SUD SIDING HARDBOARD - COMMUNITY SPECIFIC (SIDING HARDBOARD) SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A) SYD BUILTSMART 3.0 B (A)	SIG	INSULATION WALL R-13	B (A)		
SQU ROOF ACCENT SHINGLED E (G) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES 30 YEAR S SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE S SUD SIDING HARDBOARD - COMMUNITY SPECIFIC (SIDING HARDBOARD) SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A) SYD BUILTSMART 3.0 B (A)	SIL	INSULATION SLAB RIGID R-10	B (A)		
SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES 30 YEAR S SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE S SUD SIDING HARDBOARD - COMMUNITY SPECIFIC (SIDING HARDBOARD) SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A) SYD BUILTSMART 3.0 B (A)	SIR	INSULATION WALL UNFINISHED BASEMENT R11	B (C)		
SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES 30 YEAR S SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE S SUD SIDING HARDBOARD - COMMUNITY SPECIFIC (SIDING HARDBOARD) SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A) SYD BUILTSMART 3.0 B (A)	SQU	ROOF ACCENT SHINGLED	E (G)		
SRP ROOF SHINGLES 30 YEAR S SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE S SUD SIDING HARDBOARD - COMMUNITY SPECIFIC (SIDING HARDBOARD) SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A) SYD BUILTSMART 3.0 B (A)	SRA	7/16" ROOF SHEATHING	B (A)		
SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE S SUD SIDING HARDBOARD - COMMUNITY SPECIFIC (SIDING HARDBOARD) SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A) SYD BUILTSMART 3.0 B (A)	SRI	CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B)	B (A)		
STW EXTERIOR TRIM WHITE S SUD SIDING HARDBOARD - COMMUNITY SPECIFIC (SIDING HARDBOARD) E PEARL GRAY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A) SYD BUILTSMART 3.0 B (A)	SRP	ROOF SHINGLES 30 YEAR	S		
SUD SIDING HARDBOARD - COMMUNITY SPECIFIC (SIDING HARDBOARD) SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A) SYD BUILTSMART 3.0 B (A)	SRW	WIND LOAD 90 MPH (116 MPH ULTIMATE)	B (A)		
SUD (SIDING HARDBOARD) SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A) SYD BUILTSMART 3.0 B (A)	STW	EXTERIOR TRIM WHITE	S		
SXC CORNERSTONE SPECIFICATIONS B (A) SYD BUILTSMART 3.0 B (A)	SUD		E		PEARL GRAY
SYD BUILTSMART 3.0 B (A)	SWF	WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300	B (A)		
	SXC	CORNERSTONE SPECIFICATIONS	B (A)		
999QD00 FRONT DOOR COLOR (FRT DR COLOR) E ROYCROFT COPPER RED	SYD	BUILTSMART 3.0	B (A)		
	999QD00	FRONT DOOR COLOR (FRT DR COLOR)	Е		ROYCROFT COPPER RED
999QD01 GARAGE DOOR COLOR (GARAGE DR COLOR) E WHITE	999QD01	GARAGE DOOR COLOR (GARAGE DR COLOR)	E		WHITE

SELECTED OPTIONS MORNING ROOM				
Option	Description	Category	Quantity	Color/Location (Number)
MAA	MORNING ROOM - INCL PATIO DOOR	E		
WSA	WINDOW(S) MORNING ROOM SIDE	E		



DAYTON (DCY) Product (Set/Version): PALERMO (PAL00-03)

SELECTED	SELECTED OPTIONS KITCHEN					
Option	Description	Category	Quantity	Color/Location (Number)		
9FD	FAUCET FIXTURES KITCHEN STANDARD - CHROME	B (A)				
KFF	KITCHEN GOURMET ISLAND	E				
KFK	KITCHEN SINK STANDARD - DETAIL W/OPT NOTE	B (A)				
NBB	COUNTERTOP BACKSPLASH KITCHEN	B (A)				
NKK	LAMINATE COUNTERTOP KITCHEN - REFER TO OPTION NOTE	B (A)				
SKA	KITCHEN CABINET HARDWARE	E				
SKH	CABINET HARDWARE FINISH SATIN NICKEL	E (G)				

SELECTED OPTIONS APPLIANCES					
Option	Description	Category	Quantity	Color/Location (Number)	
4EZ	NO REFRIGERATOR	B (A)			
4GD	APPLIANCE PKG FREESTANDING 4GD-SS RANGE/DISHWASHER/MICRO	E			
4MA	MICROWAVE	B (A)			
ICA	RANGE ELECTRIC HOOK-UP	B (A)			
ICC	DRYER ELECTRIC HOOK-UP	B (A)			
ICG	MICROWAVE 110V HOOK-UP - AVAIL W/APPL PACKAGE	В (С)			
ZWD	NO WASHER/DRYER PACKAGE	B (A)			
ZXP	NO PEDESTALS FOR FRONT LOAD WASHER/DRYER PACKAGE	В (А)			

SELECTED	OPTIONS HOME OFFICE		
Option	Description	Category Quantity	Color/Location (Number)
MAP	HOME OFFICE - INCL 1 PHONE OUTLET	B (A)	

SELECTED OF	SELECTED OPTIONS OWNERS SUITE				
Option	Description	Category	Quantity	Color/Location (Number)	
ACWAO01	CERAMIC WALL SURROUND OWNER'S BATHROOM (A)	E (G)			
AMA	OWNER'S BATHROOM SHOWER - FIBERGLASS ONLY	E			
AMS	OWNER'S BATHROOM FRAMED SHOWER DOOR	E (G)			
AUB	OWNER'S BATHROOM CERAMIC SURROUND - INCL 6X6 TILE	E			
EES	4'-0" EXTENSION TO OWNER'S BEDROOM	E			
RFX	FLAT CEILING OWNER'S BEDROOM	B (A)			
SVG	VANITY HARDWARE OWNER'S BATHROOM	E			

SELECTED OPTIONS BATHROOMS				
Option	Description	Category	Quantity	Color/Location (Number)
AUC	SECONDARY BATHROOM FIBERGLASS SURROUND	B (A)		
SVV	VANITY HARDWARE	E		
VVD	DOUBLE BOWL VANITY BATHROOM #1	E		

SELECTED OPTIONS BONUS ROOM				
Option	Description	Category	Quantity	Color/Location (Number)
MAV	BONUS ROOM	E		



SELECTED O	SELECTED OPTIONS GENERAL SPECIFICATIONS				
Option	Description	Category	Quantity	Color/Location (Number)	
555XA03	SOUTHWEST OHIO REQUIREMENTS	S			
555XA05	COUNTY REQUIREMENTS	S			
555XA06	BASEMENT INSULATION 4'	S			
555XA38	JURISDICTION REQUIREMENTS #2 - INSULATED GARAGE DR	s			
ZZX	NO BSMT OR FDN INSULATION GRG CMN WALL	S			

SELECTED OPTIONS INTERIOR SPECIFICATIONS				
Option	Description	Category	Quantity	Color/Location (Number)
AFM	BATHROOM MIRRORS (PLANT)	B (A)		
DHJ	INTERIOR DOOR HARDWARE FINISH SATIN NICKEL	B (A)		
DHM	LOCKS (PLANT)	B (A)		
HFA	HOUSE BASE FINISH	B (A)		
QKM	CABINETS (PLANT)	B (A)		
RLS	INTERIOR HANDRAIL	B (A)		
SSH	CARPETED STAIR W/CAPPED WALL	B (A)		
STD	INTERIOR TRIM STD	B (A)		
SZB	NVR SPECIFICATIONS	B (A)		
YCM	VANITY TOPS (PLANT)	B (A)		
ZIY	NO STAIR ADJUSTMENT FOR UPGRADE FLOOR FOYER	B (A)		
ZLG	NO STAIR ADJUSTMENT FOR UPGRADE FLOOR KITCHEN	B (A)		

SELECTED	OPTIONS MECHANICAL SPECIFICATIONS			
Option	Description	Category	Quantity	Color/Location (Number)
8CV	EQUIPMENT PKG VERTICAL COIL ZONE 1	B (A)		
8VW	50 CFM FAN BATH	B (A)		
8XX	LOCAL HVAC BY DESIGN - 92% FURN/13 SEER AC	S		
8ZE	CLIMATE ZONE 5	S		
SHB	GAS HEAT	B (A)		
ZLL	LAUNDRY DOOR PANELED	B (A)		

SELECTED OPTIONS ELECTRICAL SPECIFICATIONS				
Option	Description	Category	Quantity	Color/Location (Number)
IAV	LIGHT PACKAGE TRADITIONAL	B (A)		
IDC	SERVICE 200 AMP	E		
IGF	CEILING FAN ROUGH-IN (EA)	E	2	2 - GR AND OWNER'S BED
IGG	POST LIGHT ELECTRIC	R		
IGI	RECESSED/LED LIGHT (EA) - LED:SALES AS OF 11/1	E	6	6 - BED 1,2,3, 2 OFFICE, MR
IXB	LIGHT FIXTURE NICKEL FINISH	B (A)		



DAYTON (DCY) Product (Set/Version): PALERMO (PAL00-03)

SELECTED OPTIONS PLUMBING SPECIFICATIONS				
Option	Description	Category	Quantity	Color/Location (Number)
777XC24	WATER SOFTENER ROUGH-IN - HOSE BIB RAN SEPERAT	S		
9FA	FAUCET FIXTURES BATHROOMS STANDARD - REFER TO OPTION NOTE	B (A)		
9ТА	ELONGATED TOILET HOUSE	B (A)		
9ТР	WASHER DRAIN PAN IF ON WOOD FRAMED FLOOR	B (A)		
IHC	SUMP PUMP - SEE OPTION NOTE	S		
ІНХ	WATER HEATER ELECTRIC 50 GALLON WITH MIXING VALVE	S		
ZWT	NO TANKLESS WATER HEATER	B (A)		

SELECTED OF	PTIONS EXTERIOR SPECIFICATIONS			
Option	Description	Category	Quantity	Color/Location (Number)
4EA	EXTERIOR TRIM PVC	B (A)		

SELECTED OP	TIONS FLOORING			
Option	Description	Category	Quantity	Color/Location (Number)
ACPCP00	CARPET HOME OFFICE (A)	B (C)		
ACPCP11	CARPET PAD HOME OFFICE (A)	E		
ACPDN00	CARPET DINING ROOM (A)	B (A)		
ACPDN11	CARPET PAD DINING ROOM (A)	E		
ACPLG00	CARPET GREAT ROOM (A)	B (A)		
ACPLG11	CARPET PAD GREAT ROOM (A)	E		
ACPUB00	CARPET ZONE 2 (A)	B (A)		
ACPUB11	CARPET PAD ZONE 2 (A)	E		
ARSAA00	RESILIENT BATHROOM #1 (A)	B (A)		
ARSAO00	RESILIENT OWNER'S BATHROOM (A)	B (A)		
ARSAP00	RESILIENT POWDER ROOM FIRST FLOOR (A)	B (A)		
ARSFY00	RESILIENT FOYER (A)	B (A)		
ARSKK00	RESILIENT KITCHEN (A)	B (A)		
ARSMR00	RESILIENT MORNING ROOM (A)	E (G)		
ARSVA00	RESILIENT LAUNDRY ROOM (A)	B (A)		
ARSVV00	RESILIENT MUD ROOM (A)	B (A)		

TIONS COLOR SELECTIONS			
Description	Category	Quantity	Color/Location (Number)
VANITY OWNER'S BATHROOM	B (A)		
VANITY OWNER'S BATH UPGRADE1 SCOTTSDALE MAPLE ESPRESSO	E		
VANITY CABINETS	B (A)		
VANITY UPGRADE1 SCOTTSDALE MAPLE ESPRESSO	E		
KITCHEN CABINETS	B (A)		
KITCHEN UPGRADE1 SCOTTSDALE MAPLE ESPRESSO	E		
VANITY TOPS HOUSE - SEE OPTION NOTE	B (A)		
VANITY TOP HOUSE STANDARD CULTURED MARBLE WHITE - SEE OPTION NOTE	B (C)		
VANITY TOPS OWNER'S BATHROOM	B (A)		
VANITY TOP OWNER'S BATH STANDARD CULTURED MARBLE WHITE	В (С)		
	VANITY OWNER'S BATHROOM VANITY OWNER'S BATH UPGRADE1 SCOTTSDALE MAPLE ESPRESSO VANITY CABINETS VANITY UPGRADE1 SCOTTSDALE MAPLE ESPRESSO KITCHEN CABINETS KITCHEN UPGRADE1 SCOTTSDALE MAPLE ESPRESSO VANITY TOPS HOUSE - SEE OPTION NOTE VANITY TOP HOUSE STANDARD CULTURED MARBLE WHITE - SEE OPTION NOTE VANITY TOPS OWNER'S BATHROOM VANITY TOP OWNER'S BATH STANDARD CULTURED	Description Category VANITY OWNER'S BATHROOM B (A) VANITY OWNER'S BATH UPGRADE1 SCOTTSDALE MAPLE ESPRESSO E VANITY CABINETS B (A) VANITY UPGRADE1 SCOTTSDALE MAPLE ESPRESSO E KITCHEN CABINETS B (A) KITCHEN UPGRADE1 SCOTTSDALE MAPLE ESPRESSO E VANITY TOPS HOUSE - SEE OPTION NOTE B (A) VANITY TOP HOUSE STANDARD CULTURED MARBLE WHITE - SEE OPTION NOTE B (C) VANITY TOPS OWNER'S BATHROOM B (A) VANITY TOP OWNER'S BATH STANDARD CULTURED B (C)	Description Category Quantity VANITY OWNER'S BATHROOM B (A) VANITY OWNER'S BATH UPGRADE1 SCOTTSDALE MAPLE ESPRESSO E VANITY CABINETS B (A) VANITY UPGRADE1 SCOTTSDALE MAPLE ESPRESSO E KITCHEN CABINETS B (A) KITCHEN UPGRADE1 SCOTTSDALE MAPLE ESPRESSO E VANITY TOPS HOUSE - SEE OPTION NOTE B (A) VANITY TOP HOUSE STANDARD CULTURED MARBLE WHITE - SEE OPTION NOTE B (C) VANITY TOPS OWNER'S BATHROOM B (A) VANITY TOP OWNER'S BATH STANDARD CULTURED B (C)







DAYTON (DCY)

CUSTOM OPTIONS							
Option	Description	Category	Quantity	Color/Location (Number)			
777XG24	STRUCTURAL CHANGES COMPLETE	E					
999 ZZ01	MISC #1 - ESTIMATED DELIVERY D (Estimated delivery date June/July 2018)	Е					





DAYTON (DCY)

CHANGE ORDER #1 Date: 1/22/2018 Status: Ratified Layout: PER PLAN Driveway: RIGH							eway: RIGHT
Change	Option	Description	Added Description	Color/Location	Quantity	Category	Create Person
ADD	777XG24	STRUCTURAL CHANGES COMPLETE				E	mnorth
UPDATE	999QB01	BRICK COLOR		SMOKEY MOUNTAIN QUEEN		E	mnorth
UPDATE	999QB03	STONE COLOR		SLATE TERRA CUT STONE		E	mnorth
UPDATE	999QD00	FRT DR COLOR		ROYCROFT COPPER RED		E	mnorth
UPDATE	999QD01	GARAGE DR COLOR		WHITE		E	mnorth
UPDATE	999QG00	GUTTER/SPOUT COLOR		WHITE		E	mnorth
UPDATE	999QI01	SHAKE SIDING COLOR		AGED PEWTER		E	mnorth
UPDATE	999QS00	SHUTTERS COLOR		RED		E	mnorth
ADD	IGF	CEILING FAN ROUGH-IN (EA)		2 - GR AND OWNER'S BED		E	mnorth
ADD	IGI	RECESSED/LED LIGHT (EA)		6 - BED 1,2,3, 2 OFFICE, MR		E	mnorth
UPDATE	SUD	SIDING HARDBOARD		PEARL GRAY		E	mnorth
ADD	WSA	WINDOW(S) MORNING ROOM SIDE				E	mnorth
DELETE	ZPK	NO WINDOW(S) MORNING ROOM SIDE				E (G)	mnorth

CHANGE ORDER #2 Date: 4/18/2018 Status: Ratified			Layout: PER PLAN Driveway: RIGHT				
Change	Option	Description	Added Description	Color/Location	Quantity	Category	Create Person
ADD	EEB	2'-0" EXTENSION TO GARAGE				E	krose
ADD	MAV	BONUS ROOM				E	krose
DELETE	zcw	NO EXTENSION TO GARAGE				B (A)	krose
DELETE	ZSU	NO BONUS ROOM				B (A)	krose