SELECTION ACKNOWLEDGEMENT | DCY-VG-L564

Page 1 of 7



DAYTON (DCY)

Address: 884 PLEASANT VALLEY DRIVE

City, State, Zip: SPRINGBORO, OH, 45066

Business: 937-746-0073

Product (Set/Version): ALLEGHENY (ALGO0-01)

Spec/Model: **NO**

Start Date: 8/28/2019

Projected Settlement Date: 11/30/2019

LOT INFORM	ATION					Layout	PER PLAN	Driveway Location	RIGHT
Commu	ınity	Code	Lot	Permit	Number	Legal Lot/Bl	ock/Section	Addre	ess
VLGS OF WIND WARR		VG	L564	2019	-1802	000005	54/0007	9486 WHISPERIN CENTERVILLE, C	
SALE INFORM	/IATION				S	ale Status	Ratified	Contract Date	6/15/2019
Purchaser Na	ame Co	Purchaser	Name	CDS#	Continge	nt Sales	Manager	Sales Rep	Project Manag
Ryan Hughs	son			DA3599	N	Kellie	e Hedrick	Linda/Melissa Miller/North	Kyle Wright
SALE COMMI	ENTS								
Comments									
SELECTED OP	PTIONS B	ASEMEN	T FOUN	DATION					
	PTIONS B		T FOUN	DATION		Category	Quantity	Color/Location	ı (Number)
Option	Descriptio			DATION		Category B (A)	Quantity	Color/Location	n (Number)
Option FBA	Descriptio BASEMEN	n T FOUNDA	TION	DATION			Quantity	Color/Location	n (Number)
Option FBA SELECTED OP	Descriptio BASEMEN PTIONS E	n T FOUNDA	TION	DATION		B (A)			
SELECTED OP Option FBA SELECTED OP Option	Description BASEMEN PTIONS E Description	n T FOUNDA <i>LEVATIO</i>	TION N K			B (A) Category		Color/Location Color/Location	
Option FBA SELECTED OP Option	Description BASEMEN PTIONS E Description	n T FOUNDA	TION N K			B (A)			
Option FBA SELECTED OP Option ELK	Description BASEMEN PTIONS E Description ELEVATION	n T FOUNDA LEVATIO In N K - PART	N K	E FACADE		B (A) Category			
Option FBA SELECTED OP Option ELK SELECTED OP	Description BASEMEN PTIONS E Description ELEVATION	T FOUNDA LEVATIO on N K - PART	N K	E FACADE		B (A) Category			ı (Number)
Option FBA SELECTED OP Option ELK SELECTED OP	Description BASEMEN PTIONS E Description ELEVATIONS D	T FOUNDA LEVATION ON N K - PART DESIGNER	N K	E FACADE		B (A) Category E	Quantity	Color/Location	ı (Number)
Option FBA SELECTED OP	Description BASEMEN PTIONS E Description ELEVATION PTIONS D Description MANHATT	T FOUNDA LEVATION ON K - PART DESIGNER ON	N K IAL STONI	E FACADE	OM	B (A) Category E Category	Quantity	Color/Location	ı (Number)
Option FBA SELECTED OP Option ELK SELECTED OP Option DIRS014	Description BASEMEN PTIONS E Description ELEVATION PTIONS D Description MANHATT	T FOUNDA LEVATION ON K - PART DESIGNER ON	N K IAL STONI	E FACADE	DM	B (A) Category E Category E	Quantity	Color/Location	ı (Number)

SELECTED OPTIONS ELEVATIONS					
Option	Description	Category	Quantity	Color/Location (Number)	
777XA08	BRICK VENEER SIDE(S) FIRST FLOOR	S		SMOKEY MOUNTAIN	
777XA10	BRICK VENEER REAR FIRST FLOOR	S		SMOKEY MOUNTAIN	
EWF	CULTURED STONE VENEER FRONT	E		WHISPERWOOD DRYSTACK	
RF1	ROOF FELT (LOCAL)	S			
999QA00	EXTERIOR SCHEME COLOR (EXT SCHEME COLOR)	E		COOL WILLOW 08	
999QI01	SHAKE SIDING COLOR (SHAKE SIDING COLOR)	E		AGED PEWTER	

SELECTED (SELECTED OPTIONS FOUNDATIONS					
Option	Description	Category	Quantity	Color/Location (Number)		
555XA11	EXCAVATION CUT 6'	S				
FDS	FOUNDATION FOOTING 6"	B (A)				
FLH	FOUNDATION FROST LINE 48"	S				
FWE	FOUNDATION GARAGE EXTERIOR WALL MIN PER FROST DEPTH	B (C)				



Product (Set/Version): ALLEGHENY (ALG00-01)

SELECTED OPTIONS BASEMENT				
Option	Description	Category	Quantity	Color/Location (Number)
AEB	BASEMENT BATHROOM SHOWER	E		
MAC	FINISHED BASEMENT	E		
WMC	WINDOW EGRESS BASEMENT	E		
ZGX	NO WINDOW(S) BASEMENT REAR	В (С)		
ZMT	NO WALKOUT EXITS AT REAR	B (C)		

TYTYXA21 ADDRESS STONE DHD FRONT DOOR STANDARD LOCK GGB 2 CAR GARAGE - FRONT ENTRY B (A) GGP WIFI ENABLED GARAGE DOOR OPENER W/REMOTE CONTROLS GGU GARAGE DOOR UPGRADE1 B (A) SDF FRONT DOOR FIBERGLASS B (A) SDS FIREDOOR 20 MIN B (A) SEEL 16" O.C. STUD SPACING EXTERIOR GABLE WALLS SEN TRUSS SHEATHING 1/8" GREEN LFS SHEATHING LAP @ OUTSIDE CORNERS B (A) SFI WALLS SFI WALL SHEATHING 1/8" LFS B (A) SFI WALLS SFI WALLS FARIENDE WITH (EXTERIOR & INTERIOR) SFI WALLS SFI WALLS HEATHING 1/8" LFS B (A) SFI WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SGT ALTERNATE GRILLE PATTERN E (G) SIM INSULATION WALL F.13 B (A) SIM INSULATION WALL F.13 B (A) SIM INSULATION CEILING BLOWN R49 E SIV INSULATION WALL FINISHED BASEMENT R13 E (G) SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRA 7/16" ROOF SHEATHING B (A) SRP ROOF SHINGLES 30 YEAR SRP ROOF SHINGLES 30 YEAR SRP WIND LOAD 90 MPH (116 MPH ULTIMATE) SFW WIND LOAD 90 MPH (116 MPH ULTIMATE) STW EXTERIOR THIN WHITE E E SUD SIDING HARDBOARD SXC CORNERSTONE SPECIFICATIONS B (A)	ZMT	NO WALKOUT EXITS AT REAR	B (C)		
TYTYXA21 ADDRESS STONE DHD FRONT DOOR STANDARD LOCK GGB 2 CAR GARAGE - FRONT ENTRY GGP WIFI ENABLED GARAGE DOOR OPENER W/REMOTE CONTROLS GGU GARAGE DOOR UPGRADE1 B (A) SDF FRONT DOOR FIBERGIASS B (A) SDS FIREDOOR 20 MIN B (A) SEA STANCHIONS PER ENGINEERING SEI 16" O.C. STUD SPACING EXTERIOR GABLE WALLS SEN TRUSS SHEATHING 1/8" GREEN LFS B (A) SFB SHEATHING LAP @ OUTSIDE CORNERS B (A) SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFL WALL SHEATHING 1/8" LFS B (A) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) SIG INSULATION WALL FINISHED BASEMENT R13 B (A) SIM INSULATION WALL FINISHED BASEMENT R13 E (G) SQU ROOF ACCENT SHINGLED SRA 7/16" ROOF SHEATHING SRP ROOF SHINGLES 30 YEAR SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) SIM EXTERIOR TERM WHITE E E SUD SIDING HARDBOARD S NIGHT GRAY WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A) SXC CORNERSTONE SPECIFICATIONS	SELECTED C	PTIONS HOUSE			
DHD FRONT DOOR STANDARD LOCK B (A) GCB 2 CAR GARAGE - FRONT ENTRY B (A) GGP WIFE INABLED GARAGE DOOR OPENER W/REMOTE CONTROLS GGU GARAGE DOOR UPGRADE1 B (A) SDF FRONT DOOR FIBERGLASS B (A) SDS FIREDOOR 20 MIN B (A) SEA STANCHIONS PER ENGINEERING B (A) SEI 16" O.C. STUD SPACING EXTERIOR GABLE WALLS SEIN TRUSS SHEATHING 1/8" GREEN LFS B (A) SFB SHEATHING 1/8" GREEN LFS B (A) SFFB SHEATHING 1/8" LFS B (A) SFFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFJ WALL SHEATHING 1/8" LFS B (A) SFS SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) SIG INSULATION WALL R-13 B (A) SIL INSULATION WALL R-13 B (A) SIL INSULATION WALL R-13 B (A) SIL INSULATION WALL FINISHED BASEMENT R13 E (G) SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING SRB ROOF SHINGLED SPECIFICATIONS - EXPOSURE (B) SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	Option	Description	Category	Quantity	Color/Location (Number)
GCB 2 CAR GARAGE - FRONT ENTRY B (A) GGP CONTROLS GGP CONTROLS GGU GARAGE DOOR UPGRADE1 B (A) SDF FRONT DOOR PIBERGLASS B (A) SDS FIREDOOR 20 MIN B (A) SEA STANCHIONS PER ENGINEERING B (A) SEI 16" O.C. STUD SPACING EXTERIOR GABLE WALLS SEIN TRUSS SHEATHING 1/8" GREEN LFS B (A) SFB SHEATHING 1/8" GREEN LFS B (A) SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING B (A) SFJ 25 SAFETY PACKAGE MATERIAL B (A) SFJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION SLAB RIGID R-10 B (A) SIM INSULATION WALL FINISHED BASEMENT R13 E (G) SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRB CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) SRB ROOF SHINGLES 30 YEAR SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E E SUD SIDING HARDBOARD S NIGHT GRAY WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	777XA21	ADDRESS STONE	S		
GGP CONTROLS GGU GARAGE DOOR UPGRADE1 B (A) GGU GARAGE DOOR UPGRADE1 B (A) SDF FRONT DOOR FIBERGLASS B (A) SDS FIREDOOR 20 MIN B (A) SEA STANCHIONS PER ENGINEERING B (A) SEI 16" O.C. STUD SPACING EXTERIOR GABLE WALLS SEN TRUSS SHEATHING 1/8" GREEN LFS B (A) SFB SHEATHING 1/8" GREEN LFS B (A) SFB SHEATHING 1/8" GREEN LFS B (A) SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFJ WALL SHEATHING 1/8" LFS B (A) SFJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SGT ALTERNATE GRILLE PATTERN E (G) SIG INSULATION WALL R-13 B (A) SIL INSULATION WALL R-13 B (A) SIL INSULATION UPALL R-13 B (A) SIL INSULATION WALL FINISHED BASEMENT R13 E (G) SQU ROOF ACCENT SHINGLED BASEMENT R13 E (G) SQU ROOF ACCENT SHINGLED BASEMENT R13 E (G) SRA 7/16" ROOF SHEATHING SRB CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SFR CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	DHD	FRONT DOOR STANDARD LOCK	B (A)		
GGP CONTROLS GGU GARAGE DOOR UPGRADE1 B (A) SDF FRONT DOOR FIBERGLASS B (A) SDS FIREDOOR 20 MIN B (A) SEA STANCHIONS PER ENGINEERING B (A) SEI 16" O.C. STUD SPACING EXTERIOR GABLE WALLS SEN TRUSS SHEATHING 1/8" GREEN LFS B (A) SFB SHEATHING 1AP @ OUTSIDE CORNERS B (A) SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFJ WALL SHEATHING 1/8" LFS B (A) SFJ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION SLAB RIGID R-10 B (A) SIM INSULATION WALL FINISHED BASEMENT R13 E (G) SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING SRA 7/16" ROOF SHEATHING B (A) SRP ROOF SHINGLES 30 YEAR S SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	GCB	2 CAR GARAGE - FRONT ENTRY	B (A)		
SDF FRONT DOOR FIBERGLASS B (A) SDS FIREDOOR 20 MIN B (A) SEA STANCHIONS PER ENGINEERING B (A) SEI 16" O.C. STUD SPACING EXTERIOR GABLE WALLS B (A) SEI 16" O.C. STUD SPACING EXTERIOR GABLE WALLS B (A) SEN TRUSS SHEATHING 1/8" GREEN LFS B (A) SFB SHEATHING LAP @ OUTSIDE CORNERS B (A) SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFJ WALL SHEATHING 1/8" LFS B (A) SFE WALL SHEATHING 1/8" LFS B (A) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SGGT ALTERNATE GRILLE PATTERN E (G) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION CEILING BLOWN R49 E SIV INSULATION WALL FINISHED BASEMENT R13 E (G) SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) SRP ROOF SHINGLES 30 YEAR S SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	GGP	-	В (А)		
SDS FIREDOOR 20 MIN B (A) SEA STANCHIONS PER ENGINEERING B (A) SEI 16" O.C. STUD SPACING EXTERIOR GABLE WALLS B (A) SEN TRUSS SHEATHING 1/8" GREEN LFS B (A) SFB SHEATHING LAP @ OUTSIDE CORNERS B (A) SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFJ WALL SHEATHING 1/8" LFS B (A) SFFL WALL SHEATHING 1/8" LFS B (A) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SGT ALTERNATE GRILLE PATRETRY E (G) SIG INSULATION WALL R-13 B (A) SIL INSULATION WALL R-13 B (A) SIL INSULATION WALL FINISHED BASEMENT R13 E (G) SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	GGU	GARAGE DOOR UPGRADE1	B (A)		
SEA STANCHIONS PER ENGINEERING B (A) SEI 16" O.C. STUD SPACING EXTERIOR GABLE WALLS B (A) SEN TRUSS SHEATHING 1/8" GREEN LFS B (A) SEB SHEATHING LAP @ OUTSIDE CORNERS B (A) SFB SHEATHING LAP @ OUTSIDE CORNERS B (A) SFJ WALLS SFJ WALL SHEATHING 1/8" LFS B (A) SFL WALL SHEATHING 1/8" LFS B (A) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SGT ALTERNATE GRILLE PATTERN E (G) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION CEILING BLOWN R49 E SIV INSULATION WALL FINISHED BASEMENT R13 E (G) SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRA 7/16" ROOF SHEATHING B (A) SRB CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SDF	FRONT DOOR FIBERGLASS	B (A)		
SEI 16" O.C. STUD SPACING EXTERIOR GABLE WALLS SEN TRUSS SHEATHING 1/8" GREEN LFS SFB SHEATHING LAP @ OUTSIDE CORNERS SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFL WALL SHEATHING 1/8" LFS SFL WALL SHEATHING 1/8" LFS SFZ SAFETY PACKAGE MATERIAL B (A) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) SGG INSULATION WALL R-13 B (A) SIL INSULATION WALL R-13 B (A) SIL INSULATION CEILING BLOWN R49 E SIV INSULATION WALL FINISHED BASEMENT R13 E (G) SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) SRP ROOF SHINGLES 30 YEAR SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) SID SIDING HARDBOARD SXC CORNERSTONE SPECIFICATIONS SXC CORNERSTONE SPECIFICATIONS S (A) SXC CORNERSTONE SPECIFICATIONS S (A) SXC CORNERSTONE SPECIFICATIONS S (A) SAC CORNERSTONE SPECIFICATIONS S (A) SXC CORNERSTONE SPECIFICATIONS S (A) SXC CORNERSTONE SPECIFICATIONS S (A) SXC CORNERSTONE SPECIFICATIONS S (B) SAC SHINGLES 30 VINYL SINGLE HUNG BRICKMOULD 2300 S (A) SXC CORNERSTONE SPECIFICATIONS S (B) SAC CORNERSTONE SPECIFICATIONS S (B) SAC STAC SHEATHING S (A) SAC STAC SAC SAC SAC SAC SAC SAC SAC SAC SAC S	SDS	FIREDOOR 20 MIN	B (A)		
TRUSS SHEATHING 1/8" GREEN LFS SFB SHEATHING LAP @ OUTSIDE CORNERS SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFL WALL SHEATHING 1/8" LFS B (A) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SGT ALTERNATE GRILLE PATTERN E (G) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION WALL FINISHED BASEMENT R13 E (G) SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING SRP ROOF SHEATHING SRP ROOF SHOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SEA	STANCHIONS PER ENGINEERING	B (A)		
SFB SHEATHING LAP @ OUTSIDE CORNERS B (A) 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFL WALL SHEATHING 1/8" LFS B (A) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SGT ALTERNATE GRILLE PATTERN E (G) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION CEILING BLOWN R49 E SIV INSULATION WALL FINISHED BASEMENT R13 E (G) SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRP ROOF SHINGLES 30 YEAR S SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SEI	16" O.C. STUD SPACING EXTERIOR GABLE WALLS	B (A)		
SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFL WALL SHEATHING 1/8" LFS B (A) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SGT ALTERNATE GRILLE PATTERN E (G) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION CEILING BLOWN R49 E SIV INSULATION WALL FINISHED BASEMENT R13 E (G) SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES 30 YEAR S SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SEN	TRUSS SHEATHING 1/8" GREEN LFS	B (A)		
SFI WALLS WALLS SFL WALL SHEATHING 1/8" LFS B (A) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SGT ALTERNATE GRILLE PATTERN E (G) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION CEILING BLOWN R49 E SIV INSULATION WALL FINISHED BASEMENT R13 E (G) SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES 30 YEAR S SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SFB	SHEATHING LAP @ OUTSIDE CORNERS	B (A)		
SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SGT ALTERNATE GRILLE PATTERN E (G) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION CEILING BLOWN R49 E SIV INSULATION WALL FINISHED BASEMENT R13 E (G) SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES 30 YEAR S SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SFJ		В (А)		
SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) SGT ALTERNATE GRILLE PATTERN E (G) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION CEILING BLOWN R49 E SIV INSULATION WALL FINISHED BASEMENT R13 E (G) SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES 30 YEAR S SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SFL	WALL SHEATHING 1/8" LFS	B (A)		
ALTERNATE GRILLE PATTERN E (G) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION CEILING BLOWN R49 E SIV INSULATION WALL FINISHED BASEMENT R13 E (G) SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) SRP ROOF SHINGLES 30 YEAR SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SFZ	SAFETY PACKAGE MATERIAL	B (A)		
SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION CEILING BLOWN R49 E SIV INSULATION WALL FINISHED BASEMENT R13 E (G) SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES 30 YEAR S SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SGJ	WINDOW COLOR WHITE (EXTERIOR & INTERIOR)	B (C)		
SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION CEILING BLOWN R49 E SIV INSULATION WALL FINISHED BASEMENT R13 E (G) SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES 30 YEAR S SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SGT	ALTERNATE GRILLE PATTERN	E (G)		
SIM INSULATION CEILING BLOWN R49 E SIV INSULATION WALL FINISHED BASEMENT R13 E (G) SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES 30 YEAR S SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SIG	INSULATION WALL R-13	B (A)		
SIV INSULATION WALL FINISHED BASEMENT R13 E (G) SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES 30 YEAR S SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SIL	INSULATION SLAB RIGID R-10	B (A)		
SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES 30 YEAR S SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SIM	INSULATION CEILING BLOWN R49	E		
SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES 30 YEAR S SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SIV	INSULATION WALL FINISHED BASEMENT R13	E (G)		
SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES 30 YEAR S SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SQU	ROOF ACCENT SHINGLED	B (A)		
SRP ROOF SHINGLES 30 YEAR S SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SRA	7/16" ROOF SHEATHING	B (A)		
SRW WIND LOAD 90 MPH (116 MPH ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SRI	CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B)	B (A)		
STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SRP	ROOF SHINGLES 30 YEAR	S		
SUD SIDING HARDBOARD S NIGHT GRAY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SRW	WIND LOAD 90 MPH (116 MPH ULTIMATE)	B (A)		
SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	STW	EXTERIOR TRIM WHITE	E		
SXC CORNERSTONE SPECIFICATIONS B (A)	SUD	SIDING HARDBOARD	S		NIGHT GRAY
	SWF	WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300	B (A)		
SYD BUILTSMART 3.0 B (A)	SXC	CORNERSTONE SPECIFICATIONS	B (A)		
	SYD	BUILTSMART 3.0	B (A)		
999QD00 FRONT DOOR COLOR (FRT DR COLOR) E NAVAL (SW - 6244)	999QD00	FRONT DOOR COLOR (FRT DR COLOR)	Е		NAVAL (SW - 6244)



DAYTON (DC	Υ)		Produ	ct (Set/Version): ALLEGHENY (ALGOO-01)
SELECTED O	PTIONS <i>KITCHEN</i>			
Option	Description	Category	Quantity	Color/Location (Number)
9FD	FAUCET FIXTURES KITCHEN STANDARD	B (A)		
KAA	KITCHEN APPLIANCE LAYOUT W/RANGE	B (A)		
KFI	KITCHEN VENTILATION RECIRCULATING	B (A)		
KFL	KITCHEN SINK UPGRADE1 - SINGLE BOWL SINK	S		
NBB	COUNTERTOP BACKSPLASH KITCHEN	B (A)		
NNK	GRANITE COUNTERTOP KITCHEN UPGRADE2	E		GRANITE DALLAS WHITE
SKA	KITCHEN CABINET HARDWARE	E		
SKH	CABINET HARDWARE FINISH SATIN NICKEL	E (G)		
SELECTED O	PTIONS APPLIANCES			
Option	Description	Category	Quantity	Color/Location (Number)
4EZ	NO REFRIGERATOR	B (A)		
4GQ	APPLIANCE PKG FREESTANDING 4GQ-SS RANGE/DISHWASHER/MICRO	E		STAINLESS STEEL
4MA	MICROWAVE	B (A)		
ICB	RANGE GAS HOOK-UP	E		
ICC	DRYER ELECTRIC HOOK-UP	B (A)		
ICG	MICROWAVE 110V HOOK-UP	B (C)		
ZWD	NO WASHER/DRYER PACKAGE	B (A)		
SELECTED O	PTIONS OWNERS SUITE			
Option	Description	Category	Quantity	Color/Location (Number)
AMG	OWNER'S BATHROOM ROMAN SHOWER	E		
AMS	OWNER'S BATHROOM FRAMED SHOWER DOOR	B (A)		
AUB	OWNER'S BATHROOM CERAMIC SURROUND	E		
SVG	VANITY HARDWARE OWNER'S BATHROOM	E		
SELECTED O	PTIONS BEDROOMS			
Option	Description	Category	Quantity	Color/Location (Number)
BDB	FOUR BEDROOM	B (A)		
SELECTED O	PTIONS BATHROOMS			
Option	Description	Category	Quantity	Color/Location (Number)
AUC	SECONDARY BATHROOM FIBERGLASS SURROUND	B (A)		
SVV	VANITY HARDWARE	E		
SELECTED O	PTIONS GENERAL SPECIFICATIONS			
Option	Description	Category	Quantity	Color/Location (Number)
555XA03	SOUTHWEST OHIO REQUIREMENTS	S		
555XA05	COUNTY REQUIREMENTS	S		
555XA06	BASEMENT INSULATION 4'	S		
555XA38	JURISDICTION REQUIREMENTS #2	S		
ZZX	NO BSMT OR FDN INSULATION GRG CMN WALL - NOT APPL ON RANCHES	S		



DAYTON (DCY)

Product (Set/Version): ALLEGHENY (ALGO0-01)

SELECTED OPTIONS INTERIOR SPECIFICATIONS					
Option	Description	Category	Quantity	Color/Location (Number)	
6PS	PAINT SHOE MOULDING	S			
AFM	BATHROOM MIRRORS (PLANT)	B (A)			
DHJ	INTERIOR DOOR HARDWARE FINISH SATIN NICKEL	B (A)			
DHM	LOCKS (PLANT)	B (A)			
HFA	HOUSE BASE FINISH	B (A)			
QКM	CABINETS (PLANT)	B (A)			
RLS	INTERIOR HANDRAIL	B (A)		SATIN NVR SILVER SHADE	
SSG	CARPETED STAIR, BASEPLATE/WHITE BALUSTERS	E			
STD	INTERIOR TRIM STD	B (A)			
SZB	NVR SPECIFICATIONS	B (A)			
YCM	VANITY TOPS (PLANT)	B (A)			

SELECTED OPTIONS MECHANICAL SPECIFICATIONS					
Option	Description	Category	Quantity	Color/Location (Number)	
8CV	EQUIPMENT PKG VERTICAL COIL ZONE 1	B (A)			
8TA	WIFI ENABLED SMART THERMOSTAT	B (A)			
8VW	50 CFM FAN BATH	B (A)			
8XX	LOCAL HVAC BY DESIGN	S			
8ZE	CLIMATE ZONE 5	S			
SHB	GAS HEAT	B (A)			
ZLL	LAUNDRY DOOR PANELED	B (A)			

SELECTED (SELECTED OPTIONS ELECTRICAL AND HOME TECHNOLOGY SPECIFICATIONS				
Option	Description	Category	Quantity	Color/Location (Number)	
СРА	CABLE & INTERNET DUAL PORT (3)	B (A)			
СРС	HOME TECHNOLOGY ENCLOSURE	E			
СРЕ	PHONE JACK (1)	B (A)			
IAV	LIGHT PACKAGE TRADITIONAL	B (A)			
IDB	SERVICE 150 AMP	B (A)			
IDH	ARC FAULT CIRCUITS ADDITIONAL	S			
IGF	CEILING FAN ROUGH-IN (EA)	E	5	5 - GR, BED 1,2,3,4	
IGG	POST LIGHT ELECTRIC	S			
IXB	LIGHT FIXTURE NICKEL FINISH	B (A)			

SELECTED OPTIONS PLUMBING SPECIFICATIONS					
Option	Description	Category	Quantity	Color/Location (Number)	
777XC24	WATER SOFTENER ROUGH-IN - HOSE BIB RAN SEPERAT	S			
9FA	FAUCET FIXTURES BATHROOMS STANDARD	B (A)			
9TA	ELONGATED TOILET HOUSE	B (A)			
9TZ	NO WASHER DRAIN PAN	S			
IHC	SUMP PUMP	S			
IHN	WATER HEATER GAS POWERVENT 50 GALLON	E			

SELECTED OPTIONS EXTERIOR SPECIFICATIONS				
Option	Description	Category	Quantity	Color/Location (Number)
SFR	EXTERIOR SAFETY RAIL	S		
STB	EXTERIOR TRIM HARDIE	S		
TES	EXTERIOR SHUTTERS	B (C)		DARK NAVY





Product (Set/Version): ALLEGHENY (ALGO0-01)

SELECTED OF	TIONS FLOORING			
Option	Description	Category	Quantity	Color/Location (Number)
ACFAA02	CERAMIC BATHROOM #1 (B)	E		CANNES MASSO 12X12 (CA23)
ACFAF02	CERAMIC BASEMENT BATHROOM (B)	E		CANNES MASSO 12X12 (CA23)
ACFAO03	CERAMIC OWNER'S BATHROOM (C)	E		PARKWAY GRAY 12X12 (PK98)
ACFVA01	CERAMIC LAUNDRY ROOM (A)	E		CANNES MASSO 12X12 (CA23)
ACPUB00	CARPET ZONE 2 (A)	B (A)		FAST BALL II BARE MINERAL (NV22600105)
ACPUB11	CARPET PAD ZONE 2 (A)	E		
ACPUY00	CARPET BASEMENT ZONE (A)	E (G)		FAST BALL II BARE MINERAL (NV22600105)
ACPUY11	CARPET PAD BASEMENT ZONE (A)	E		
ACWAO03	CERAMIC WALL SURROUND OWNER'S BATHROOM (C)	E		PARKWAY GRAY 9X12 (PK98 WCS96)
ALVAP01	LVP POWDER ROOM FIRST FLOOR (A)	E		RCE UNIONTOWNOAK NEUTRAL SKY (A6305)
ALVFA01	LVP FAMILY ROOM (A)	E		RCE UNIONTOWNOAK NEUTRAL SKY (A6305)
ALVFE01	LVP FAMILY ENTRY (A)	E		RCE UNIONTOWNOAK NEUTRAL SKY (A6305)
ALVFY01	LVP FOYER (A)	E		RCE UNIONTOWNOAK NEUTRAL SKY (A6305)
ALVKK01	LVP KITCHEN (A)	E		RCE UNIONTOWNOAK NEUTRAL SKY (A6305)

SELECTED OPTIONS COLOR SELECTIONS							
Option	Description	Category	Quantity	Color/Location (Number)			
CAM	VANITY OWNER'S BATHROOM	B (A)					
CAM2XBZ	VANITY OWNER'S BATH UPGRADE1 SCOTTSDALE MAPLE ESPRESSO	E					
CAZ	VANITY CABINETS	B (A)					
CAZ2XBZ	VANITY UPGRADE1 SCOTTSDALE MAPLE ESPRESSO	E					
СКС	KITCHEN CABINETS	B (A)					
CKC2XBZ	KITCHEN UPGRADE1 SCOTTSDALE MAPLE ESPRESSO	E					
NVC	VANITY TOPS HOUSE	B (A)					
NVC2XAA	VANITY TOP HOUSE STANDARD CULTURED MARBLE WHITE	B (C)					
NVN	VANITY TOPS OWNER'S BATHROOM	B (A)					
NVN2XAY	VANITY TOP OWNER'S BATH UPGRADE1 VANILLA SKY	E					



Page 6 of 7



DAYTON (DCY)

Product (Set/Version): ALLEGHENY (ALG00-01)

CUSTOM OPTIONS							
Option	Description	Category	Quantity	Color/Location (Number)			
777XG04	CUSTOMER CHANGE ORDERS COMPLETE	E					
777XG24	STRUCTURAL CHANGES COMPLETE	E					
999ZZ01	MISC #1 - HOME COMPLETION TO B (Home Completion to be November/December 2019)	E					
999ZZ02	MISC #2 - EXTERIOR ELEVATION - (Exterior Elevation - Per Township requirements, additional stone included)	E					



DAYTON (DCY)

BLOWN R49

Product (Set/Version): ALLEGHENY (ALGO0-01)

DATION (DCT)									
CHANGE ORDER #1 Date: 6/24/2019 Status:			Ratified	Layout: PER PLAN Driveway: RIGH					
Change	Option	Description	Added Description	Color/Location	Quantity	Category	Create Person		
UPDATE	777XA08	BRICK VENEER SIDE(S) FIRST FLOOR		SMOKEY MOUNTAIN		S	mnorth		
UPDATE	777XA10	BRICK VENEER REAR FIRST FLOOR		SMOKEY MOUNTAIN		S	mnorth		
ADD	777XG04	CUSTOMER CHANGE ORDERS COMPLETE				E	mnorth		
ADD	777XG24	STRUCTURAL CHANGES COMPLETE				E	mnorth		
UPDATE	999QA00	EXT SCHEME COLOR		COOL WILLOW 08		E	mnorth		
UPDATE	999QD00	FRT DR COLOR		NAVAL		E	mnorth		
UPDATE	999QI01	SHAKE SIDING COLOR		AGED PEWTER		Е	mnorth		
UPDATE	EWF	CULT STONE FRONT		WHISPERWOOD DRYSTACK		E	mnorth		
UPDATE	IGF	CEILING FAN ROUGH-IN (EA)		5 - GR, BED 1,2,3,4		E	mnorth		
DELETE	IHL	WATER HEATER ELECTRIC 50 GALLON				B (A)	mnorth		
ADD	IHN	WATER HEATER GAS POWERVENT 50 GALLON				E	mnorth		
UPDATE	SUD	SIDING HARDBOARD		NIGHT GRAY		S	mnorth		
UPDATE	TES	EXT SHUTTERS		DARK NAVY		B (C)	mnorth		
CHANGE ORDER #2 Date: 6/24/2019 Status: Ratified Layout: PER PLAN Driveway: RIGHT									
Change	Option	Description	Added Description	Color/Location	Quantity	Category	Create Person		
ADD	СРС	HOME TECHNOLOGY ENCLOSURE				Е	DBayer		
CHANGE ORDER #4 Date: 8/20/2019 Status: Ratified Layout: PER PLAN Driveway: RIGHT									
Change	Option	Description	Added Description	Color/Location	Quantity	Category	Create Persor		
DELETE	SIB	INSULATION CEILING BLOWN R38				В (А)	cholstei		
ADD	SIM	INSULATION CEILING				Е	cholstei		