SELECTION ACKNOWLEDGEMENT | DCY-VG-L689

Page 1 of 7



DAYTON (DCY)

Address: 884 PLEASANT VALLEY DRIVE

City, State, Zip: SPRINGBORO, OH, 45066

Business: 937-746-0073

Fax: 937-746-0887

Product (Set/Version): COLUMBIA (CLM00-01)

Spec/Model: NO

Start Date: **2/3/2021**

Projected Settlement Date: **5/17/2021**

Lumber Scheduled Date (ROUGH/TRIM): **2/4/2021 | 2/24/2021**

LOT INFORMATION				Layout RE\	VERSE	Driveway Location	LEFT
Community	Code	Lot	Permit Number	Legal Lot/Block	/Section	Address	
VLGS OF WINDING CREEK WARR CO	VG	L689	2020-3295	00000689/0	8&9	2250 COLD STRE CENTERVILLE, OH	

SALE INFORMATION	N		Sale	Status	Ratified	Contract Date	10/6/2020
Purchaser Name	CoPurchaser Name	CDS #	Contingent	Sales	Manager	Sales Rep	Project Manager
Wendell Hutchinson	Patty Hutchinson	DA5950	N	Kelli	e Hedrick	Melissa North	Gary Leonard

SALE COMMENTS

Comments

SELECTED OPTIONS BASEMENT FOUNDATION					
Option	Description	Category	Quantity	Color/Location (Number)	
FBA	BASEMENT FOUNDATION	B (A)			

SELECTED OPTIONS ELEVATION L					
Option	Description	Category	Quantity	Color/Location (Number)	
ELL	ELEVATION L - PARTIAL BRICK FACADE	Е			

SELECTED O	PTIONS DESIGNER INTERIORS			
Option	Description	Category	Quantity	Color/Location (Number)
DIRC002	TAHOE PAINTED LINEN	E		
DIRN004	HARPER	S		
HH5	HARD SURFACE UPGRADE 1 - FLEX OR STUDY	E		
нн6	HARD SURFACE UPGRADE 2 - FAMILY ROOM	E		
LVP	LVP	E		
ZH1	NO WHOLE HOUSE CARPET UPGRADE	E (G)		
zwc	NO SECONDARY BATH UPGRADE	E (G)		
ZXV	NO LISTELLO WALL TILE OWNER'S BATHROOM	E		

SELECTED OPTIONS ELEVATIONS					
Option	Description	Category	Quantity	Color/Location (Number)	
C30	CUSTOM ELEVATION #2 - BRICK SDS/REAR 1STFL	S			
EVG	SIDING VENEER SIDE(S)	B (A)			
EVL	SIDING VENEER REAR	B (A)			
RF1	ROOF FELT (LOCAL)	S			
RPC	6/12 ROOF PITCH	B (A)			
999QB01	BRICK COLOR (BRICK COLOR)	E		SUGARCREEK	
999QI01	SHAKE SIDING COLOR (SHAKE SIDING COLOR)	E		PEARL GRAY SHAKE	

SELECTED OPTIONS FOUNDATIONS					
Option	Description	Category	Quantity	Color/Location (Number)	
555XA11	EXCAVATION CUT 6'	S			
FDS	FOUNDATION FOOTING 6"	B (A)			
FLH	FOUNDATION FROST LINE 48"	S			
FWE	FOUNDATION GARAGE EXTERIOR WALL MIN PER FROST DEPTH	B (C)			



SELECTED OPTIONS BASEMENT					
Option	Description	Category	Quantity	Color/Location (Number)	
AEB	BASEMENT BATHROOM SHOWER	E			
MAC	FINISHED BASEMENT	S			
WMC	WINDOW EGRESS BASEMENT	E			
ZGX	NO WINDOW(S) BASEMENT REAR	В (С)			
ZMT	NO WALKOUT EXITS AT REAR	B (C)			

Description	ZMT	NO WALKOUT EXITS AT REAR	B (C)		
777XA21 ADDRESS STONE S DHO FRONT DOOR STANDARD LOCK B (A) GCB 2 CAR GARAGE - FRONT ENTRY GGP WHISE INABLED GARAGE DOOR OPENER W/REMOTE CONTROLS GGU GARAGE DOOR UPGRADE1 B (A) MCCF FLEX ROOM B (A) SDF FRONT DOOR FIBERGLASS B (A) SEA STANCHIONS PER ENGINEERING B (A) SEA STANCHIONS PER ENGINEERING B (A) SEI 16° O.C. STUD SPACING EXTERIOR GABLE WALLS SEO TRUSS SHEATHING 7/16° OSB S SFB SHEATHING LAP @ OUTSIDE CORNERS B (A) SFG STRAPS ILO BOLTS (CONCRETE) S SFJ 24° O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFW WALLS SFW WALL SHEATHING 7/16° OSB S SFV HOUSE WRAP E (G) SFZ SAFETY PACKAGE MATERIAL B (A) SGI WINDOW COLOR WHITE (EXTERIOR & INTERIOR) SGI MINDUM COLOR WHITE (EXTERIOR & INTERIOR) SIG INSULATION WALL R-13 B (A) SIL INSULATION WALL FINISHED BASEMENT R13 E (G) SIA BRICK (A) E (G) SIA BRICK (A) E (G) SARA 7/16° ROOS SHEATHING B (A) SRA 7/16° ROOS SHEATHING B (A) SRA 7/16° ROOS SHEATHING B (A) SRA 7/16° ROOS SHEATHING B (A) SRP ROOF SHINGLED B (A) SRP ROOF SHINGLES ARCHITECTURAL S WEATHERWOOD SHINGLES SRW WIND LOAD 115 MPH (LUTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY PRIMARY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS	SELECTED O	PTIONS HOUSE			
DHD FRONT DOOR STANDARD LOCK B (A) GCB 2 CAR GARAGE - FRONT ENTRY B (A) GGB 2 CAR GARAGE - FRONT ENTRY B (A) GGP WIFE INABLED GARAGE DOOR OPENER W/REMOTE CONTROLS GGU GARAGE DOOR UPGRADE1 B (A) MCF FLER ROOM B (A) SDF FRONT DOOR FIBERGLASS B (A) SDF FRONT DOOR FIBERGLASS B (A) SED STREDOOR 20 MIN B (A) SEA STANCHIONS PER ENGINEERING B (A) SEI 16" O.C. STUD SPACING EXTERIOR GABLE WALLS SEO TRUSS SHEATHING 7/16" OSB S S SFB SHEATHING LAP @ OUTSIDE CORNERS B (A) SFG STRAPS ILO BOLTS (CONCRETE) S S SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFM WALLS SHEATHING 7/16" OSB S S SFJ STAPS ILO BOLTS (CONCRETE) S S SFJ WALLS SFM WALL SHEATHING 7/16" OSB S S SFJ STAPS ILO BOLTS (CONCRETE) S S SFJ STAPS ILO BOLTS (CONCRETE) S S SFJ WALLS SFM WALL SHEATHING 7/16" OSB S S SFJ STAPS ILO BOLTS (CONCRETE) S S SFJ STAPS ILO BOLTS (CONCRETE) S S SFJ WALLS SFM WALL SHEATHING 7/16" OSB S S SFJ STAPS ILO BOLTS (CONCRETE) S S SFJ STAPS ILO BOLTS (CONCRETE) S S SFJ WALL SHEATHING 7/16" OSB S S SFJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SFZ SAFETY PACKAGE MATERIAL B (A) SIL INSULATION SLAR RIGID R-10 B (A) SIL INSULATION WALL FINISHED BASEMENT R13 B (A) SIL INSULATION WALL FINISHED BASEMENT R13 E (G) SIA BRICK (A) E (G) SUGARCREEK SIA BRICK (A) E (G) SUGARCREEK SIA BRICK (A) E (G) SUGARCREEK SIA CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRR 7/16" ROOF SHEATHING B (A) SRR 7/16" ROOF SHEATHING B (A) SRP ROOF SHINGLES ARCHITECTURAL S WEATHERWOOD SHINGLES SRW WIND LOAD 115 MPH (IUTIMATE) B (A) STW EXTERIOR TRIM WHITE E E SUD SIDING HARDBOARD S NIGHT GRAY PRIMARY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SKC CORNERSTONE SPECIFICATIONS	Option	Description	Category	Quantity	Color/Location (Number)
GCB 2 CAR GARAGE - FRONT ENTRY B (A) GGP WIFE INABLED CARAGE DOOR OPENER W/REMOTE CONTROLS GGU GARAGE DOOR UPGRADE1 B (A) MCF FLEX ROOM B (A) SDF FRONT DOOR FIBERGLASS B (A) SDF FIREDOOR 20 MIN SDF FRONT DOOR FIBERGLASS B (A) SDF FIREDOOR 20 MIN SDF FRONT DOOR FIBERGLASS B (A) SDF FROND FIBERGLASS B (A) SDF FRONT DOOR FIBERGLASS B (A) SDF FRONT DOOR FIBERGLASS B (A) SDF FRONT DOOR FIBERGLASS B (A) SDF FROND FIBERGLASS SPECIFICATIONS - EXPOSURE (B) SDF FROND FIBERGLASS SPECIFICATIONS - EXPOSURE (B) SDF FROND FIBERCLASS SPECIFICATIONS - EXPOSURE (B) SDF FROND FIBERCLASS FRONT B (LITIMATE) SDF SINIGHT GRAP PRIMARY SUFF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 SDF WINDOWS	777XA21	ADDRESS STONE	S		
GGP CONTROLS GGU GARAGE DOOR UPGRADE1 B (A) GGU GARAGE DOOR UPGRADE1 B (A) MCF FLEX ROOM B (A) SDF FRONT DOOR FIBERGLASS B (A) SDS FIREDOOR 20 MIN B (A) SEA STANCHIONS PER ENGINEERING B (A) SEO 16" O.C. STUD SPACING EXTERIOR GABLE WALLS SEO TRUSS SHEATHING 7/16" OSB S S SFB SHEATHING 17/16" OSB S S SFB SHEATHING 17/16" OSB S S SFB WALLS SEAD CL. STUD SPACING INTERIOR NON-BEARING WALLS SFM WALL SHEATHING 7/16" OSB S S SFW WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SFG ALTERNATE GRILLE PATTERN B (A) SIG INSULATION WALL R-13 B (A) SIL INSULATION WALL FINISHED BASEMENT R13 B (A) SIM INSULATION WALL FINISHED BASEMENT R13 E (G) SIA BRICK (A) S (G) S UGARCREEK SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRA 7/16" ROOF SHEATHING B (A) SRA 7/16" ROOF SHEATHING B (A) SRA 7/16" ROOF SHINGLED B (A) SRA 7/16" ROOF SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRA 7/16" ROOF SHEATHING B (A) SRW WIND LOAD 115 MPH (ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY PRIMARY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SKC CORNERSTONE SPECIFICATIONS	DHD	FRONT DOOR STANDARD LOCK	B (A)		
GGU GARAGE DOOR UPGRADE1 B (A) MCF FLEX ROOM B (A) SDP FRONT DOOR FIBERGLASS B (A) SDS FIREDOOR 20 MIN B (A) SEA STANCHIONS PER ENGINEERING B (A) SEA STANCHIONS PER ENGINEERING B (A) SEO TRUSS SHEATHING 7716" OSB S B (A) SFB SHEATHING 7716" OSB B (A) SFJ WALLS SFW WALL SHEATHING 7716" OSB S S SFF WALLS SFV HOUSE WRAP E (G) SFJ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) SIG INSULATION WALL FLATHEN TO B (A) SIL INSULATION WALL FINISHED BASEMENT R13 B (A) SIM INSULATION WALL FINISHED BASEMENT R13 SIL INSULATION WALL FINISHED BASEMENT R13 SRA 7716" ROOF SHEATHING SPECIFICATIONS - EXPOSURE (B) SRW WIND LOAD 115 MPH (ULTIMATE) B (A) SRP ROOF SHINGLES ARCHITECTURAL S WEATHERWOOD SHINGLES SRW WIND LOAD 115 MPH (ULTIMATE) B (A) SRP ROOF SHINGLES ARCHITECTURAL S WEATHERWOOD SHINGLES SRW WIND LOAD 115 MPH (ULTIMATE) B (A) SRP ROOF SHINGLES ARCHITECTURAL S WEATHERWOOD SHINGLES SRW WIND LOAD 115 MPH (ULTIMATE) B (A) SRP ROOF SHINGLES ARCHITECTURAL S NEATHERWOOD SHINGLES SRW WIND LOAD 115 MPH (ULTIMATE) B (A) SRY EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY PRIMARY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 SKC CORNERSTONE SPECIFICATIONS B (A)	GCB	2 CAR GARAGE - FRONT ENTRY	B (A)		
MCF FLEX ROOM B (A) SDF FRONT DOOR FIBERGLASS B (A) SDS FIREDOOR 20 MIN B (A) SEA STANCHIONS PER ENGINEERING B (A) SEI 16" O.C. STUD SPACING EXTERIOR GABLE WALLS B (A) SEO TRUSS SHEATHING 1AP @ OUTSIDE CORNERS B (A) SFB SHEATHING LAP @ OUTSIDE CORNERS B (A) SFG STRAPS ILO BOLTS (CONCRETE) S S SFI WALLS SHEATHING 7/16" OSB S B (A) SFFW WALLS SHEATHING 7/16" OSB S S SFV HOUSE WRAP E (G) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SGT ALTERNATE GRILLE PATTERN E (G) SIG INSULATION WALL R-13 B (A) SIL INSULATION WALL FINISHED BASEMENT R13 E (G) SIM INSULATION WALL FINISHED BASEMENT R13 E (G) SIA BRICK (A) SRA 7/16" ROOF SHEATHING B (B) SRA 7/16" ROOF SHEATHING B (B) SRP ROOF SHINGLED SS PECIFICATIONS - EXPOSURE (B) STW WIND LOAD 115 MPH (ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY PRIMARY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	GGP		B (A)		
SDF FRONT DOOR FIBERGLASS B (A) BUNGLEHOUSE BLUE SDS FIREDOOR 20 MIN B (A) SEA STANCHIONS PER ENGINEERING B (A) SEI 16" O.C. STUD SPACING EXTERIOR GABLE WALLS B (A) SEO TRUSS SHEATHING 7/16" OSB S SFB SHEATHING LAP @ OUTSIDE CORNERS B (A) SFG STRAPS ILO BOLTS (CONCRETE) S SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFM WALL SHEATHING 7/16" OSB S SFV HOUSE WRAP E (G) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SGT ALTERNATE GRILLE PATTERN E (G) SIG INSULATION WALL R-13 B (A) SIL INSULATION WALL R-13 B (A) SIL INSULATION WALL FINISHED BASEMENT R13 E (G) SIA BRICK (A) E (G) SUGARCREEK SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRA 7/16" ROOF SHEATHING B (A) SRP ROOF SHINGLES ARCHITECTURAL S WEATHERWOOD SHINGLES SRW WIND LOAD 115 MPH (ULTIMATE) B (A) STW EXTERIOR TRIMS WHITE E E SUD SIDING HARDBOARD S NIGHT GRAY PRIMARY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS BRICKMOULD 2300 B (A)	GGU	GARAGE DOOR UPGRADE1	B (A)		
SDS FIREDOOR 20 MIN B (A) SEA STANCHIONS PER ENGINEERING B (A) SEI 16" O.C. STUD SPACING EXTERIOR GABLE WALLS SEO TRUSS SHEATHING 7/16" OSB S SFB SHEATHING LAP @ OUTSIDE CORNERS B (A) SFG STRAPS ILO BOLTS (CONCRETE) S SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFM WALL SHEATHING 7/16" OSB S SFV HOUSE WRAP E (G) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SGT ALTERNATE GRILLE PATTERN E (G) SIG INSULATION WALL R-13 B (A) SIL INSULATION WALL R-13 B (A) SIL INSULATION WALL FINISHED BASEMENT R13 E (G) SIA BRICK (A) E (G) SUGARCREEK SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRA 7/16" ROOF SHEATHING B (A) SRP ROOF SHINGLES ARCHITECTURAL S WEATHERWOOD SHINGLES SRW WIND LOAD 115 MPH (ULTIMATE) B (A) STW EXTERIOR TRIUS SPECIFICATIONS - EXPOSURE (B) B (A) STW EXTERIOR TRIUS SPECIFICATIONS - EXPOSURE (B) B (A) STW EXTERIOR TRIUS SPICE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS BRICKMOULD 2300 B (A)	MCF	FLEX ROOM	B (A)		
SEA STANCHIONS PER ENGINEERING B (A) SEI 16" O.C. STUD SPACING EXTERIOR GABLE WALLS B (A) SEO TRUSS SHEATHING 7/16" OSB S SFB SHEATHING LAP @ OUTSIDE CORNERS B (A) SFG STRAPS ILO BOLTS (CONCRETE) S SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFM WALL SHEATHING 7/16" OSB S SFV HOUSE WRAP E (G) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SGT ALTERNATE GRILLE PATTERN E (G) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION CEILING BLOWN R49 S SIV INSULATION WALL FINISHED BASEMENT R13 E (G) SJA BRICK (A) E (G) SUGARCREEK SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRP ROOF SHEATHING B (A) SRP ROOF SHINGLES ARCHITECTURAL S WEATHERWOOD SHINGLES SRW WIND LOAD 115 MPH (ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY PRIMARY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS - SEPOSIVED SO (A) SKC CORNERSTONE SPECIFICATIONS - BE (A) SXC CORNERSTONE SPECIFICATIONS - BE (A)	SDF	FRONT DOOR FIBERGLASS	B (A)		BUNGLEHOUSE BLUE
SEI 16" O.C. STUD SPACING EXTERIOR GABLE WALLS B (A) SEO TRUSS SHEATHING 7/16" OSB S SFB SHEATHING LAP @ OUTSIDE CORNERS B (A) SFG STRAPS ILO BOLTS (CONCRETE) S SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFM WALLS HEATHING 7/16" OSB S SFV HOUSE WRAP E (G) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SGT ALTERNATE GRILLE PATTERN E (G) SIG INSULATION WALL R-13 B (A) SIL INSULATION WALL FINISHED BASEMENT R13 E (G) SIV INSULATION WALL FINISHED BASEMENT R13 E (G) SJA BRICK (A) E (G) SUGARCREEK SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) STW WIND LOAD 115 MPH (ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY PRIMARY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS	SDS	FIREDOOR 20 MIN	B (A)		
SEO TRUSS SHEATHING 7/16" OSB S SFB SHEATHING LAP @ OUTSIDE CORNERS B (A) SFG STRAPS ILO BOLTS (CONCRETE) S SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFM WALL SHEATHING 7/16" OSB S SFV HOUSE WRAP E (G) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SGT ALTERNATE GRILLE PATTERN E (G) SIG INSULATION WALL R-13 B (A) SIL INSULATION WALL R-13 B (A) SIL INSULATION WALL FINISHED BASEMENT R13 E (G) SIA BRICK (A) E (G) SUGARCREEK SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (B) SRA 7/16" ROOF SHEATHING B (B) SRP ROOF SHINGLES ARCHITECTURAL S WEATHERWOOD SHINGLES SRW WIND LOAD 115 MPH (ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY PRIMARY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SEA	STANCHIONS PER ENGINEERING	B (A)		
SFB SHEATHING LAP @ OUTSIDE CORNERS B (A) SFG STRAPS ILO BOLTS (CONCRETE) S SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFM WALL SHEATHING 7/16" OSB S SFV HOUSE WRAP E (G) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SGT ALTERNATE GRILLE PATTERN E (G) SIG INSULATION WALL R-13 B (A) SIL INSULATION WALL R-13 B (A) SIL INSULATION WALL FINISHED BASEMENT R13 E (G) SIV INSULATION WALL FINISHED BASEMENT R13 E (G) SJA BRICK (A) E (G) SUGARCREEK SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES ARCHITECTURAL S WEATHERWOOD SHINGLES SRW WIND LOAD 115 MPH (ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY PRIMARY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SEI	16" O.C. STUD SPACING EXTERIOR GABLE WALLS	B (A)		
SFG STRAPS ILO BOLTS (CONCRETE) S 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFM WALL SHEATHING 7/16" OSB S SFV HOUSE WRAP E (G) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SGT ALTERNATE GRILLE PATTERN E (G) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION WALL FINISHED BASEMENT R13 E (G) SIV INSULATION WALL FINISHED BASEMENT R13 E (G) SJA BRICK (A) E (G) SUGARCREEK SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES ARCHITECTURAL S WEATHERWOOD SHINGLES SRW WIND LOAD 115 MPH (ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY PRIMARY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS BE (G)	SEO	TRUSS SHEATHING 7/16" OSB	S		
SFJ 24" O.C. STUD SPACING INTERIOR NON-BEARING WALLS SFM WALL SHEATHING 7/16" OSB S SFV HOUSE WRAP E (G) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SGT ALTERNATE GRILLE PATTERN E (G) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION CEILING BLOWN R49 S SIV INSULATION WALL FINISHED BASEMENT R13 E (G) SJA BRICK (A) E (G) SUGARCREEK SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRP ROOF SHINGLES ARCHITECTURAL S WEATHERWOOD SHINGLES SRW WIND LOAD 115 MPH (ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY PRIMARY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SFB	SHEATHING LAP @ OUTSIDE CORNERS	B (A)		
SFI WALLS SFM WALL SHEATHING 7/16" OSB SFV HOUSE WRAP E (G) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) SGT ALTERNATE GRILLE PATTERN E (G) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION CEILING BLOWN R49 SIV INSULATION WALL FINISHED BASEMENT R13 E (G) SJA BRICK (A) E (G) SUGARCREEK SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) SRW WIND LOAD 115 MPH (ULTIMATE) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD SXC CORNERSTONE SPECIFICATIONS B (A) S NIGHT GRAY PRIMARY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS	SFG	STRAPS ILO BOLTS (CONCRETE)	S		
SFV HOUSE WRAP E (G) SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SGT ALTERNATE GRILLE PATTERN E (G) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION CEILING BLOWN R49 S SIV INSULATION WALL FINISHED BASEMENT R13 E (G) SJA BRICK (A) E (G) SUGARCREEK SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES ARCHITECTURAL S WEATHERWOOD SHINGLES SRW WIND LOAD 115 MPH (ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY PRIMARY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SFJ		В (А)		
SFZ SAFETY PACKAGE MATERIAL B (A) SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) B (C) SGT ALTERNATE GRILLE PATTERN E (G) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION CEILING BLOWN R49 S SIV INSULATION WALL FINISHED BASEMENT R13 E (G) SJA BRICK (A) E (G) SUGARCREEK SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES ARCHITECTURAL S WEATHERWOOD SHINGLES SRW WIND LOAD 115 MPH (ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY PRIMARY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SFM	WALL SHEATHING 7/16" OSB	S		
SGJ WINDOW COLOR WHITE (EXTERIOR & INTERIOR) SGT ALTERNATE GRILLE PATTERN E (G) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION CEILING BLOWN R49 S SIV INSULATION WALL FINISHED BASEMENT R13 E (G) SJA BRICK (A) E (G) SUGARCREEK SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) SRP ROOF SHINGLES ARCHITECTURAL S WEATHERWOOD SHINGLES SRW WIND LOAD 115 MPH (ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY PRIMARY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SFV	HOUSE WRAP	E (G)		
SGT ALTERNATE GRILLE PATTERN E (G) SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION CEILING BLOWN R49 S SIV INSULATION WALL FINISHED BASEMENT R13 E (G) SJA BRICK (A) E (G) SUGARCREEK SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES ARCHITECTURAL S WEATHERWOOD SHINGLES SRW WIND LOAD 115 MPH (ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY PRIMARY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SFZ	SAFETY PACKAGE MATERIAL	B (A)		
SIG INSULATION WALL R-13 B (A) SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION CEILING BLOWN R49 S SIV INSULATION WALL FINISHED BASEMENT R13 E (G) SJA BRICK (A) E (G) SUGARCREEK SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES ARCHITECTURAL S WEATHERWOOD SHINGLES SRW WIND LOAD 115 MPH (ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY PRIMARY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SGJ	WINDOW COLOR WHITE (EXTERIOR & INTERIOR)	B (C)		
SIL INSULATION SLAB RIGID R-10 B (A) SIM INSULATION CEILING BLOWN R49 S SIV INSULATION WALL FINISHED BASEMENT R13 E (G) SJA BRICK (A) E (G) SUGARCREEK SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES ARCHITECTURAL S WEATHERWOOD SHINGLES SRW WIND LOAD 115 MPH (ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY PRIMARY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SGT	ALTERNATE GRILLE PATTERN	E (G)		
SIM INSULATION CEILING BLOWN R49 SIV INSULATION WALL FINISHED BASEMENT R13 E (G) SIA BRICK (A) E (G) SUGARCREEK SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) SRP ROOF SHINGLES ARCHITECTURAL S WEATHERWOOD SHINGLES SRW WIND LOAD 115 MPH (ULTIMATE) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SIG	INSULATION WALL R-13	B (A)		
SIV INSULATION WALL FINISHED BASEMENT R13 E (G) SJA BRICK (A) E (G) SUGARCREEK SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES ARCHITECTURAL S WEATHERWOOD SHINGLES SRW WIND LOAD 115 MPH (ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY PRIMARY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SIL	INSULATION SLAB RIGID R-10	B (A)		
SJA BRICK (A) E (G) SUGARCREEK SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES ARCHITECTURAL S WEATHERWOOD SHINGLES SRW WIND LOAD 115 MPH (ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY PRIMARY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SIM	INSULATION CEILING BLOWN R49	S		
SQU ROOF ACCENT SHINGLED B (A) SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES ARCHITECTURAL S WEATHERWOOD SHINGLES SRW WIND LOAD 115 MPH (ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY PRIMARY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SIV	INSULATION WALL FINISHED BASEMENT R13	E (G)		
SRA 7/16" ROOF SHEATHING B (A) SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES ARCHITECTURAL S WEATHERWOOD SHINGLES SRW WIND LOAD 115 MPH (ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY PRIMARY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SJA	BRICK (A)	E (G)		SUGARCREEK
SRI CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B) B (A) SRP ROOF SHINGLES ARCHITECTURAL S WEATHERWOOD SHINGLES SRW WIND LOAD 115 MPH (ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY PRIMARY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SQU	ROOF ACCENT SHINGLED	B (A)		
SRP ROOF SHINGLES ARCHITECTURAL S WEATHERWOOD SHINGLES SRW WIND LOAD 115 MPH (ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY PRIMARY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SRA	7/16" ROOF SHEATHING	B (A)		
SRW WIND LOAD 115 MPH (ULTIMATE) B (A) STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY PRIMARY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SRI	CORPORATE TRUSS SPECIFICATIONS - EXPOSURE (B)	B (A)		
STW EXTERIOR TRIM WHITE E SUD SIDING HARDBOARD S NIGHT GRAY PRIMARY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SRP	ROOF SHINGLES ARCHITECTURAL	S		WEATHERWOOD SHINGLES
SUD SIDING HARDBOARD S NIGHT GRAY PRIMARY SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	SRW	WIND LOAD 115 MPH (ULTIMATE)	B (A)		
SWF WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300 B (A) SXC CORNERSTONE SPECIFICATIONS B (A)	STW	EXTERIOR TRIM WHITE	E		
SXC CORNERSTONE SPECIFICATIONS B (A)	SUD	SIDING HARDBOARD	S		NIGHT GRAY PRIMARY
	SWF	WINDOWS VINYL SINGLE HUNG BRICKMOULD 2300	B (A)		
SYD BUILTSMART 3.0 B (A)	SXC	CORNERSTONE SPECIFICATIONS	B (A)		
	SYD	BUILTSMART 3.0	B (A)		



DAYTON (DCY)

Option	Description	Category	Quantity	Color/Location (Number)
9FE	FAUCET FIXTURES KITCHEN UPGRADE1	E		TRADITIONAL BRUSHED NICKEL
KA1	KITCHEN APPLIANCE LAYOUT W/RANGE (TC)	B (A)		
KFI	KITCHEN VENTILATION RECIRCULATING	B (A)		
KFN	KITCHEN SINK SINGLE BOWL	S		
KFW	KITCHEN HOOD FAN (GE)	S		
NBC	TILE WALL BACKSPLASH KITCHEN UPGRADE1	E		LEVEL 1 (3 X 6) WHITE SUBWAY
NMK	GRANITE COUNTERTOP KITCHEN UPGRADE1	E		GRANITE NEW CALEDONIA
QK1	KITCHEN CABINETS UPGRADE1	E		

SELECTED OPTIONS APPLIANCES					
Option	Description	Category	Quantity	Color/Location (Number)	
4EZ	NO REFRIGERATOR	B (A)			
4GQ	APPLIANCE PKG FREESTANDING 4GQ-SS RANGE/DISHWASHER/MICRO	S			
4MA	MICROWAVE	B (A)			
ICA	RANGE ELECTRIC HOOK-UP	B (A)			
ICC	DRYER ELECTRIC HOOK-UP	B (A)			
ICG	MICROWAVE 110V HOOK-UP	B (C)			
ZWD	NO WASHER/DRYER PACKAGE	B (A)			

SELECTED OPTIONS FAMILY ROOM					
Option	Description	Category Quantit	cy Color/Location (Number)		
WSF	WINDOW(S) FAMILY ROOM SIDE	E			

SELECTED	SELECTED OPTIONS OWNERS SUITE				
Option	Description	Category	Quantity	Color/Location (Number)	
AMF	OWNER'S BATHROOM SOAKING TUB & SHOWER GLASS SURROUND	E			
AMS	OWNER'S BATHROOM FRAMED SHOWER DOOR	B (A)			
AUB	OWNER'S BATHROOM CERAMIC SURROUND	E			
QM1	VANITY CABINET UPGRADE1 OWNER'S BATHROOM	E			

SELECTED OP	TIONS BEDROOMS			
Option	Description	Category	Quantity	Color/Location (Number)
BDB	FOUR BEDROOM	B (A)		

SELECTED OPTIONS BATHROOMS				
Option	Description	Category	Quantity	Color/Location (Number)
AUC	SECONDARY BATHROOM FIBERGLASS SURROUND	B (A)		
QZ1	VANITY CABINET UPGRADE1 BATHROOM	E		
VVC	SINGLE BOWL VANITY BATHROOM #1	B (A)		

SELECTED OPTIONS GENERAL SPECIFICATIONS				
Option	Description	Category	Quantity	Color/Location (Number)
555XA03	SOUTHWEST OHIO REQUIREMENTS	S		
555XA05	COUNTY REQUIREMENTS	S		
555XA06	BASEMENT INSULATION 4'	S		
555XA38	JURISDICTION REQUIREMENTS #2	S		
555XA39	JURISDICTION REQUIREMENTS #3	S		
555XA40	JURISDICTION REQUIREMENTS #4	S		
SGD	PLANT INSTALLED WINDOWS	S		



SELECTED OPTIONS INTERIOR SPECIFICATIONS				
Option	Description	Category	Quantity	Color/Location (Number)
6PS	PAINT SHOE MOULDING	S		
AFM	BATHROOM MIRRORS (PLANT)	B (A)		
DHJ	INTERIOR DOOR HARDWARE FINISH SATIN NICKEL	B (A)		
DHM	LOCKS (PLANT)	B (A)		
HFA	HOUSE BASE FINISH	B (A)		
QKM	CABINETS (PLANT)	B (A)		
RLS	INTERIOR HANDRAIL	B (A)		NVR SILVER SHADE SATIN
SSH	CARPETED STAIR W/CAPPED WALL	B (A)		
STD	INTERIOR TRIM STD	B (A)		
SZB	NVR SPECIFICATIONS	B (A)		
SZH	2019 LIGHT/MIRROR LAYOUT DBL VANITY	B (A)		
YCM	VANITY TOPS (PLANT)	B (A)		

SELECTED (OPTIONS MECHANICAL SPECIFICATIONS			
Option	Description	Category	Quantity	Color/Location (Number)
8CV	EQUIPMENT PKG VERTICAL COIL ZONE 1	В (А)		
8TA	WIFI ENABLED SMART THERMOSTAT	В (А)		
8VW	50 CFM FAN BATH	B (A)		
8XX	LOCAL HVAC BY DESIGN	S		
8ZE	CLIMATE ZONE 5	S		
SHB	GAS HEAT	В (А)		
SZF	HVAC & FLOOR SYSTEM PER DESIGN	В (А)		
ZLL	LAUNDRY DOOR PANELED	В (А)		

SELECTED OPTIONS ELECTRICAL AND HOME TECHNOLOGY SPECIFICATIONS				
Option	Description	Category	Quantity	Color/Location (Number)
СРА	CABLE & INTERNET DUAL PORT (3)	B (A)		
СРС	HOME TECHNOLOGY ENCLOSURE	S		
СРЕ	PHONE JACK (1)	B (A)		
IAV	LIGHT PACKAGE TRADITIONAL	B (A)		
IDC	SERVICE 200 AMP	E		
IGF	CEILING FAN ROUGH-IN (EA)	E		1 - IN OWNER'S BEDROOM
IGG	POST LIGHT ELECTRIC	S		
IGS	PENDANT LIGHT(S) KITCHEN	E		
IKL	LED LIGHT (EA)	E	7	7- 4 IN FR, 1 IN BED 2,3,4
IXB	LIGHT FIXTURE NICKEL FINISH	В (А)		

SELECTED OPTIONS PLUMBING SPECIFICATIONS				
Option	Description	Category	Quantity	Color/Location (Number)
777XC24	WATER SOFTENER ROUGH-IN - HOSE BIB RAN SEPERAT	S		
9FA	FAUCET FIXTURES BATHROOMS STANDARD	B (A)		TRADITIONAL CHROME
9ТС	COMFORT HGT TOILET HOUSE	E		
9TZ	NO WASHER DRAIN PAN	S		
IHC	SUMP PUMP	S		
IHN	WATER HEATER GAS POWERVENT 50 GALLON	E		





DAYTON (DCY) Product (Set/Version): COLUMBIA (CLM00-01)

SELECTED OF	PTIONS EXTERIOR SPECIFICATIONS			
Option	Description	Category	Quantity	Color/Location (Number)
STB	EXTERIOR TRIM HARDIE	S		

SELECTED OPTIONS FLOORING				
Option	Description	Category	Quantity	Color/Location (Number)
ACPUB00	CARPET ZONE 2 (A)	B (A)		FAST BALL II BARE MINERAL (NV22600105)
ACPUB11	CARPET PAD ZONE 2 (A)	E		
ACPUY00	CARPET BASEMENT ZONE (A)	E (G)		FAST BALL II BARE MINERAL (NV22600105)
ACPUY11	CARPET PAD BASEMENT ZONE (A)	E		
ACWAO02	CERAMIC WALL SURROUND OWNER'S BATHROOM (B)	E		HAVANA WHITE 12X12
ALVAA01	LVP BATHROOM #1 (A)	E		RCEL UNIONTOWNOAK NEUTRAL SKY (A6305)
ALVAF01	LVP BASEMENT BATHROOM (A)	E		RCEL UNIONTOWNOAK NEUTRAL SKY (A6305)
ALVAO01	LVP OWNER'S BATHROOM (A)	E		RCEL UNIONTOWNOAK NEUTRAL SKY (A6305)
ALVAP01	LVP POWDER ROOM FIRST FLOOR (A)	E		RCEL UNIONTOWNOAK NEUTRAL SKY (A6305)
ALVCF01	LVP FLEX ROOM (A)	E		RCEL UNIONTOWNOAK NEUTRAL SKY (A6305)
ALVFA01	LVP FAMILY ROOM (A)	E		RCEL UNIONTOWNOAK NEUTRAL SKY (A6305)
ALVFE01	LVP FAMILY ENTRY (A)	E		RCEL UNIONTOWNOAK NEUTRAL SKY (A6305)
ALVFY01	LVP FOYER (A)	E		RCEL UNIONTOWNOAK NEUTRAL SKY (A6305)
ALVKK01	LVP KITCHEN (A)	E		RCEL UNIONTOWNOAK NEUTRAL SKY (A6305)
ALVVA01	LVP LAUNDRY ROOM (A)	E		RCEL UNIONTOWNOAK NEUTRAL SKY (A6305)

SELECTED OPTIONS COLOR SELECTIONS				
Option	Description	Category	Quantity	Color/Location (Number)
CAM	VANITY OWNER'S BATHROOM	B (A)		
CAM2XEF	VANITY OWNER'S BATH UPGRADE1 TAHOE PAINTED LINEN	E		
CAZ	VANITY CABINETS	B (A)		
CAZ2XEF	VANITY UPGRADE1 TAHOE PAINTED LINEN	E		
СКС	KITCHEN CABINETS	B (A)		
CKC2XEF	KITCHEN UPGRADE1 TAHOE PAINTED LINEN	E		
NVC	VANITY TOPS HOUSE	B (A)		
NVC2XAA	VANITY TOP HOUSE STANDARD CULTURED MARBLE WHITE	B (C)		
NVN	VANITY TOPS OWNER'S BATHROOM	B (A)		
NVN2XAA	VANITY TOP OWNER'S BATH STANDARD CULTURED MARBLE WHITE	B (C)		



Page 6 of 7



DAYTON (DCY)

CUSTOM OPTIONS				
Option	Description	Category	Quantity	Color/Location (Number)
777XG04	CUSTOMER CHANGE ORDERS COMPLETE	E		
777XG24	STRUCTURAL CHANGES COMPLETE	E		
999ZZ01	MISC #1 - FACE COLDSTREAM (Face Coldstream)	E		
999ZZ02	MISC #2 - HOME COMPLETION TO B (Home Completion to be May/June 2021)	E		



mnorth



DAYTON (DCY)

Product (Set/Version): **COLUMBIA (CLM00-01)**

CHANGE ORDER #1 Date: 10/19/2020 Status: Ratified						Layout: REVERSE Driveway: LEFT		
Change	Option	Description	Added Description	Color/Location	Quantity	Category	Create Person	
ADD	777XG04	CUSTOMER CHANGE ORDERS COMPLETE				E	mnorth	
ADD	777XG24	STRUCTURAL CHANGES COMPLETE				E	mnorth	
ADD	IGF	CEILING FAN ROUGH-IN (EA)				E	mnorth	
UPDATE	IGF	CEILING FAN ROUGH-IN (EA)		1 - in Owner's Bedroom		E	mnorth	
ADD	IKL	LED LIGHT (EA)			7	E	mnorth	
DELETE	IKL	LED LIGHT (EA)			4	E	mnorth	
UPDATE	IKL	LED LIGHT (EA)		7- 4 in FR, 1 in Bed 2,3,4		E	mnorth	
DELETE	NBB	COUNTERTOP BACKSPLASH KITCHEN				B (A)	mnorth	
ADD	NBC	TILE WALL BACKSPLASH KITCHEN UPGRADE1				E	mnorth	
UPDATE	NBC	TILE WALL BACKSPLASH KITCHEN UPGRADE1		Level 1 (3 x 6) WHITE Subway		E	mnorth	
UPDATE	SRP	SHINGLES 30 YR		Weatherwood Shingles		S	mnorth	
CHANGE (ORDER #2	Date: 11/1/2020 Status:	Ratified		ayout: RE\	/ERSE D	riveway: LEFT	
Change	Option	Description	Added Description	Color/Location	Quantity	Category	Create Person	

Home Completion to be

May/June 2021

999ZZ02

ADD